

BOBCAT COMPANY PRICE PAGES

NA LIGHT COMPACTION



Please Note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars
- Check BobcatNET Pricing Homepage for current Canadian exchange rate
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and Specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
7/19/2022	Release Date
6/24/2024	Mid-Year Pricing Update
3/7/2025	Updated Pricing
1/1/2026	Updated Pricing

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

Forward Plate Compactor Bobcat Light Compaction



Quick Specs

<u>Dimensions</u>	<i>FP10.33</i>	<i>FP15.40</i>	<i>FP15.50</i>
Machine Weight (lb.).....	119	176	185
Machine Length (in.).....	25.8	27.6	27.6
Ground Contact Length (in.).....	13.4	13.9	13.9
Machine Height (in.).....	20	26.3	26.3
Machine Width (in.).....	13	15.7	19.7
Travel Speed (mph).....	0 - 0.8	0 - 1	0 - 0.9
Gradeability.....	30%	30%	0.3
Max. Incline.....	20°	20°	20°
<u>Engine</u>			
Engine Make.....	Honda GX 120	Honda GX 120	Honda GX 120
Horsepower.....	3.5	3.5	3.5
Fuel Type.....	Gas	Gas	Gas
Fuel Capacity (gal).....	0.5	0.5	0.5
Fuel Consumption (gal/hr).....	0.3	0.3	0.3
<u>Compaction Forces</u>			
Surface Capacity (ft ² /hr.).....	4689	6975	7750
Max. Vibration Frequency (Hz).....	100	100	100
Max. Centrifugal Force (lbf.).....	2360	3372	3372
Surface Pressure (lbf./in. ²).....	13.5	15.5	12.4
Hand-Arm Vibration on Handle (ft./s ²).....	36	<8.2	<8.2
Amplitude (mm).....	1.3	1.4	1.2

Part Number	Attachment Description	SLP in US \$
7473195	FP10.33 (Comes standard with Water Sprinkling System)	\$2,099.00
7473242	FP15.40 (Comes standard with Water Sprinkling System)	\$2,545.00
7473243	FP15.50 (Comes standard with Water Sprinkling System)	\$2,783.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	SLP in US \$
46852471	Hour Counter (For the FP 15.40 and FP 15.50)	Parts \$ -
46852541	Paving Pad 400mm (For the FP 15.40)	Parts \$ -
46855969	Transport Wheels (For the FP 15.40 and FP 15.50)	Parts \$ -
46855975	Paving Pad 500mm (For the FP 15.50)	Parts \$ -
Destination Charge/Fuel Surcharge Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges		
Attachment	Assembly Required	Installation Time (Hours)

Rammer Bobcat Light Compaction



Quick Specs

<u>Dimensions</u>	<i>R60P</i>	<i>R68P</i>
Machine Weight (lb.).....	137	150
Foot Length (in.).....	13.4	13.4
Foot Width (in.).....	11	11
Handle Length (in.).....	28	28
Machine Height (in.).....	40.2	40.2
Handle Width (in.).....	14	14
Travel Speed (mph).....	0.5	0.5
 <u>Engine</u>		
Engine manufacturer.....	Honda GXR 120	Honda GXR 120
Horsepower (hp).....	3.6	3.6
Fuel Tank Capacity (gal.).....	0.8	0.8
Fuel Consumption (gal./hr).....	0.3	0.3
Fuel Type.....	Gas	Gas
 <u>Compaction Forces</u>		
Percussion Rate (Hz).....	11.3	11.3
Stroke Height (in.).....	2.6	2.6
Max. Centrifugal Force (lb.).....	2585	2923
Surface Capacity (ft ² /hr.).....	2441	2441
Max. Compaction* (in.).....	17.7	19.7
(depends on ground conditions)		

Part Number	Description	Attachment	SLP in US \$
7473240	R60P.....		\$3,718.00
7473241	R68P.....		\$3,929.00

Dealer Installed Accessories - Order From Parts			
Part Number	Description	SLP in US \$	
46855096	Cyclone Prefilter Kit.....	Parts	\$ -
46855097	Hour Counter.....	Parts	\$ -
46855098	Transport Wheels.....	Parts	\$ -
46852798	Working Width 165mm.....	Parts	\$ -
46852799	Working Width 200mm.....	Parts	\$ -
46852800	Working Width 230mm.....	Parts	\$ -
46852797	Working Width 280mm.....	Parts	\$ -
46855103	Working Width 280mm with Wear Protection.....	Parts	\$ -
46852801	Working Width 330mm.....	Parts	\$ -
46852803	Working Width 340mm (Asymmetric).....	Parts	\$ -
46852802	Working Width 400mm.....	Parts	\$ -

Destination Charge/Fuel Surcharge	
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges	

Assembly Required		Installation Time (Hours)
Attachment		

Reversible Plate Compactor Bobcat Light Compaction



Quick Specs

<u>Dimensions</u>	RP22.40	RP30.50	RP49.20D
Machine Weight (lb.).....	220	439	1049
Machine Height Not Including Handle (in.).....	24.6	30.1	32.2
Machine Length (in.).....	23.6	27.6	35.4
Machine Width (in.).....	15.7	19.7	17.7
Base Plate Length (in.).....	10	13	17.7
Travel Speed Forward (mph).....	0-0.8	0-1	0-1.3
Gradeability.....	35%	35%	30%
Max. Incline.....	20°	20°	25°
<u>Engine</u>			
Engine Make.....	Honda GX 160	Honda GX 270	Hatz 1B50 E
Horsepower.....	4.8	8	8.8
Fuel Type.....	Gas	Gas	Diesel
Fuel Capacity (gal).....	0.8	1.4	1.3
Fuel Consumption (gal/hr).....	0.4	0.6	0.4
<u>Compaction Forces</u>			
Surface Capacity (ft ² /hr.).....	5,683	8,396	16,953
Max. Vibration Frequency (Hz).....	98	90	65
Max. Centrifugal Force (lbf.).....	5,171	7,194	11,016
Surface Pressure (lbf./in. ²).....	33	28	35
Hand-Arm Vibration on Handle (ft./s ²).....	<8.2	<8.2	<8.2
Amplitude (mm).....	1	1	2

Part Number	Description	Attachment	SLP in US \$
7473244	RP22.40.....		\$5,302.00
7473245	RP30.50.....		\$6,817.00
7473252	RP49.20D.....		\$14,202.00

Dealer Installed Accessories - Order From Parts			
Part Number	Description	SLP in US \$	
46855107	Hour Counter..... (For RP22.40)	Parts	\$ -
46852473	Hour Counter..... (For RP30.50)	Parts	\$ -
46855108	Transport Wheels..... (For RP22.40)	Parts	\$ -
46855111	Transport Wheels..... (For RP30.50)	Parts	\$ -
46855109	Paving Pad 400mm..... (For RP22.40)	Parts	\$ -
46858929	Paving Pad 500mm..... (For RP30.50)	Parts	\$ -
46859123	Paving Pad 750mm..... (For RP49.20D)	Parts	\$ -
46855112	Hour Counter for E-Starter..... (For RP49.20D)	Parts	\$ -

Destination Charge/Fuel Surcharge
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Trench Roller Bobcat Light Compaction



Quick Specs

<u>Dimensions</u>	<u>TR75</u>	<u>Engine</u>	<u>TR75</u>
Machine Weight (lb.).....	3197	Manufacturer.....	Yanmar 3TNV80F
Machine Length (in.).....	78	Horsepower.....	19.6 hp
Machine Height (in.).....	51.9	Fuel Type.....	Diesel
Machine Width (in.).....	23.7	Fuel Consumption (gal/hr).....	0.8
Drum Width (in.).....	33.5	Fuel Capacity (gal).....	7.4
Oscilation Angle.....	± 7°		
Working Speed (mph).....	0.9	<u>Compaction Forces</u>	
Travel Speed (mph).....	1.7	Max. Vibration Frequency (Hz).....	40
Gradeability.....	30%	Amplitude.....	(1.1 / 0.6 mm)
Inside Turning Radius (in.).....	56.7	Centrifugal Force I (lbf.).....	16860
Outside Turning Radius (in.).....	90.2	Centrifugal Force II (lbf.).....	8093.1

Part Number	Description	Attachment	SLP in US \$
7475188	TR75.....		\$46,199.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP in US \$
46855133	Maintenance Kit, Engine Oil Filter..... (Used after the first 50HR and at every 250HR interval)	Parts	\$ -
46855749	Maintenance Kit, 500HR.....	Parts	\$ -

Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	------------------------------