

BOBCAT COMPANY PRICE PAGES NA EXCAVATORS - ATTACHMENTS



Please note the following when using Bobcat Price Pages:


- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:



Date	Description of Change
12/20/2019	Updated Footer to display 2020 Price Book.
1/3/2020	Replaced CR600 with CR700
6/23/2020	July 1 Pricing Updates
8/3/2020	Updated Pin Grabber
12/4/2020	Updated attachment approvals of E60R2
12/11/2020	Added CIMC (Common Industry Mechanical Coupler) "TAG" style Auger and Breaker caps.
1/21/2021	Changing Coupler pin grabber from Parts to Sales
3/22/2021	Fixed formatting issues and updated approvals on certain carriers
4/5/2021	Added attachment approvals for E88R2
6/7/2021	Updated SLP's for 2021
8/26/2021	Added E32/E35 R2-Series excavators
10/18/2021	Updated pricing effective November 1st, 2021
3/30/2022	Added Esco Shank Trenching Buckets
7/1/2022	Updated pricing effective July 1st, 2022
12/14/2022	Added 12PH, 14PH, 20PH and 25PH Auger Drives, Frames and Bits to be ordered through whole goods.
1/1/2023	Updated pricing effective January 1st, 2023.
7/1/2023	Updated pricing effective July 1st, 2023.
10/24/2023	Added Tilting Couplers for E88 and E145
10/26/2023	Added E38, 40, 48 R2-Series excavators
11/20/2023	Added Manual Pin Grabber, Compatible Clamp, and Attachment Pin kits for E19e & E20
12/4/2023	Added MX Drum Mulchers
2/22/2024	Added 30PH Auger and Related Auger Frames
3/20/2024	Transfer 12PH-30PH Auger Bits from Whole Goods to Parts
8/14/2024	Added large Breakers, caps, & hose kits for E145/E165
10/9/2024	Removed legacy MX couplers, buckets, and clamps. (13 p/ns)
1/9/2025	Added NB110 approval for use with E19e
1/16/2025	Added breaker hose kit 46927959
3/13/2025	Updated Auger Info
4/2/2025	Pin On Attachments Added
5/10/2025	12PH Auger cap for E20 added
6/2/2025	Added Pin Grabber compatible clamps
6/9/2025	Added E48 Long Arm to Hydra-Tilt "Dealer Installed Accessories" for proper hose kit
7/1/2025	Replaced E32-E60 Extendable Arm Clamp Kit P/N's
8/7/2025	Added PC Augers, Also approved 2 ripper models for E26
1/1/2026	Updated Pricing Effective January 1st, 2026

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

Auger- Planetary Drive Bobcat Excavator Attachment



Auger Interface



Auger Drive Unit

Planetary Drive Auger Quick Specs

	<u>Model</u> <u>12PH/PC</u>	<u>Model</u> <u>14PH/PC</u>	<u>Model 20PH/PC</u>	<u>Model</u> <u>25PH/PC</u>	<u>Model</u> <u>30PH</u>	<u>Model</u> <u>35PH</u>	<u>Model</u> <u>50PH</u>
Ship Weight (Auger Drive).....	140 lbs.	140 lbs.	140 lbs.	141 lbs.	216 lbs.	325 lbs.	325 lbs.
Ship Weight (Mtg. Frame).....	94 lbs	118 lbs	118 lbs	118 lbs	118 lbs	209 lbs	209 lbs
Operating Weight (less bit).....	234 lbs	258 lbs	258 lbs	259 lbs	334 lbs	454 lbs	454 lbs
Digging Depth (without extensions)	56"	56"	56"	56"	56"	72"	72"
Shaft Diameter - Round.....	2.5" (PC ONLY)	2.5" (PC ONLY)	2.5" (PC ONLY)	2.5" (PC ONLY)	2.5"	-	-
Shaft Diameter - Hex.....	2.0"	2.0"	2.0"	2.0"	2.0"	2.5"	2.5"
RPM					0		
@ 8 gpm (30 L/min.).....	39 rpm	-	-	-	-	-	-
@ 12 gpm (45 L/min.).....	60 rpm	48 rpm	-	-	-	-	-
@ 17 gpm (64 L/min.).....	86 rpm	71 rpm	49 rpm	-	-	-	-
@ 18 gpm (68 L/min.).....	-	75 rpm	52 rpm	-	-	46 rpm	36 rpm
@ 21 gpm (70 L/min.).....	-	90 rpm	61 rpm	49 rpm	42 rpm	-	-
@ 22 gpm (83 L/min.).....	-	94 rpm	64 rpm	51 rpm	44 rpm	56 rpm	45 rpm
@ 23 gpm (87 L/min.).....	-	98 rpm	67 rpm	53 rpm	46 rpm	-	-
@ 26 gpm (98 L/min.).....	-	-	-	-	-	67 rpm	53 rpm
@ 30 gpm (114 L/min.).....	-	-	-	-	-	77 rpm	61 rpm
@ 32 gpm (121 L/min.).....	-	-	-	-	-	82 rpm	65 rpm
@ 34 gpm (129 L/min.).....	-	-	-	-	-	87 rpm	69 rpm
@ 36 gpm (136 L/min.).....	-	-	-	-	-	92 rpm	73 rpm
@ 37 gpm (140 L/min.).....	-	-	-	-	-	-	-
@ 38 gpm (144 L/min.).....	-	-	-	-	-	98 rpm	77 rpm
Torque							
@ 2000 psi (19,788 kPa).....	782 ft.lb (1,060 Nm)	911 ft.lb (1,235 Nm)	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)	1,868 ft. lb (2,532 Nm)	2,387 ft.lb. (3,237 Nm)	3,023 ft.lb. (4,100 Nm)
@ 2400 psi (16,547 kPa).....	1,039 ft.lb (1,409 Nm)	1,208 ft.lb (1,638 Nm)	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)	2,385 ft. lb (3,234 Nm)	2,864 ft.lb. (3,884 Nm)	3,628 ft.lb. (4,920 Nm)
@ 2600 psi (17,926 kPa).....	1,126 ft.lb (1,526 Nm)	1,309 ft.lb (1,775 Nm)	1,875 ft.lb (2,542 Nm)	2,280 ft.lb (3,091 Nm)	2,534 ft. lb (3,436 Nm)	3,103 ft.lb (4,208 Nm)	3,931 ft.lb. (5,330 Nm)
@ 2700 psi (18,616 kPa).....	1,169 ft.lb (1,585 Nm)	1,359 ft.lb (1,843 Nm)	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)	2,638 ft. lb (3,638 Nm)	-	-
@ 3000 psi (20,684 kPa).....	1,261 ft.lb (1,709 Nm)	1,465 ft.lb (1,986 Nm)	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)	2,974 ft.lb (4,032 Nm)	-	-
@ 3200 psi (22,753 kPa).....	1,386 ft.lb (1,879 Nm)	1,611 ft.lb (2,184 Nm)	2,308 ft.lb (3,129 Nm)	2,806 ft.lb (3,804 Nm)	3202 ft. lb (4,341 Nm)	3,819 ft.lb. (5,179 Nm)	4,838 ft.lb. (6,560 Nm)
@ 3300 psi (22,753 kPa).....	1,429 ft.lb (1,937 Nm)	1,662 ft.lb (2,253 Nm)	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)	3,398 ft. lb (4,607 Nm)	-	-
@ 3500 psi (24,132 kPa).....	1,516 ft.lb (2,055 Nm)	1,762 ft.lb (2,389 Nm)	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)	3,514 ft. lb (4,764 Nm)	4,177 ft.lb. (5,664 Nm)	5,291 ft.lb. (7,175 Nm)

Part Number	Description	Attachment	SLP in US \$
(E17, E20, E26) 7501033	Model 12PH Auger Drive Unit.....		\$2,217.00
	(Must also order Mounting Frame for MX and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(E17, E20, E26) 46948002	Model 12PC Auger Drive Unit.....		\$2,295.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(E26, E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E55R2, E60R2) 7501034	Model 14PH Auger Drive Unit.....		\$2,327.00
	(Must also order Mounting Frame for MX and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(E26, E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E55R2, E60R2) 46948006	Model 14PC Auger Drive Unit.....		\$2,380.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(E32, E35, E42, E45, E50, E55, E63) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E55R2, E60R2, E88R2) 7501035	Model 20PH Auger Drive Unit.....		\$2,417.00
	(Must also order Mounting Frame for MX and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(E32, E35, E42, E45, E50, E55, E63) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E55R2, E60R2, E88R2) 46948007	Model 20PC Auger Drive Unit.....		\$2,470.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(E42, E45, E50, E55, E63) (E42R2, E48R2, E50R2, E55R2, E60R2, E88R2) 7501036	Model 25PH Auger Drive Unit.....		\$2,554.00
	(Must also order Mounting Frame for MX and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(E42, E45, E50, E55, E63) (E42R2, E48R2, E50R2, E55R2, E60R2, E88R2) 46948008	Model 25PC Auger Drive Unit.....		\$2,607.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(E42, E45, E50, E55, E63) (E42R2, E48R2, E50R2, E55R2, E60R2, E88R2) 46890491	Model 30PH Auger Drive Unit.....		\$3,928.00
	(Must also order Mounting Frame for MX and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(E42, E45, E50, E55, E63, E80, E85)(E42R2, E48R2, E50R2, E60R2, E88R2) 7220280	Model 35PH Auger Drive Unit.....		\$5,147.00
	(Must order Bit and interface from accessories listed below) (Auger Drive units is shipped with bit retention pin)		
7227984	Model 50PH Auger Drive Unit.....		\$5,890.00
	(Must order Bit and interface from accessories listed below) (Auger Drive units is shipped with bit retention pin)		

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
6727180	Bolt-On X-Change, 322 - 324, E17, E20 (Mounts to Excavator) (Not for use with Pin Grabber)..... (Must also order PN 7507330)	\$418.00
7507330	Auger Mounting Frame Kit - X-Change..... (Includes Mounting Hardware. For use with 12PH/PC, 14PH/PC. 20PH/PC, 25PH/PC, 30PH augers.)	\$629.00
46957004	12PH/PC Pin-On Auger Mounting Cap-E17, E20..... 30mm pins. Can be mounted to pin grabber or direct mounted to excavator arm (attachment pins not included)	\$1,040.00
7507707	Pin-On Mounting Cap, E85 R-Series/E88R2 Series..... (Mounting Cap uses 55mm pins) (For use with 20PH/PC, 25PH/PC, 30PH)	\$1,359.00
7531945	CAP AUGER 1/4YD CIMC (Common Industry Mechanical Coupler)..... CIMC "TAG" style 1/4 yd coupler for use on 12PH/PC, 14PH/PC. 20PH/PC, 25PH/PC, 30PH)	\$1,959.00
7532163	CAP AUGER 1/8YD CIMC (Common Industry Mechanical Coupler)..... CIMC "TAG" style 1/8 yd coupler for use on 12PH/PC, 14PH/PC. 20PH/PC, 25PH/PC, 30PH)	\$1,483.00
6817100	X-Change Auger Interface. 322 - 435, E26 - E63..... (For use with 35PH, and 50PH augers)	\$605.00
(E26, E32, E35) (E32R2, E35R2, E38R2, E40R2)		
46908454	Kit Auger 35mm PIN-ON (Pins Not Included)..... (Not compatible with hydraulic clamp)	\$825.00
(E42, E45, E50, E55, E63) (E42R2, E48R2, E50R2, E55R2, E60R2)		
46908488	Kit Auger 45mm PIN-ON (Pins Not Included)..... (Not compatible with hydraulic clamp)	\$848.00
(E42, E45, E50, E55, E63) (E42R2, E48R2, E50R2, E55R2, E60R2, E88R2)		
46908489	Kit Auger 45mm PIN-ON 35PH, 50PH (Pins Not Included)..... (Not compatible with hydraulic clamp)	\$691.00
7307176	Pin-On Mounting Cap, E85 R-Series/E88R2 Series..... (For use with 35PH and 50PH augers)	\$1,352.00
7169329	Mounting Frame, E80, E85 (M-Series)..... (For use with 35PH and 50PH augers)	\$1,184.00

Part Number	Description	SLP in US \$
-------------	-------------	--------------

Auger Drive & Bit Recommendations

12PH/PC, 14PH/PC Augers—Recommended bit size 6"– 18"

20PH/PC, 25PH/PC Augers—Recommended bit size 6"– 30"

30PH Augers - Recommended bit size 6"-36"

Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.

Light Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Semi-Flight unless noted.

48" Length. Shaft Diameter- 2" Hex

Not compatible with Model 10, 35PH or 50PH augers

Retaining Pin ships with auger

7500735	6" Semi-Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500736	9" Semi-Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500737	12" Semi-Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500738	15" Semi-Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500739	18" Semi-Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500740	24" Semi-Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500746	30" Double Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500747	36" Double Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		

Standard Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Single Flight unless noted.

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500763	6" Single Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500765	9" Single Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500767	12" Single Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500768	15" Single Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500769	18" Single Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500771	24" Single Flight (2" Hex).....	Parts	\$____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		

Part Number	Description
-------------	-------------

Heavy Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC and 30PH Augers

Black color, Single Flight unless noted.

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500798	6" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500800	9" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500802	12" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500803	15" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500805	20" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500806	24" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500807	30" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500808	36" Single Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500812	9" Double Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500814	12" Double Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500816	18" Double Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500818	24" Double Flight (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		

Tree Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC and 30PH Augers

Black color, Double Flight

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500822	18" Tree Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500823	24" Tree Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500841	30" Tree Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500842	36" Tree Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		

Rock Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC and 30PH Augers

Black color, Double Flight, Carbide tips

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500916	6" Carbide Rock Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500918	9" Carbide Rock Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500922	18" Carbide Rock Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		
7500923	24" Carbide Rock Auger Bit (2" Hex)	Parts	\$ ____
	(For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

Heavy Duty Auger Bits - 35/50PH Auger Drive

7243233	8" Bit (Ship Weight 115 lbs.)	Parts	\$ ____
7243234	12" Bit (Ship Weight 130 lbs.)	Parts	\$ ____
7243235	18" Bit (Ship Weight 165 lbs.)	Parts	\$ ____
7243236	24" Bit (Ship Weight 225 lbs.)	Parts	\$ ____
7243237	30" Bit (Ship Weight 295 lbs.)	Parts	\$ ____
7243238	36" Bit (Ship Weight 350 lbs.)	Parts	\$ ____
7243239	48" Bit (Ship Weight 495 lbs.)	Parts	\$ ____

Rock Auger Bits - 35/50PH Auger Drive

7243240	8" Bit (Ship Weight 118 lbs.)	Parts	\$ ____
7243241	12" Bit (Ship Weight 130 lbs.)	Parts	\$ ____
7243242	18" Bit (Ship Weight 165 lbs.)	Parts	\$ ____
7243243	24" Bit (Ship Weight 210 lbs.)	Parts	\$ ____
7243244	30" Bit (Ship Weight 300 lbs.)	Parts	\$ ____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.


7515529	2" HEX SHAFT TO 2 1/2" ROUND BIT ADAPTER (For Model 12PH, 14PH, 20PH, & 25PH Augers with Hex Output Shaft to use with round shaft bits)	Parts	\$ ____
6679807	48" ADJUSTABLE HEX EXTENSION (For Model 15H/C, 30H/C, 12PH/PC, 14PH/PC, 20PH/PC, & 25PH/PC Augers) (Ship Weight 48 lbs.)	Parts	\$ ____
6662876	24" ADJUSTABLE HEX EXTENSION (For Model 15H/C, 30H/C, 12PH/PC, 14PH/PC, 20PH/PC, & 25PH/PC Augers)(Ship Weight 33 lbs.)	Parts	\$ ____
7243729	48" ADJUSTABLE HEX EXTENSION (For 35PH & 50PH Auger Drives) (Shipping Weight 105lbs.)	Parts	\$ ____

Auger- Direct Drive

Auger Drives Discontinued



Auger Interface



Auger Drive Unit

Direct Drive Auger Quick Specs

	<u>Model 10</u>	<u>Model 15C</u>	<u>Model 15H</u>	<u>Model 30C</u>	<u>Model 30H</u>
Ship Wgt (Auger Drive).....	191 lbs.	245 lbs.	241 lbs.	263 lbs.	257 lbs.
Ship Weight					
(Coupler & Interface).....	111 lbs.	111 lbs.	111 lbs.	111 lbs.	111 lbs.
Operating Wgt (less bit).....	242 lbs.	296 lbs.	292 lbs.	314 lbs.	308 lbs.
Digging Depth					
(without extensions).....	58"	62"	62"	62"	62"
Shaft Diameter - Round.....	2.5"	2.5"	-	2.5"	-
Shaft Diameter - Hex.....	-	2.0"	2.0"	2.0"	2.0"
RPM					
@ 8 gpm (30 L/min.).....	48 rpm	-	-	-	-
@ 12 gpm (45 L/min.).....	72 rpm	57 rpm	57 rpm	-	-
@ 17 gpm (64 L/min.).....	102 rpm	80 rpm	80 rpm	41 rpm	41 rpm
@ 18 gpm (68 L/min.).....	-	-	-	-	-
@ 21 gpm (70 L/min.).....	-	99 rpm	99 rpm	51 rpm	51 rpm
@ 22 gpm (83 L/min.).....	-	-	-	-	-
@ 23 gpm (87 L/min.).....	-	109 rpm	109 rpm	56 rpm	56 rpm
@ 26 gpm (98 L/min.).....	-	-	-	-	-
@ 30 gpm (114 L/min.).....	-	-	-	70 rpm	70 rpm
@ 32 gpm (121 L/min.).....	-	-	-	-	-
@ 34 gpm (129 L/min.).....	-	-	-	-	-
@ 36 gpm (136 L/min.).....	-	-	-	-	-
@ 37 gpm (140 L/min.).....	-	-	-	90 rpm	90 rpm
@ 38 gpm (144 L/min.).....	-	-	-	-	-
Torque					
@ 2000 psi (19,788 kPa).....	1,021 ft.lb. (1,523 Nm)	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)
@ 2400 psi (16,547 kPa).....	1,225 ft.lb. (1,661 Nm)	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)
@ 2600 psi (17,926 kPa).....	-	-	-	-	-
@ 2800 psi (18,616 kPa).....	1,378 ft.lb. (1,868 Nm)	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)
@ 3000 psi (20,684 kPa).....	1,532 ft.lb. (2,077 Nm)	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)
@ 3200 psi (22,753 kPa).....	-	-	-	-	-
@ 3300 psi (22,753 kPa).....	-	2,415 ft.lb. (2,908 Nm)	2,415 ft.lb. (2,908 Nm)	4,158 ft.lb. (5,638 Nm)	4,158 ft.lb. (5,638 Nm)
@ 3500 psi (24,132 kPa).....	-	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(322, 323, 324, 325, 328, 425) (E20, E26)			
6808799	Model 10 Auger Drive Unit.....	Discontinued	
	(If installing on a 322-324 or E20 must order all three of the following: bit, Bolt-On X-Change and X-Change Auger Interface listed below.)		
	(If installing on a 325, 328 or E26 equipped with X-Change, must order bit and X-Change Auger Interface listed below.)		

(325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435) (E26, E32, E35, E42, E45, E50, E55, E63) (E80, E85)			
(E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2, E88R2)			
6809442	Model 15C Auger Drive Unit.....	Discontinued	
	(Must order Bit and interface from accessories listed below)		
	(Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)		
7145345	Model 15H Hex Shaft Auger Drive Unit.....	Discontinued	
	(Must order Bit and interface from accessories listed below)		
6809445	Model 30C Auger Drive Unit.....	Discontinued	
	(Must order Bit and interface from accessories listed below)		
	(Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)		
7138264	Model 30H Hex Shaft Auger Drive Unit.....	Discontinued	
	(Must order Bit and interface from accessories listed below)		
	NOTES:	1) Extendable Arm must be pinned in the retracted position to use hydraulic attachments.	
		2) Must order Hose Kit P/N 7214499 (Qty. 2) for E42 Long Arm, E45 long Arm, E50 Long Arm, E55 and E55 Extendable Arm	

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
6727180	Bolt-On X-Change, 322 - 324, E17, E20 (Mounts to Excavator) (Not for use with Pin Grabber).....		\$418.00
	(Must also order PN 6817100)		
6817100	X-Change Auger Interface. 322 - 435, E26 - E63.....		\$605.00
7387139	CAP AUGER 1/8YD CIMC (Common Industry Mechanical Coupler).....		\$673.00
	CIMC "TAG" style 1/8 yd coupler for use on Model 10, 15C/H, 30C/H, & 35/50PH Augers		
7387140	CAP AUGER 1/4YD CIMC (Common Industry Mechanical Coupler).....		\$1,185.00
	CIMC "TAG" style 1/4 yd coupler for use on Model 35/50PH Augers		
7177964	Hose Kit for R2-Series E32-E60 All Arm Configurations.....	Parts	\$_____
	(Must order Qty. 2)		
7214499	Hose Kit for E42 LA, E45 LA, E50 LA, E55 & E55 EA.....	Parts	\$_____
	(Must order Qty. 2)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

Auger Drive & Bit Recommendations

Model 10 Augers on a 322 - 324, E20 Excavator - Recommended bit size 6" - 18"
Model 10 Augers on a 325/328, E26 Excavators - Recommended bit size 6" - 36"
Model 15C/H & 30C/H Augers on 325 - 435, E26 - E63 Excavators - Recommended bit size 6" - 36"
Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions.

Used with 322 – 324, E20 and Model 10 Auger
White, round Drive, 45" Length, Single Flight.

6679574	6" Bit..... (Ship Weight 45 lbs.)	Parts	\$____
6679575	9" Bit..... (Ship Weight 52 lbs.)	Parts	\$____
6679576	12" Bit..... (Ship Weight 100 lbs.)	Parts	\$____
6679577	15" Bit..... (Ship Weight 120 lbs.)	Parts	\$____
6679578	18" Bit..... (Ship Weight 79 lbs.)	Parts	\$____
6679579	24" Bit..... (Ship Weight 124 lbs.)	Parts	\$____
6679580	30" Bit..... (Ship Weight 144 lbs.)	Parts	\$____
6679581	36" Bit..... (Ship Weight 165 lbs.)	Parts	\$____

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.
Charcoal Color, Round Drive, 49" Length, Double Flight, Variable Tooth Angle: 40 ° or 50 °

6666891	6" Bit..... (Ship Weight 60 lbs.)	Parts	\$____
6666892	9" Bit..... (Ship Weight 91 lbs.)	Parts	\$____
6666893	12" Bit..... (Ship Weight 128 lbs.)	Parts	\$____
6666894	15" Bit..... (Ship Weight 119 lbs.)	Parts	\$____
6666895	18" Bit..... (Ship Weight 160 lbs.)	Parts	\$____
6666896	24" Bit..... (Ship Weight 203 lbs.)	Parts	\$____
6666897	30" Bit..... (Ship Weight 275 lbs.)	Parts	\$____
6666898	36" Bit (Model 15 & 30)..... (Ship Weight 380 lbs.)	Parts	\$____
6666899	18" Tree Planting Bit..... (Ship Weight 140 lbs.)	Parts	\$____
6666900	24" Tree Planting Bit..... (Ship Weight 162 lbs.)	Parts	\$____
6666901	30" Tree Planting Bit..... (Ship Weight 236 lbs.)	Parts	\$____
6666902	36" Tree Planting Bit..... (Ship Weight 305 lbs.)	Parts	\$____
6679806	48" Adjustable Round Extension..... (For Model 10, 15, 15C, 30 and 30C or PC Augers) (6" and 9" bits will not allow the extension to telescope, only works in the top position) (Ship Weight 82 lbs.)	Parts	\$____
6679826	24" Adjustable Round Extension..... (For Model 10, 15, 15C, 30 and 30C or PC Augers) (6" and 9" bits will not allow the extension to telescope, only works in the top position) (Ship Weight 44 lbs.)	Parts	\$____
6679825	14" Round Extension.....	Parts	\$____

(For Model 10, 15, 15C, 30 and 30C or PC Augers) (Ship Weight 25 lbs.)

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

<u>For current Dealer Installed Accessories pricing, reference Quote& Order or Dealer Parts Department.</u>			
<u>Heavy Duty Auger Bits & Accessories</u>			
<u>Orange Color, Hex Drive, 42" Length, Single Flight</u>			
6674957	6" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 46 lbs.)	Parts	\$_____
6674958	9" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 59 lbs.)	Parts	\$_____
6674959	12" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 76 lbs.)	Parts	\$_____
6674960	16" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 97 lbs.)	Parts	\$_____
6675034	18" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 112 lbs.)	Parts	\$_____
6674961	20" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 117 lbs.)	Parts	\$_____
6674962	24" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 151 lbs.)	Parts	\$_____
6674963	30" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 193 lbs.)	Parts	\$_____
6674964	36" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 270 lbs.)	Parts	\$_____
6674965	42" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 302 lbs.)	Parts	\$_____

<u>Heavy Duty Auger Bit Accessories/Rock Auger Bit Accessories</u>			
6809733	5/8" (.625) PIN KIT..... (Used for retention of hex bits on 15C and 30C Auger drive units) (Ship Weight 11 lbs.)	Parts	\$_____
6679807	48" ADJUSTABLE HEX EXTENSION..... (For Model 15H/C, 30H/C, 12PH/PC, 14PH/PC, 20PH/PC, & 25PH/PC Augers) (Ship Weight 48 lbs.)	Parts	\$_____
6662876	24" ADJUSTABLE HEX EXTENSION..... (For Model 15H/C, 30H/C, 12PH/PC, 14PH/PC, 20PH/PC, & 25PH/PC Augers)(Ship Weight 33 lbs.)	Parts	\$_____
6662874	ROUND SHAFT TO HEX BIT ADAPTER, CAST..... (For Model 15 & 30 Augers with Round Output Shaft) (Ship Weight 19 lbs.)	Parts	\$_____
6662875	HEX SHAFT TO ROUND BIT ADAPTER, CAST..... (For Model 15H, 15C, 30H and 30C Augers with Hex Output Shaft) (Ship Weight 20 lbs.)	Parts	\$_____
7137091	HEX SHAFT TO ROUND BIT ADAPTER, SLEEVE..... (For Model 15H/C, 30H/C, 12PH/PC, 14PH/PC, 20PH/PC, & 25PH/PC Augers) (5/8" Pin Kit P/N 6809733 is required.) (Sleeve slides over hex shaft, converting it to round) (Ship Weight 3 lbs.)	Parts	\$_____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

Rock Auger Bits & Accessories
 White Color, Hex Shaft, 42" Length, Single Flight

7169665	6" Bit..... (Ship Weight 64 lbs.)	Parts	\$_____
7169666	9" Bit..... (Ship Weight 78 lbs.)	Parts	\$_____
7169667	12" Bit..... (Ship Weight 102 lbs.)	Parts	\$_____
7169668	16" Bit..... (Ship Weight 123 lbs.)	Parts	\$_____
7169669	18" Bit..... (Ship Weight 149 lbs.)	Parts	\$_____
7169670	20" Bit..... (Ship Weight 152 lbs.)	Parts	\$_____
7169671	24" Bit..... (Ship Weight 195 lbs.)	Parts	\$_____
7169672	30" Bit..... (Ship Weight 225 lbs.)	Parts	\$_____

Heavy Duty Auger Bits - 35/50PH Auger Drive

7243233	8" Bit..... (Ship Weight 115 lbs.)	Parts	\$_____
7243234	12" Bit..... (Ship Weight 130 lbs.)	Parts	\$_____
7243235	18" Bit..... (Ship Weight 165 lbs.)	Parts	\$_____
7243236	24" Bit..... (Ship Weight 225 lbs.)	Parts	\$_____
7243237	30" Bit..... (Ship Weight 295 lbs.)	Parts	\$_____
7243238	36" Bit..... (Ship Weight 350 lbs.)	Parts	\$_____
7243239	48" Bit..... (Ship Weight 495 lbs.)	Parts	\$_____

Rock Auger Bits - 35/50PH Auger Drive

7243240	8" Bit..... (Ship Weight 118 lbs.)	Parts	\$_____
7243241	12" Bit..... (Ship Weight 130 lbs.)	Parts	\$_____
7243242	18" Bit..... (Ship Weight 165 lbs.)	Parts	\$_____
7243243	24" Bit..... (Ship Weight 210 lbs.)	Parts	\$_____
7243244	30" Bit..... (Ship Weight 300 lbs.)	Parts	\$_____

Dealer Installed Accessories - Order From Parts		
Part Number	Description	

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.


Non-Current Auger Information

6812766	X-Change Auger Coupler.....	Parts	\$_____
	(X-Change Auger Coupler and X-Change Auger Interface P/N 6817100 needed to mount non-current Augers to X-Change equipped excavators.) See Serial Number detail below:		
	Model 15 S/N 187411205 and below	Model 30 S/N 187606002 and below	
	Model 15H S/N 187500894 and below	Model 30H S/N 187700890 and below	
6709662	Pin-On Auger Coupler.....	Parts	\$_____
	(Needed to mount Model 15, 15H, 30, and 30H Auger Drives to 325, 328, 331, 331E, 334 and 430 excavators with pin mounting—excavators not equipped with X-Change.) See Serial Number detail below:		
	Model 15 S/N 187411205 and below	Model 30 S/N 187606002 and below	
	Model 15H S/N 187500894 and below	Model 30H S/N 187700890 and below	

Destination Charge/Fuel Surcharge	
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges	

Attachment	Assembly Required	Installation Time (Hours)
Auger.....		0.50

Breaker, Hydraulic Bobcat Excavator Attachment



Quick Specs

	<u>HB280</u>	<u>HB680</u>	<u>HB880</u>	<u>HB980</u>
Operating Weight (nail point & cap).....	147 lbs.	392 lbs.	542 lbs.	617 lbs.
Impact Energy Class.....	60 ft. lb.	150 ft. lb.	300 ft. lb.	500 ft. lb.
CIMA Tool Energy Rating.....	59 ft. lb.	143 ft. lb.	207 ft. lb.	282 ft. lb.
Blows per Minute.....	1,290 @ 6 gpm	1,340 @ 13 gpm	1,310 @ 17 gpm	1,450 @ 21 gpm
Flow Requirements.....	3 - 6 gpm	7 - 13 gpm	8 - 17 gpm	12 - 21 gpm
Tool Working Length.....	10.6"	13.0"	13.0"	14.0"
Tool Diameter.....	1.5"	2.2"	2.6"	2.8"

Estimated Breaker Performance with Concrete

Recommended Working Thickness.....	1 - 4"	2 - 4"	4 - 10"	6 - 14"
------------------------------------	--------	--------	---------	---------

Demolished Volume per Hour

Non-Reinforced Concrete.....	1 - 2 cu. yds.	1 - 4 cu. yds.	4 - 12 cu. yds.	5 - 15 cu. yds.
Reinforced Concrete.....	1 - 2 cu. yds.	1 - 3 cu. yds.	1 - 4 cu. yds.	2 - 6 cu. yds.

	<u>HB1180</u>	<u>HB1380</u>	<u>HB2380</u>
Operating Weight (nail point & cap).....	774 lbs.	1,000 lbs.	1,039 lbs.
Impact Energy Class.....	750 ft. lb.	850 ft. lb.	1,000 ft. lb.
CIMA Tool Energy Rating.....	384 ft. lb.	515 ft. lb.	700 ft. lb.
Blows per Minute.....	1,280 @ 26 gpm	1,230 @ 32 gpm	910 @ 33 gpm
Flow Requirements.....	15 - 26 gpm	17 - 32 gpm	20 - 33 gpm
Tool Working Length.....	16.0"	17.0"	18.0"
Tool Diameter.....	3.0"	3.4"	3.8"

Estimated Breaker Performance with Concrete

Recommended Working Thickness.....	10 - 18"	10 - 18"	12 - 20"
------------------------------------	----------	----------	----------

Demolished Volume per Hour

Non-Reinforced Concrete.....	8 - 18 cu. yds.	8 - 18 cu. yds.	10 - 20 cu. yds.
Reinforced Concrete.....	3 - 8 cu. yds.	3 - 8 cu. yds.	4 - 9 cu. yds.

Part Number	Description	Attachment	SLP in US \$
(E10, E10e, 418) 7133202	HB280 Breaker.....		\$6,692.00
	(Includes Nail Point, gauge tool, retainer clip and hose protector) (Must also order hose kit and mounting cap)		
	(If used on 316 excavator, must also order temperature warning kit p/n 7140103 and coupler kit p/n 7170567)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Accessories - HB280</u>	
7170566	Hose Kit for 316, 418, E10, E10e, E17, E19e.....		\$316.00
7160677	Pin-On Mounting Cap - 418, E10, E10e, E17, E19e, E20.....		\$159.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
	<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>		
7133409	Pin-On Mounting Cap - 316.....	Parts	\$ ____
	(If machine bucket pins have a round head, order square head pins p/n NTS 3-51110, qty 2)		
7170567	Coupler Kit for 316.....	Parts	\$ ____
7140103	Temperature Warning Kit.....	Parts	\$ ____
	(Required when operating breaker with 316 excavator)		
		<u>Breaker Tools - HB280</u>	
7144652	Blunt.....	Parts	\$ ____
7144649	Cross Cut Chisel.....	Parts	\$ ____
7144650	In-Line Chisel.....	Parts	\$ ____
7144651	Nail Point.....	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
(322, 323, 325, 328, 425) (E20, E26)			
7113419	HB680 Breaker.....		\$6,632.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)		

Part Number	Description	SLP in US \$
<u>Mounting Frames - HB680</u>		
7117752	Pin-On Mounting Cap - E20..... (Must also order appropriate hose kit, P/N 7117823 or 7117832)	\$492.00
7113656	X-Change Mounting Cap - 325, 328, 425, E26..... (Must also order appropriate hose kit, P/N 7117823 or 7117832)	\$806.00
7387135	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB680/NB140 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)	\$639.00
46906913	HB680/NB140/PCF34 CAP - 35mm PIN-ON (Pins Not Included)..... (Not compatible with hydraulic clamp)	\$854.00
<u>Accessories - HB680</u>		
7117832	Hose Kit - E20 Long Arm..... (Includes hoses and quick couplers)	\$343.00
7117823	Hose Kit - 320, 322, 323, 325, 328, E26..... (Includes hoses and quick couplers)	\$343.00
7114762	Hose Kit - E26 Long Arm..... (Includes hoses and quick couplers)	\$343.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>		
<u>Breaker Tools - HB680</u>		
7144681	Blunt.....	Parts \$ _____
7144676	Conical Point (MOIL).....	Parts \$ _____
7144679	Cross Cut Asphalt.....	Parts \$ _____
7144673	Cross Cut Chisel.....	Parts \$ _____
7144677	Cross Cut Wide Chisel.....	Parts \$ _____
7144680	In-Line Asphalt.....	Parts \$ _____
7144674	In-Line Chisel.....	Parts \$ _____
7144678	In-Line Wide Chisel.....	Parts \$ _____
7149302	Nail Point.....	Parts \$ _____
7144682	Tamping.....	Parts \$ _____

Part Number	Description	Attachment	SLP in US \$
(325, 328, 329, 331, 331E, 334, 425, 430) (E26, E32, E35) (E32R2, E35R2, E38R2, E40R2)			
7113420	HB880 Breaker.....		\$9,261.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)		
	(Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)		

NOTE: Approved for use with E60 s/n AGSZ11320 & below
 Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Description	SLP in US \$
<u>Mounting Frames - HB880</u>		
7113657	X-Change Mounting Cap..... (Must also order a hose kit)	\$835.00
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)	\$636.00
46906900	HB880/HB980/NB150/NB160 CAP- 35mm PIN-ON (Pins Not Included)..... For E26-E40 All Series 35mm pin Excavators (Must also order a hose kit)	\$868.00
<u>Accessories - HB880</u>		
7117834	Hose Kit - 331, 331E, 425, 430, 430 Extendable Arm..... (Includes hoses and quick couplers)	\$292.00
6728963	Hose Kit - E32, E35 Std. Arm..... (Includes hoses and quick couplers)	\$343.00
7114762	Hose Kit - E26 Long Arm..... (Includes hoses and quick couplers)	\$343.00
7180019	Hose Kit - E32 /E35 Long and Ext. Arm, E32R2/E35R2/E38R2 Ext. Arm..... (Includes hoses and quick couplers)	\$413.00
7175244	Hose Kit - E32 , E35, E38, E40 R2-Series, Std. and Long Arm..... (Includes hoses and quick couplers)	\$441.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

<u>Breaker Tools - HB880</u>			
7144696	Blunt.....	Parts	\$ ____
7144691	Conical Point (MOIL).....	Parts	\$ ____
7144694	Cross Cut Asphalt.....	Parts	\$ ____
7144688	Cross Cut Chisel.....	Parts	\$ ____
7144692	Cross Cut Wide Chisel.....	Parts	\$ ____
7144695	In-Line Asphalt.....	Parts	\$ ____
7144689	In-Line Chisel.....	Parts	\$ ____
7144693	In-Line Wide Chisel.....	Parts	\$ ____
7144690	Nail Point.....	Parts	\$ ____
7144697	Tamping.....	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(329, 331, 331E, 334, 335, 337, 341, 430, 435) (E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2)

7113421	HB980 Breaker		\$11,600.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)		
	(Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)		

NOTE: Approved for use with E60 s/n AGSZ11320 & below
Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

Mounting Frames - HB980

7113657	X-Change Mounting Cap		\$835.00
	(Must also order a hose kit)		
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)		\$636.00
	(For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)		
46906900	HB880/HB980/NB150/NB160 CAP- 35mm PIN-ON (Pins Not Included)		\$868.00
	For E26-E40 All Series 35mm pin Excavators (Must also order a hose kit)		
46906914	HB980/NB160/PCF64 CAP- 45mm PIN-ON (Pins Not Included)		\$892.00
	E42-E60 For All Series with 45mm pin Excavators (Must also order a hose kit)		

Accessories - HB980

7117834	Hose Kit - 331, 331E, 425, 430, 430 Extendable Arm		\$292.00
	(Includes hoses and quick couplers)		
6728967	Hose Kit - E50 Long & Ext. Arm, E55 All Arms, E60 R2 Ext. Arm		\$343.00
	(Includes hoses and quick couplers)		
6728963	Hose Kit - E32, E35 Std. Arm		\$343.00
	(Includes hoses and quick couplers)		
7180019	Hose Kit- E32/E35 Long/Ext. Arm, E32-E38 R2 Ext. Arm, E42/E45 Long/Ext. Arm, E42-E60 R2 Ext. Arm		\$413.00
	(Includes hoses and quick couplers)		
7114762	Hose Kit - 337, E42, E45, E50 Std. Arm		\$343.00
	(Includes hoses and quick couplers)		
7175244	Hose Kit - R2-Series E32-E60 Standard and Long Arm		\$441.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

Breaker Tools - HB980

7144707	Blunt	Parts	\$ ____
7144702	Conical Point (MOIL)	Parts	\$ ____
7144705	Cross Cut Asphalt	Parts	\$ ____
7144699	Cross Cut Chisel	Parts	\$ ____
7144703	Cross Cut Wide Chisel	Parts	\$ ____
7144706	In-Line Asphalt	Parts	\$ ____
7144700	In-Line Chisel	Parts	\$ ____
7144704	In-Line Wide Chisel	Parts	\$ ____
7144701	Nail Point	Parts	\$ ____
7144708	Tamping	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
(335, 337, 341, 435, 442)	(E42, E45, E50, E55, E60*, E63, E80, E85)	(E42R2, E48R2, E50R2, E60R2, E88R2)	
7115923	HB1180 Breaker.....		\$15,251.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)		

* Approved for use with E60 s/n AGSZ11321 & above

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

Mounting Frames - HB1180

(335, 337, 341, 435)	(E42, E45, E48, E50, E55, E60, E63)		
7117325	X-Change Mounting Cap.....		\$975.00
	(Must also order a hose kit)		
(E80, E85)			
7168502	Pin-On Mounting Cap.....		\$1,264.00
	(Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)		
(E85 R-Series, E88R2 Series)			
7307177	Pin-On Mounting Cap.....		\$1,247.00
	(Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)		
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler).....		\$1,045.00
	(For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)		
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler).....		\$1,045.00
	(For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)		

Accessories - HB1180

7175244	Hose Kit - R2-Series E32-E60 Standard and Long Arm.....		\$441.00
	(Includes hoses and quick couplers)		
7114762	Hose Kit - 337, E42, E45, E50 Std. Arm.....		\$343.00
6728967	Hose Kit - E50 Long & Ext. Arm, E55 All Arms, E60 R2 Ext. Arm.....		\$343.00
7130290	Hose Kit - 442.....		\$331.00
7180019	Hose Kit - E42, E42 R2 Ext. Arm, E45 - ALL WITH LONG ARM.....		\$413.00
7176608	Hose Kit - E60, E63, E80, E85.....		\$484.00
46927959	Hose Kit - E88R2.....		\$632.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

(442)			
6681919	Pin-On Mounting Cap.....		\$ ____
	(Must also order hose kit, P/N 7130290)		

Breaker Tools - HB1180

7144718	Blunt.....	Parts	\$ ____
7144713	Conical Point (MOIL).....	Parts	\$ ____
7144716	Cross Cut Asphalt.....	Parts	\$ ____
7144710	Cross Cut Chisel.....	Parts	\$ ____
7144714	Cross Cut Wide Chisel.....	Parts	\$ ____
7144717	In-Line Asphalt.....	Parts	\$ ____
7144711	In-Line Chisel.....	Parts	\$ ____
7144712	Nail Point.....	Parts	\$ ____
7144719	Tamping.....	Parts	\$ ____
7144715	In-Line Wide Chisel.....	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
(442) (E60*, E63, E80, E85) (E88R2 Series)			
7157576	HB1380 Breaker		\$19,202.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Mounting Cap and Hose Kit)		
	* Approved for use with E60 s/n AGSZ11321 & above		

Part Number	Description	SLP in US \$
Dealer Installed Accessories - Order From Sales		
<u>Mounting Frames - HB1380</u>		
(442) 7145372	Pin-On Mounting Cap (Must also order hose kit, P/N 7130290)	\$1,072.00
(E60, E63) 7117325	X-Change Mounting Cap (Must also order a hose kit, P/N 7176608)	\$975.00
(E80, E85) 7168502	Pin-On Mounting Cap (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)	\$1,264.00
(E85 R-Series)(E88R2 Series) 7307177	Pin-On Mounting Cap (Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)	\$1,247.00
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler) (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)	\$1,045.00
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler) (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)	\$1,045.00
<u>Accessories - HB1380</u>		
7130290	Hose Kit - 442 (Includes hoses and quick couplers)	\$331.00
7176608	Hose Kit - E60, E63, E80, E85 (Includes hoses and quick couplers)	\$484.00
46927959	Hose Kit - E88R2 (Includes hoses and quick couplers)	\$632.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

<u>Breaker Tools - HB1380</u>			
7163375	Blunt	Parts	\$ _____
7163370	Conical Point (MOIL)	Parts	\$ _____
7163373	Cross Cut Asphalt	Parts	\$ _____
7163367	Cross Cut Chisel	Parts	\$ _____
7163371	Cross Cut Wide Chisel	Parts	\$ _____
7163374	In-Line Asphalt	Parts	\$ _____
7163368	In-Line Chisel	Parts	\$ _____
7163369	Nail Point	Parts	\$ _____
7163372	Wide Chisel	Parts	\$ _____

Part Number	Description	Attachment	SLP in US \$
(442) (E80, E85) (E88R2)			
7133203	HB2380 Breaker.....		\$23,257.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, and hose protector) (Must also order Mounting Cap and Hose Kit)		


Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>Mounting Frames - HB2380</u>			
(442)			
7145372	Pin-On Mounting Cap.....		\$1,072.00
	(Must also order hose kit, P/N 7130290)		
(E80, E85)			
7168502	Pin-On Mounting Cap.....		\$1,264.00
	(Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)		
(E85 R-Series)(E88R2)			
7307177	Pin-On Mounting Cap.....		\$1,247.00
	(Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)		
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler).....		\$1,045.00
	(For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)		
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler).....		\$1,045.00
	(For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)		
<u>Accessories - HB2380</u>			
7141851	Auto-Grease Kit.....		\$2,410.00
7130290	Hose Kit - 442.....		\$331.00
	(Includes hoses and quick couplers)		
7176608	Hose Kit - E80, E85.....		\$484.00
	(Includes hoses and quick couplers)		
46927959	Hose Kit - E88R2.....		\$632.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>		
<u>Breaker Tools - HB2380</u>		
7144728	Blunt.....	Parts \$ ____
7144723	Conical Point (MOIL).....	Parts \$ ____
7144726	Cross Cut Asphalt.....	Parts \$ ____
7144720	Cross Cut Chisel.....	Parts \$ ____
7144724	Cross Cut Wide Chisel.....	Parts \$ ____
7144727	In-Line Asphalt.....	Parts \$ ____
7144721	In-Line Chisel.....	Parts \$ ____
7144722	Nail Point.....	Parts \$ ____
7144725	Wide Chisel.....	Parts \$ ____

Destination Charge/Fuel Surcharge
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Breaker.....	None.....	-
HB280.....	Install temperature alarm on 316.....	1.5
HB1380.....	Install grease kit on HB1380.....	1.0
HB2380.....	Install grease kit on HB2380.....	1.0

Breaker, Nitrogen Bobcat Excavator Attachment



Quick Specs

	<u>NB110</u>	<u>NB140</u>	<u>NB150</u>	<u>NB160</u>
Operating Weight (nail point & cap).....	160 lbs.	419 lbs.	556 lbs.	773 lbs.
Impact Energy Class.....	150 ft. lb.	350 ft. lb.	550 ft. lb.	900 ft. lb.
AEM Tool Energy Rating.....	81 ft. lb.	243 ft. lb.	303 ft. lb.	592 ft. lb.
Blows per Minute (BPM).....	1,300 @ 7.9 gpm		1,075 @ 20.4 gpm	979 @ 23.3 gpm
Flow Requirements.....	3 - 8 gpm	7 - 13 gpm	13 - 20 gpm	13 - 24 gpm
Tool Working Length.....	11.2"	14.6"	13.0"	18.4"
Tool Diameter.....	1.7"	2.2"	2.6"	2.8"
<i>Estimated Breaker Performance with Concrete</i>				
Recommended Working Thickness.....	1 - 5"	4 - 12"	6 - 15"	10 - 20"
<i>Demolished Volume per Hour</i>				
Non-Reinforced Concrete.....	1 - 3 cu. yds.	1 - 4 cu. yds.	4 - 15 cu. yds.	6 - 20 cu. yds.
Reinforced Concrete.....	1 - 3 cu. yds.	1 - 4 cu. yds.	1 - 6 cu. yds.	3 - 8 cu. yds.
	<u>NB170</u>	<u>NB180</u>	<u>NB240</u>	<u>NB260</u>
Operating Weight (nail point & cap).....	1,146 lbs.	1,251 lbs.	2,242 lb.	2,956 lb.
Impact Energy Class.....	1,200 ft. lb.	1,500 ft. lb.	2,000 ft. lb.	2,500 ft. lb.
AEM Tool Energy Rating.....	759 ft. lb.	996 ft. lb.	1,714 ft. lb.	1,844 ft. lb.
Blows per Minute (BPM).....	965 @ 21.9 gpm	1,000 @ 29 gpm	350-750	350-750
Flow Requirements.....	11 - 24 gpm	15 - 30 gpm	29.1-44.9 gpm	29.1-44.9 gpm
Tool Working Length.....	21.9"	22.7"	23.4"	23.4"
Tool Diameter.....	3.2"	3.7"	4.61"	4.61"
<i>Estimated Breaker Performance w/ Concrete</i>				
Recommended Working Thickness.....	0 12 - 22"	14 - 24"	NA	NA
<i>Demolished Volume per Hour</i>				
Non-Reinforced Concrete.....	0 8 - 20 cu. yds.	11 - 25 cu. yds.	NA	NA
Reinforced Concrete.....	4 - 10 cu. yds.	5 - 16 cu. yds.	NA	NA

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(418, E10, E10e, E17, E19e, E20)			
7355660	NB110 Breaker.....		\$5,387.00
	(Includes Nail Point) (Must also order hose kit and mounting cap)		
	(If used on 316 excavator, must also order temperature warning kit p/n 7140103 and coupler kit p/n 7170567)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

		<u>Accessories - NB110</u>	
7170566	Hose Kit for 316, 418, E10, E10e, E17, E19e.....		\$316.00
7160677	Pin-On Mounting Cap - 418, E10, E10e, E17, E19e, E20.....		\$159.00
7117832	Hose Kit - E20 Long Arm.....		\$343.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

7133409	Pin-On Mounting Cap - 316.....	Parts	\$_____
	(If machine bucket pins have a round head, order square head pins p/n NTS 3-51110, qty 2)		
7170567	Coupler Kit for 316.....	Parts	\$_____
7140103	Temperature Warning Kit.....	Parts	\$_____
	(Required when operating breaker with 316 excavator)		

		<u>Breaker Tools - NB110</u>	
7357284	Cross Cut Chisel.....	Parts	\$_____
7357283	In-Line Chisel.....	Parts	\$_____
7357282	Nail Point.....	Parts	\$_____

Part Number	Description	Attachment	SLP in US \$
(E20, E26) 7355666	NB140 Breaker..... (Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)		\$5,338.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	
<u>Mounting Frames - NB140</u>			
7117752	Pin-On Mounting Cap - E20..... Pin-On Mounting Cap - E20		\$492.00
7113656	X-Change Mounting Cap - E26..... (Must also order appropriate hose kit, P/N 7117823)		\$806.00
7387135	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB680/NB140 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose kit)		\$639.00
46906913	HB680/NB140/PCF34 CAP - 35mm PIN-ON (Pins Not Included)..... (Not compatible with hydraulic clamp)		\$854.00
<u>Accessories - NB140</u>			
7117832	Hose Kit - E20 Long Arm..... (Includes hoses and quick couplers)		\$343.00
7117823	Hose Kit - 320, 322, 323, 325, 328, E26..... (Includes hoses and quick couplers)		\$343.00
7114762	Hose Kit - E26 Long Arm..... (Includes hoses and quick couplers)		\$343.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>			
<u>Breaker Tools - NB140</u>			
7357286	Conical Point (MOIL).....	Parts	\$ _____
7357288	Cross Cut Chisel.....	Parts	\$ _____
7357287	In-Line Chisel.....	Parts	\$ _____
7357285	Nail Point.....	Parts	\$ _____

Part Number	Description	Attachment	SLP in US \$
(E26, E32, E35) (E32R2, E35R2, E38R2, E40R2)			
7234534	NB150 Breaker.....		\$6,990.00
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)		

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Mounting Frames - NB150</u>	
7113657	X-Change Mounting Cap.....		\$835.00
	(Must also order a hose kit)		
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler).....		\$636.00
	(For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose		
46906900	HB880/HB980/NB150/NB160 CAP- 35mm PIN-ON (Pins Not Included).....		\$868.00
	For E26-E40 All Series 35mm pin Excavators (Must also order a hose kit)		
		<u>Accessories - NB150</u>	
7114762	Hose Kit - E26 Long Arm.....		\$343.00
	(Includes hoses and quick couplers)		
6728963	Hose Kit - E32, E35 Std. Arm.....		\$343.00
	(Includes hoses and quick couplers)		
7180019	Hose Kit - E32 /E35 Long and Ext. Arm, E32R2/E35R2/E38R2 Ext. Arm.....		\$413.00
	(Includes hoses and quick couplers)		
7175244	Hose Kit - E32 , E35, E38, E40 R2-Series, Std. and Long Arm.....		\$441.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts	
		<u>Breaker Tools - NB150</u>	
7357294	Blunt.....	Parts	\$ _____
7357291	Conical Point (MOIL).....	Parts	\$ _____
7357293	Cross Cut Chisel.....	Parts	\$ _____
7357292	In-Line Chisel.....	Parts	\$ _____
7357290	Nail Point.....	Parts	\$ _____

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

Part Number	Description	Attachment	SLP in US \$
(E32, E35, E42, E45, E50, E55) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2)			
7234536	NB160 Breaker.....		\$8,755.00
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)		

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Mounting Frames - NB160</u>	
7113657	X-Change Mounting Cap.....		\$835.00
	(Must also order a hose kit)		
7387136	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler).....		\$636.00
	(For use with HB880/HB980/NB150/NB160 Breakers with 1/8YD CIMC "TAG" style couplers) (Must also order hose		
46906900	HB880/HB980/NB150/NB160 CAP- 35mm PIN-ON (Pins Not Included).....		\$868.00
	For E26-E40 All Series 35mm pin Excavators (Must also order a hose kit)		
46906914	HB980/NB160/PCF64 CAP- 45mm PIN-ON (Pins Not Included).....		\$892.00
	E42-E60 For All Series with 45mm pin Excavators (Must also order a hose kit)		
		<u>Accessories - NB160</u>	
7175244	Hose Kit - R2-Series E32-E60 Standard and Long Arm.....		\$441.00
	(Includes hoses and quick couplers)		
6728967	Hose Kit - E50 Long & Ext. Arm, E55 All Arms, E60 R2 Ext. Arm.....		\$343.00
	(Includes hoses and quick couplers)		
6728963	Hose Kit - E32, E35 Std. Arm.....		\$343.00
	(Includes hoses and quick couplers)		
7180019	Hose Kit- E32/E35 Long/Ext. Arm, E32-E38 R2 Ext. Arm, E42/E45 Long/Ext. Arm, E42-E60 R2 Ext. Arm.....		\$413.00
	(Includes hoses and quick couplers)		
7114762	Hose Kit - 337, E42, E45, E50 Std. Arm.....		\$343.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
		<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>
		<u>Breaker Tools - NB160</u>
7357299	Blunt.....	Parts \$ _____
7357298	Conical Point (MOIL).....	Parts \$ _____
7357295	Cross Cut Chisel.....	Parts \$ _____
7357302	In-Line Chisel.....	Parts \$ _____
7357297	Nail Point.....	Parts \$ _____

Part Number	Description	Attachment	SLP in US \$
(E63, E80, E85)(E88R2)			
7355672	NB170 Breaker.....		\$13,329.00
	(Includes Nail Point, fixing cap bolts) (Must also order Mounting Cap and Hose Kit)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>Mounting Frames - NB170</u>			
(E63)			
7117325	X-Change Mounting Cap.....		\$975.00
	(Must also order a hose kit, P/N 7176608)		
(E80, E85)			
7168502	Pin-On Mounting Cap.....		\$1,264.00
	(Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)		
(E85 R-Series)(E88R2 Series)			
7307177	Pin-On Mounting Cap.....		\$1,247.00
	(Must also order hose kit, P/N 7176608, Mounting Cap uses 55mm pins)		
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler).....		\$1,045.00
	(For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)		
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler).....		\$1,045.00
	(For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)		
<u>Accessories - NB170</u>			
7176608	Hose Kit - E60, E63, E80, E85.....		\$484.00
	(Includes hoses and quick couplers)		
46927959	Hose Kit - E88R2.....		\$632.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts	
<u>For current Dealer Installed Accessories pricing, reference Qlute & Order or Dealer Parts Department.</u>			
<u>Breaker Tools - NB170</u>			
7357306	Conical Point (MOIL).....	Parts	\$ ____
7357303	Cross Cut Chisel.....	Parts	\$ ____
7357302	In-Line Chisel.....	Parts	\$ ____
7357300	Nail Point.....	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
(E80, E85)(E88R2)(E145) 7355674	NB180 Breaker..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, and hose protector) (Must also order Pin-On Mounting Cap and Hose Kit)		\$15,210.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>Mounting Frames - NB180</u>			
(E85) 7168502	Pin-On Mounting Cap..... (Must also order hose kit, P/N 7176608, Mounting Cap uses 45mm pins)		\$1,264.00
(E85 R-Series)(E88R2 Series) 7307177	Pin-On Mounting Cap.....		\$1,247.00
7387138	CAP BREAKER 1/8YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB1180/NB170 Breakers with CIMC "TAG" style coulers) (Must also order hose kit)		\$1,045.00
7387137	CAP BREAKER 1/4YD CIMC (Common Industry Mechanical Coupler)..... (For use with HB1180/HB1380/HB2380/NB170/NB180 Breakers with 1/4YD CIMC "TAG" style couplers) (Must also order hose kit)		\$1,045.00
(E145) 7464928	Pin on Mounting Cap-E145/NB180/NB240.....		\$2,089.00
<u>Accessories - NB180</u>			
7176608	Hose Kit - E80, E85..... (Includes hoses and quick couplers)		\$484.00
46927959	Hose Kit - E88R2..... (Includes hoses and quick couplers)		\$632.00
7522171	Hose Kit E145/NB180.....		\$424.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
<u>For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.</u>			
<u>Breaker Tools - NB180</u>			
7357306	Conical Point (MOIL).....	Parts	\$ ____
7357308	Cross Cut Chisel.....	Parts	\$ ____
7357307	In-Line Chisel.....	Parts	\$ ____
7357305	Nail Point.....	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
(E145) 7465142	NB240 Breaker..... (Includes Nail Point, fixing cap bolts, cradle, isolation mount, and hose protector) (Must also order Pin-On Mounting Cap and Hose Kit)		\$20,045.00

Part Number	Description	Attachment	SLP in US \$
Dealer Installed Accessories - Order From Sales			
<u>Mounting Frames - NB240</u>			
7464928	Pin on Mounting Cap-E145/NB180/NB240.....		\$2,089.00
<u>Accessories - NB240</u>			
7522172	Hose Kit E145/NB240..... Includes hoses and quick couplers		\$450.00

Part Number	Description	Attachment	SLP in US \$
Dealer Installed Accessories - Order From Parts			
<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>			
<u>Breaker Tools - NB240</u>			
7506111	Nail Point.....	Parts	\$ ____
7506110	In-Line Chisel.....	Parts	\$ ____
7506109	Cross Cut Chisel.....	Parts	\$ ____
7506107	Conical Point (MOIL).....	Parts	\$ ____
7506108	Blunt.....	Parts	\$ ____
7483311	Underwater Kit, NB240..... Includes hoses, regulators, couplers and other components needed to operate NB240 breaker underwater. MUST ORDER UNDERWATER TOOL PN 7482131	Parts	\$ ____
7482131	Underwater Tool, NB240..... Needed for underwater operation with underwater kit	Parts	\$ ____
7497701	Wide Wedge, NB240.....	Parts	\$ ____

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(E165)

7465143

NB260 Breaker.....

\$27,114.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

Mounting Frames - NB260

7464929

Pin on Mounting Cap- E165/NB260.....

\$2,647.00

Accessories - NB260

7522173

Hose Kit E165/NB260.....

\$552.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

Breaker Tools - NB260

7506577

Nail Point.....

Parts

\$_____

7506579

In-Line Chisel.....

Parts

\$_____

7506578

Cross Cut Chisel.....

Parts

\$_____

7506581

Conical Point (MOIL).....

Parts

\$_____

7506580

Blunt.....

Parts

\$_____

7483312

Underwater Kit, NB260.....

Parts

\$_____

Includes hoses, regulators, couplers and other components needed to operate NB260 breaker underwater.

MUST ORDER UNDERWATER TOOL PN 7482130

7482130

Underwater Tool, NB260.....

Parts

\$_____

Needed for underwater operation with underwater kit

Destination Charge/Fuel Surcharge		
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges		

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Breaker.....

None.....

-

NB110.....

Install temperature alarm on 316.....

1.5

Bucket

Bobcat Excavator Attachments*

*Attachment Pin Kits for Pin Grabber Equipped MX are available through Parts and listed on last page

Part Number	Description	ISO Heaped Capacity (FT ³)	Ship. WGT.	SLP IN US \$
-------------	-------------	--	------------	--------------

Class 0 Buckets

(418 Pin-On Style) (E10)

7157626	8" Trenching Bucket with Teeth.....	0.31	29	\$607.00
7140493	12" Trenching Bucket with Teeth.....	0.54	37	\$666.00
7140489	16" Trenching Bucket with Teeth.....	0.79	43	\$688.00
7150275	31" Grading Bucket, Smooth Lip.....	1.5	58	\$825.00

Class I Buckets

(320, 322, 323, 324 Pin-On Style) (E20)

6715495	9" Trenching Bucket, 2 Bolt-On Teeth.....	0.5	53	\$673.00
6715496	12" Trenching Bucket, 3 Bolt-On Teeth.....	0.7	63	\$745.00
6715497	16" Trenching Bucket, 3 Bolt-On Teeth.....	1.1	75	\$816.00
7109522	18" Trenching Bucket, 4 Bolt-On-Teeth.....	1.3	90	\$841.00
6715498	20" Trenching Bucket, 4 Bolt-On Teeth.....	1.4	85	\$888.00
6715499	39" Grading Bucket, Smooth Lip.....	3.1	146	\$936.00

Class II Buckets

(325, 328, 425 X-Change™ Style) (E26)

*Class II includes weld-on shank with replaceable teeth

*Class II Smooth Lip includes Bolt On Cutting Edge

7333229	12" Trenching Bucket, Smooth Lip..... (Not compatible with hydraulic clamp)	1.33	167	\$1,040.00
46910599	12" MX2 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included)(Not compatible with hydraulic clamp)	1.33	167	\$1,120.00
7333230	12" Trenching Bucket, 3 Weld-On Shanks..... (Not compatible with hydraulic clamp)	1.33	173	\$1,040.00
46910600	12" MX2 Pin-On Trenching Bucket, 3 Weld-On Shanks (Pins not included)(Not compatible with hydraulic clamp)	1.33	173	\$1,120.00
7333244	16" Trenching Bucket, Smooth Lip.....	1.92	192	\$1,088.00
46910601	16" MX2 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	1.92	192	\$1,168.00
7333245	16" Trenching Bucket, 4 Weld-On Shanks.....	1.92	195	\$1,088.00
46910602	16" MX2 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	1.92	195	\$1,168.00
7333254	20" Trenching Bucket, Smooth Lip.....	2.53	226	\$1,159.00
46910603	20" MX2 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	2.53	226	\$1,239.00
7333255	20" Trenching Bucket, 4 Weld-On Shanks.....	2.53	230	\$1,159.00
46910604	20" MX2 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	2.53	230	\$1,239.00
7333259	24" Trenching Bucket, Smooth Lip.....	3.14	254	\$1,263.00
46910597	24" MX2 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	3.14	254	\$1,344.00
7333260	24" Trenching Bucket, 4 Weld-On Shanks.....	3.14	255	\$1,263.00
46910598	24" MX2 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	3.14	255	\$1,344.00
7333978	36" Grading Bucket, Bolt On Cutting Edge.....	5.19	279	\$1,617.00
46910605	36" MX2/3 Pin-On Grading Bucket, Bolt On Cutting Edge..... (Pins not included).....	5.19	279	\$1,697.00
7333979	48" Grading Bucket, Bolt On Cutting Edge.....	7.12	328	\$1,955.00
46910606	48" MX2/3 Pin-On Grading Bucket, Bolt On Cutting Edge..... (Pins not included).....	7.12	328	\$2,059.00

Buckets				
Part Number	Description	ISO Heaped Capacity (FT ³)	Ship. WGT.	SLP IN US \$
<u>*Attachment Pin Kits for Pin Grabber Equipped MX are available through Parts and listed on last page</u>				
<u>Class III Buckets</u>				
(329, 331, 331E, 334, 430 X-Change™ Style) (E32, E35) (E32R2, E35R2, E38R2, E40R2)				
*Class III includes weld-on shank with replaceable teeth				
*Class III Smooth Lip includes Bolt On Cutting Edge				
7323832	12" Trenching Bucket, Smooth Lip.....	1.6	178	\$1,391.00
46910552	12" MX3 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	1.6	178	\$1,471.00
7323833	12" Trenching Bucket, 3 Weld-On Shanks.....	1.6	184	\$1,391.00
46910553	12" MX3 Pin-On Trenching Bucket, 3 Weld-On Shanks..... (Pins not included).....	1.6	184	\$1,471.00
7457562	12" SD Trenching Bucket, 3 Weld-On Esco Shanks.....	1.6	185	\$1,600.00
7324829	16" Trenching Bucket, Smooth Lip.....	2.31	206	\$1,431.00
46910555	16" MX3 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	2.31	206	\$1,520.00
7324830	16" Trenching Bucket, 4 Weld-On Shanks.....	2.31	208	\$1,431.00
46910556	16" MX3 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	2.31	208	\$1,511.00
7457565	16" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	2.31	207	\$1,646.00
7323841	18" Trenching Bucket, Smooth Lip.....	2.68	226	\$1,568.00
7323842	18" Trenching Bucket, 4 Weld-On Shanks.....	2.68	231	\$1,568.00
46910559	18" MX3 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	2.68	231	\$1,649.00
7457568	18" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	2.68	232	\$1,803.00
7323820	20" Trenching Bucket, Smooth Lip.....	3.05	241	\$1,633.00
46910561	20" MX3 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	3.05	241	\$1,714.00
7323821	20" Trenching Bucket, 4 Weld-On Shanks.....	3.05	244	\$1,633.00
46910562	20" MX3 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	3.05	244	\$1,714.00
7457571	20" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	3.05	245	\$1,879.00
46910563	20" MX3 SD Trenching Bucket, 4 Weld-On Esco Shanks.....	3.05	245	\$1,959.00
7323529	24" Trenching Bucket, Smooth Lip.....	3.8	238	\$1,689.00
7323530	24" Trenching Bucket, 4 Weld-On Shanks.....	3.8	274	\$1,689.00
7457574	24" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	3.8	274	\$1,941.00
46910551	24" MX3 SD Pin-On Trenching, 4 Weld-On Esco Shanks..... (Pins not included).....	3.8	274	\$2,022.00
7323822	30" Trenching Bucket, Smooth Lip.....	4.91	319	\$1,881.00
46910564	30" MX3 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	4.91	319	\$1,961.00
7323823	30" Trenching Bucket, 5-Weld-On Shanks.....	4.91	325	\$1,881.00
46910565	30" MX3 Pin-On Trenching Bucket, 5-Weld-On Shanks..... (Pins not included).....	4.91	325	\$1,961.00
7457577	30" SD Trenching Bucket, 5 Weld-On Esco Shanks.....	4.91	319	\$2,161.00
46910566	30" MX3 SD Pin-On Trenching, 5 Weld-On Esco Shanks..... (Pins not included).....	4.91	319	\$2,242.00
7323824	36" Trenching Bucket, Smooth Lip.....	6.02	365	\$2,047.00
46910567	36" MX3 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	6.02	365	\$2,127.00
7323825	36" Trenching Bucket, 6 Weld-On Shanks.....	6.02	365	\$2,047.00
46910568	36" MX3 Pin-On Trenching Bucket, 6 Weld-On Shanks..... (Pins not included).....	6.02	365	\$2,128.00
7333978	36" Grading Bucket, Bolt On Cutting Edge.....	5.19	279	\$1,617.00
7457580	36" SD Trenching Bucket, 6 Weld-On Esco Shanks.....	6.02	364	\$2,355.00
46910569	36" MX3 SD Pin-On Trenching, 6 Weld-On Esco Shanks..... (Pins not included).....	6.02	364	\$2,436.00
7333979	48" Grading Bucket, Bolt On Cutting Edge.....	7.12	328	\$1,955.00
46910606	48" MX2/3 Pin-On Grading Bucket, Bolt On Cutting Edge..... (Pins not included).....	7.12	328	\$2,059.00

Buckets and Dozer (Grading) Blades				
Part Number	Description	ISO Heaped Capacity (FT ³)	Ship. WGT.	SLP IN US \$

****Attachment Pin Kits for Pin Grabber Equipped MX are available through Parts and listed on last page***

Class III Buckets

(E42, E48 "Standard" Buckets)

*Class III includes weld-on shank with replaceable teeth

*Class III Smooth Lip includes Bolt On Cutting Edge

7323832	12" Trenching Bucket, Smooth Lip.....	1.6	178	\$1,391.00
7323833	12" Trenching Bucket, 3 Weld-On Shanks.....	1.6	184	\$1,391.00
7457562	12" SD Trenching Bucket, 3 Weld-On Esco Shanks.....	1.6	185	\$1,600.00
7324829	16" Trenching Bucket, Smooth Lip.....	2.31	206	\$1,431.00
7324830	16" Trenching Bucket, 4 Weld-On Shanks.....	2.31	208	\$1,431.00
7457565	16" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	2.31	207	\$1,646.00
7323841	18" Trenching Bucket, Smooth Lip.....	2.68	226	\$1,568.00
7323842	18" Trenching Bucket, 4 Weld-On Shanks.....	2.68	231	\$1,568.00
7457568	18" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	2.68	232	\$1,803.00
7323529	24" Trenching Bucket, Smooth Lip.....	3.8	238	\$1,689.00
7323530	24" Trenching Bucket, 4 Weld-On Shanks.....	3.8	274	\$1,689.00
7457574	24" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	3.8	274	\$1,941.00

Dozer Blades

(E26-E60)

6817096	55" X-Change Dozer (Grading) Blade.....	N/A	320	\$1,359.00
---------	---	-----	-----	------------

(E26-E40 All Series)

46912106	Dozer Blade 35mm PIN-ON (Pins Not Included).....	N/A	320	\$1,487.00
	(Pins not included).....			

(E42-E60 All Series)

46912107	Dozer Blade 45mm PIN-ON (Pins Not Included).....	N/A	320	\$1,487.00
	(Pins not included).....			

Part Number	Description	ISO Heaped Capacity (FT ³)	Ship. WGT.	SLP IN US \$
----------------	-------------	---	------------	--------------

***Attachment Pin Kits for Pin Grabber Equipped MX are available through Parts and listed on last page**

Class IV Buckets

(335, 337, 341 & 435 X-CHANGE™ STYLE) (E42, E45, E50, E55, E60, E63) (E40R2, E42R2, E48R2, E50R2, E60R2)

*Class IV includes weld-on shank with replaceable teeth

*Class IV Smooth Lip includes Bolt On Cutting Edge

7321975	12" Trenching Bucket, Smooth Lip.....	2.19	225	\$1,488.00
46910573	12" MX4 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	2.19	225	\$1,591.00
7321974	12" Trenching Bucket, 3 Weld-On Shanks.....	2.19	225	\$1,488.00
46910574	12" MX4 Pin-On Trenching Bucket, 3 Weld-On Shanks (Pins not included).....	2.19	225	\$1,591.00
7457583	12" SD Trenching Bucket, 3 Weld-On Esco Shanks.....	2.19	233	\$1,711.00
46910575	12" MX4 SD Pin-On Trecnhing, 3 Weld-On Esco Shanks..... (Pins not included).....	2.19	233	\$1,814.00
7322080	18" Trenching Bucket, Smooth Lip.....	3.69	285	\$1,728.00
46910576	18" MX4 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	3.69	285	\$1,831.00
7322082	18" Trenching Bucket, 4 Weld-On Shanks.....	3.69	285	\$1,728.00
46910577	18" MX4 Pin-On Trenching Bucket, 4 Weld-On Shanks..... (Pins not included).....	3.69	285	\$1,831.00
7457586	18" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	3.69	295	\$1,986.00
46910578	18" MX4 SD Pin-On Trenching, 4 Weld-On Esco Shanks..... (Pins not included).....	3.69	295	\$2,090.00
7311869	24" Trenching Bucket, Smooth Lip.....	5.27	346	\$1,993.00
46910570	24" MX4 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	5.27	346	\$2,096.00
7311868	24" Trenching Bucket, 4 Weld-On Shanks.....	5.27	341	\$1,993.00
46910571	24" MX4 Pin-On Trenching Bucket, 4 Weld-On-Shanks..... (Pins not included).....	5.27	341	\$2,096.00
7457592	24" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	5.27	361	\$2,292.00
46910572	24" MX4 SD Pin-On Trenching, 4 Weld-On Esco Shanks..... (Pins not included).....	5.27	361	\$2,396.00
7322087	30" Trenching Bucket, Smooth Lip.....	6.86	404	\$2,247.00
46910579	30" MX4 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	6.86	404	\$2,351.00
7322088	30" Trenching Bucket, 5-Weld-On Shanks.....	6.86	405	\$2,247.00
46910580	30" MX4 Pin-On Trenching Bucket, 5-Weld-On Shanks..... (Pins not included).....	6.86	405	\$2,351.00
7457595	30" SD Trenching Bucket, 5 Weld-On Esco Shanks.....	6.86	410	\$2,584.00
46910581	30" MX4 SD Pin-On Trecnhing, 5 Weld-On Esco Shanks..... (Pins not included).....	6.86	410	\$2,688.00
7322090	36" Trenching Bucket, Smooth Lip.....	8.46	461	\$2,423.00
46910582	36" MX4 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	8.46	461	\$2,495.00
7322091	36" Trenching Bucket, 6 Weld-On Shanks.....	8.46	458	\$2,423.00
46910583	36" MX4 Pin-On Trenching Bucket, 6 Weld-On Shanks..... (Pins not included).....	8.46	458	\$2,527.00
7333657	36" Grading Bucket, Bolt On Cutting Edge.....	6.33	355	\$1,938.00
46910607	36" MX4/5 Pin-On Grading Bucket, Bolt On Cutting Edge..... (Pins not included).....	6.33	355	\$2,041.00
7457598	36" SD Trenching Bucket, 6 Weld-On Esco Shanks.....	8.46	471	\$2,787.00
46910584	36" MX4 SD Pin-On Trenching, Weld-On Esco Shanks..... (Pins not included).....	8.46	471	\$2,891.00
7333658	48" Grading Bucket, Bolt On Cutting Edge.....	8.69	444	\$2,381.00
46910608	48" MX4/5 Pin-On Grading Bucket, Bolt On Cutting Edge..... (Pins not included).....	8.69	444	\$2,484.00
7333659	60" Grading Bucket, Bolt On Cutting Edge.....	11.05	355	\$2,813.00
46910609	60" MX4/5 Pin-On Grading Bucket, Bolt On Cutting Edge..... (Pins not included).....	11.05	355	\$2,917.00

Part Number	Description	ISO Heaped Capacity (FT ³)	Ship. WGT.	SLP IN US \$
-------------	-------------	--	------------	--------------

***Attachment Pin Kits for Pin Grabber Equipped MX are available through Parts and listed on last page**

Class V Buckets

(E55, E63) (E60R2)

*Class V includes weld-on shank with replaceable teeth

*Class V Smooth Lip includes Bolt On Cutting Edge

7333363	18" Trenching Bucket, Smooth Lip.....	4.36	335	\$1,787.00
46910585	18" MX5 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	4.36	335	\$2,163.00
7457601	18" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	4.36	342	\$2,056.00
46910590	18" MX5 SD Pin-On Trenching, 4 Weld-On Esco Shanks..... (Pins not included).....	4.36	342	\$2,159.00
7333373	24" Trenching Bucket, Smooth Lip.....	6.24	402	\$2,060.00
46910588	24" MX5 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	6.24	402	\$1,891.00
7457604	24" SD Trenching Bucket, 4 Weld-On Esco Shanks.....	6.24	401	\$2,369.00
46910587	24" MX5 SD Pin-On Trenching, 4 Weld-On Esco Shanks..... (Pins not included).....	6.24	401	\$2,473.00
7333378	30" Trenching Bucket, Smooth Lip.....	8.16	465	\$2,322.00
46910591	30" MX5 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	8.16	465	\$2,425.00
7457607	30" SD Trenching Bucket, 5 Weld-On Esco Shanks.....	8.16	466	\$2,670.00
46910593	30" MX5 SD Pin-On Trenching, 5 Weld-On Esco Shanks..... (Pins not included).....	8.16	466	\$2,773.00
7333383	36" Trenching Bucket, Smooth Lip.....	10.09	529	\$2,503.00
46910594	36" MX5 Pin-On Trenching Bucket, Smooth Lip..... (Pins not included).....	10.09	529	\$2,574.00
7457610	36" SD Trenching Bucket, 5 Weld-On Esco Shanks.....	10.09	530	\$2,878.00
46910596	36" MX5 SD Pin-On Trenching, 5 Weld-On Esco Shanks..... (Pins not included).....	10.09	530	\$2,982.00
7333658	48" Grading Bucket, Bolt On Cutting Edge.....	8.69	444	\$2,381.00
7333659	60" Grading Bucket, Bolt On Cutting Edge.....	11.05	355	\$2,813.00

Class VI Buckets

E85 R-Series Pin-On Buckets*

(E85R)(E88R2) *Not compatible with M-Series E80, E85

7457613	18" Trenching Bucket, 3 Weld-On Esco Shanks.....	5.69	521	\$2,503.00
7457616	24" Trenching Bucket, 4 Weld-On Esco Shanks.....	8.14	590	\$2,707.00
7457619	36" Trenching Bucket, 5 Weld-On Esco Shanks.....	13.27	756	\$3,338.00
7334506	60" Grading Bucket, Bolt On Cutting Edge.....	15.51	668	\$3,224.00

E145 Pin-On Buckets

(E145)

7382549	24" Trenching Bucket, Includes Wear Shrouds.....	11.34	878	\$4,480.00
7382550	36" Trenching Bucket, Includes Wear Shrouds.....	19.17	1147	\$5,156.00
7382551	42" Trenching Bucket, Includes Wear Shrouds.....	22.95	1253	\$5,912.00
7382900	60" Grading Bucket, Smooth Lip.....	37.53	1548	\$6,586.00

E165 Pin-On Buckets

(E165)

7401685	36" Trenching Bucket, Includes Wear Shrouds.....	21.6	1483	\$6,600.00
7401686	42" Trenching Bucket, Includes Wear Shrouds.....	26.1	1641	\$7,420.00
7401687	48" Trenching Bucket, Includes Wear Shrouds.....	30.5	1775	\$7,980.00
7401688	60" Grading Bucket, Smooth Lip.....	44.28	2009	\$8,822.00

CIMC (Common Industry Mechanical Coupler) Buckets and Couplers

Bobcat Excavator Attachments

Part Number	Description	ISO Heaped Capacity (FT ³)	Ship. WGT.	SLP IN US \$
-------------	-------------	--	------------	--------------

Class 2 CIMC Buckets

7343707	12" Trenching Bucket.....	1.1	105	\$625.00
7343709	18" Trenching Bucket.....	1.8	142	\$796.00
7343710	24" Trenching Bucket.....	2.6	173	\$959.00

Class 3 CIMC Buckets

7343711	12" Trenching Bucket.....	1.8	125	\$678.00
7343713	18" Trenching Bucket.....	2.5	170	\$816.00
7343714	24" Trenching Bucket.....	3.6	207	\$984.00

Class 4 CIMC Buckets

7343719	12" Trenching Bucket.....	1.8	157	\$730.00
7343721	18" Trenching Bucket.....	2.3	211	\$879.00
7343722	24" Trenching Bucket.....	4.4	259	\$1,060.00

Class 6 CIMC Buckets

7343729	24" Trenching Bucket.....	8.5	430	\$1,244.00
---------	---------------------------	-----	-----	------------

Part Number	Description	Couplers	Ship. WGT.	SLP in US \$
-------------	-------------	----------	------------	--------------

(E26-E40)				
7343706	1/8yd Coupler (35mm pins)..... (For use with class 2 and 3 CIMC buckets)		66	\$756.00
(E42-E60)				
7343717	1/8yd Coupler (45mm pins)..... (For use with class 3 and 4 CIMC buckets)		71	\$818.00
(E85-E88)				
7343726	1/4yd Coupler (55mm pins)..... (For use with class 6 CIMC buckets)		162	\$1,173.00


Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Bucket.....	None.....	-
-------------	-----------	---

Clamp, Hydraulic Bobcat Excavator Attachment



Quick Specs

	<u>E20</u>	<u>E26-E40</u>	<u>E42-E63</u>	<u>E85</u>
Operating Weight.....	50 lbs.	126 lbs.	218 lbs.	449 lbs.
Clamp Width.....	5.5"	13.0"	15.0"	16.5"
Tooth Radius	19.8"	27.2"	32.0"	41.0"
Tooth Thickness.....	1/2"	3/4"	1"	1"
Class.....	I	III	IV	V

	<u>322-334</u>	<u>325-430</u>	<u>335-435</u>	<u>442</u>
Operating Weight.....	70 lbs.	176 lbs.	299 lbs.	265 lbs.
Clamp Width.....	5.5"	13.0"	14.4"	16.0"
Tooth Radius	21.5"	27.2"	30.7"	31.3"
Tooth Thickness.....	1/2"	3/4"	1"	1"
Class.....	I	III	IV	V

Pro Clamp™ System

	<u>E32i-E40</u>	<u>E42-E55</u>
Operating Weight.....	121 lbs.	215 lbs.
Clamp Width.....	12"	14"
Class.....	III	IV

Part Number	Description	Attachment	SLP in US \$
<u>Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers</u>			
(E19e/E20) 7258209	Hydraulic Clamp- Pin-on only (Includes Clamp, cylinder, hoses, hose bracket, & pins) (Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers)		\$1,464.00
7519478	Hydraulic Clamp- Pin Grabber only (Includes Clamp, cylinder, hoses, hose bracket, & pins) (Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers)		\$1,672.00
(322, 323, 324) 7110207	Hydraulic Clamp (Includes Clamp, cylinder, port relief, cylinder bracket, hoses & pins) (Use with a Trenching Bucket) (Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers)		\$2,138.00
(325*, 328, 329, 331*, 334, 425, 430) CLASS II/III 7104321	Hydraulic Clamp (Includes cylinder, hoses & pins, and port relief) (For excavators with long arm option must also order hose extension P/N 6714741 (Qty. 2) from Parts) (329 excavator must also order Auxiliary Hydraulics p/n 7126596) (The Hydraulic Clamp is NOT approved for use with the extendable arm option) (Hydraulic Clamp is NOT recommended in combination with Hydraulic Breakers) (For non-current excavators refer to Bobcat Parts for correct Port Relief, Port Relief Block and Clamp Cylinder Bracket.)		\$2,677.00
(E26) Class III 7206504	Hydraulic Clamp, Standard Arm (Includes cylinder, hoses & pins)		\$2,677.00
7206505	Hydraulic Clamp, Long Arm (Includes cylinder, hoses & pins)		\$2,677.00
46929686	Hydraulic Clamp Pin Grabber Short Arm E26 (Includes cylinder, hoses & pins)		\$2,677.00
46929690	Hydraulic Clamp Pin Grabber Long Arm E26 (Includes cylinder, hoses & pins)		\$2,677.00
(E32R2, E35R2, E38R2, E40R2) Class III 46929580	Hydraulic Clamp, Standard and Long Arm (Includes cylinder hoses & pins)		\$2,878.00
46929963	Hydraulic Clamp, Extendable Arm (The Hydraulic Clamp is approved for use with the extendable arm extended) (Includes cylinder, hoses & pins)		\$2,878.00
46929694	Hydraulic Clamp CL3 Pin Grabber (For use with Class III Buckets and Pin Grabber with Arm Mounted Auxiliary Couplers) (Includes cylinder, hoses & pins)		\$2,878.00
(E32, E35) Class III 7171388	Hydraulic Clamp, Standard Arm (Includes cylinder, hoses & pins)		\$2,878.00
7171389	Hydraulic Clamp, Long Arm (Includes cylinder, hoses & pins)		\$2,878.00
46929963	Hydraulic Clamp, Extendable Arm (The Hydraulic Clamp is approved for use with the extendable arm extended) (Includes cylinder, hoses & pins)		\$2,878.00
(E42) Class III 7182692	Hydraulic Clamp, Standard Arm (For use with Class III Buckets) (Includes cylinder, hoses & pins)		Discontinued
7182693	Hydraulic Clamp, Long Arm (For use with Class III Buckets) (Includes cylinder, hoses & pins)		Discontinued
(E42R2, E48R2) Class III 7419577	Hydraulic Clamp, Long and Standard Arm (For use with Class III Buckets) (Includes cylinder, hoses & pins)		Discontinued
(337, 341) CLASS IV 7131930	Hydraulic Clamp (Includes cylinder, hoses & pins, but for 337 with long arm must also order hose extension P/N 6808278 (Qty. 2) from Parts) (Use with a Trenching Bucket or 3-Tine Grapple)		\$4,145.00
(335, 435) CLASS IV 7131931	Hydraulic Clamp (Includes cylinder, hoses & pins) (Use with a Trenching Bucket or 3-Tine Grapple) (If using with 435 equipped with Long Arm must also order hose extensions p/n 6808278, qty 2)		\$3,493.00

Part Number	Description	Attachment	SLP in US \$
(E42, E45) CLASS IV			
7186614	Hydraulic Clamp, Standard Arm..... (For use with Class IV & V Buckets) (Includes cylinder, hoses & pins)		\$3,493.00
7186615	Hydraulic Clamp, Long Arm..... (For use with Class IV & V Buckets) (Includes cylinder, hoses & pins)		\$3,493.00
46929967	Hydraulic Clamp, Extendable Arm..... (For use with Class IV & V Buckets) (Includes cylinder, hoses & pins)		\$3,495.00
(E50) CLASS IV			
7182661	Hydraulic Clamp, Standard Arm..... (Includes cylinder, hoses & pins)		\$3,642.00
7182663	Hydraulic Clamp, Long Arm..... (Includes cylinder, hoses & pins)		\$3,642.00
(E55) CLASS IV			
7182663	Hydraulic Clamp..... (For use with Class IV Buckets) (Includes cylinder, hoses & pins)		\$3,642.00
46929969	Hydraulic Clamp, Extendable Arm..... (For use with Class IV & V Buckets) (Includes cylinder, hoses & pins)		\$3,906.00
(E42R2, E48R2, E50R2, E55R2, E60R2) CLASS IV			
46929585	Hydraulic Clamp, Long and Standard Arm (For use with Class IV & V Buckets) (Includes cylinder, hoses & pins)		\$3,906.00
46929969	Hydraulic Clamp, Extendable Arm..... (For use with Class IV & V Buckets) (Includes cylinder, hoses & pins)		\$3,906.00
46929697	Hydraulic Clamp CL4-5 Pin Grabber..... (For use with Class IV & V Buckets and Pin Grabber with Arm Mounted Auxiliary Couplers) (Includes cylinder, hoses & pins)		\$3,906.00
(E60, E63)			
7187919	Hydraulic Clamp..... (Includes cylinder, hoses & pins)		Discontinued
(E85 R-Series)(E88R2)			
7333391	Hydraulic Clamp..... (Includes cylinder, hoses & 55mm pins)		\$5,754.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.


7227745	Material Clamp (Class III).....	Parts	\$ ____
7230840	Material Clamp (Clamp IV).....	Parts	\$ ____
7227740	Grading Clamp (Class III).....	Parts	\$ ____
7230850	Grading Clamp (Class IV).....	Parts	\$ ____

Destination Charge/Fuel Surcharge	
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges	

Attachment	Assembly Required	Installation Time (Hours)
E26-E60 Hydraulic Clamp.....		2.0
E32i-E55 Pro Clamp System.....		2.0
322-323 Hydraulic Clamp.....		2.0
325-334 Hydraulic Clamp.....		2.5
335-435, E32, E35 Hydraulic Clamp.....		1.5
442 Hydraulic Clamp.....		1.0
442.....	Weld cylinder bracket onto dipper s/n 522311490 & below.....	1.0

Drum Mulcher, MX

Bobcat Excavator Attachment



Quick Specs

	<u>28DMX</u>	<u>36DMX</u>	<u>50DMX</u>
Weight (with X-Change Mount).....	770 lbs	850 lbs	N/A
Weight (with Pin-On Mount).....	N/A	832 lbs	1050 lbs
Working Width.....	28"	36"	50"
Overall Width.....	39"	44"	58"
Cutting Capacity.....	Brush Clearing, Occasional Removal >5" Trees		
Hydraulic Flow.....	12-40 GPM	12-40 GPM	12-40 GPM
Number of Knives.....	14	18	22
Mount Options.....	X-Change	X-Change, Pin-On	Pin-On

Part Number	Description	Attachment	SLP in US \$
(E35, E42, E45, E50, E55, E60)(E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2)			
7486182	28" MX Drum Mulcher.....		\$18,340.00
	(Approved only for excavator models equipped with an enclosed cab)(E35 must have Add-On Counterweight & No Clamp)(Approved on Short, Long, and Extendable Arm – must have extendable arm retracted during use.) (Poly MX Window Guard Recommended)		
	(Must also order case drain kit, hose kit and mounting cap)		
(E50, E55, E60, E85)(E50R2, E60R2, E88R2)			
7486183	36" MX Drum Mulcher.....		\$20,436.00
	(Approved only for excavator models equipped with an enclosed cab) (Approved on Short, Long, and Extendable Arm – must have extendable arm retracted during use.) (Poly MX Window Guard Recommended)		
	(Must also order case drain kit, hose kit and mounting cap)		
(E85R)(E88R2)			
7486184	50" MX Drum Mulcher.....		\$22,008.00
	(Approved only for excavator models equipped with an enclosed cab) (Approved on Short, Long, and Extendable Arm – must have extendable arm retracted during use.) (Poly MX Window Guard Recommended)		
	(Must also order case drain kit, hose kit and mounting cap)		

Part Number	Description	Factory Installed Accessories	SLP in US \$
-------------	-------------	-------------------------------	--------------

46884603	76" MX Drum Mulcher Hose Kit..... (STD & LA R2 MX: E35R2, E38R2, E40R2, E42R2, E48R2 E50R2 ,E55R2, E60R2)		\$699.00
46884604	97" MX Drum Mulcher Hose Kit..... (E35M STD, E35R1 STD)(E85 & E88 R1/R2 LA w/ 36DMX)		\$745.00
46884605	126" MX Drum Mulcher Hose Kit..... (E50M LA, E55M LA w/ 28DMX) (E50M LA, E55M LA, E55M EXT, E60R2 EXT w/ 36DMX)		\$770.00
46884606	114" MX Drum Mulcher Hose Kit..... (E35M & E35R1 LA) (E42M LA, E55M EXT, E60 EXT w/ 28DMX)(E50M STD, E55M STD w/ 36DMX)		\$786.00
46884607	107" MX Drum Mulcher Hose Kit..... (E42R2 EXT)(E42M STD & EXT)(E50M STD, E55STD w/ 28DMX)(E85 LA, E88 LA w/ 50DMX)		\$814.00

Mounting Caps - MX Mulchers

7498942	55mm Pin On Cap MX Mulcher..... (Mounting cap will arrive assembled on Drum Mulcher) (Must also order a hose kit and case drain kit)		\$1,708.00
7498943	X-Change Cap MX Mulcher..... (Mounting cap will arrive assembled on Drum Mulcher) (Must also order a hose kit and case drain kit)		\$1,240.00
46912819	28 DMX 35mm CAP - PIN-ON (Pins Not Included)..... (Mounting cap will arrive assembled on Drum Mulcher) (Must also order a hose kit and case drain kit)		\$1,323.00
46912820	28/36 DMX 45mm CAP - PIN-ON (Pins Not Included)..... (Mounting cap will arrive assembled on Drum Mulcher) (Must also order a hose kit and case drain kit)		\$1,323.00

Part Number	Description	Dealer Installed Accessories - Order From Sales
-------------	-------------	---

7488381	Front Polycarbonate Window Kit (3-5t)	\$2,081.00
	(Optional front polycarbonate window guard that mounts to the front of the cab. Allows cab window and wiper to be rolled up)	
7484401	Front Polycarbonate Window Kit (6-8t).....	\$2,086.00
	(Optional front polycarbonate window guard that mounts to the front of the cab. Allows cab window and wiper to be rolled up)	

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---


For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Case Drain Kit..... Installation..... 1.5

Front Polycarbonate Window Kit..... Installation..... 2.0

Flail Mower Bobcat Excavator Attachment



Quick Specs

	<u>30FM</u>	<u>40FM</u>	<u>40FMR</u>
Weight (with X-Change Mount).....	649 lbs.	736 lbs.	881 lbs.
Weight (with Pin-On Mount).....	N/A	708 lbs.	876 lbs.
Working Width.....	30"	40"	40"
Overall Width.....	50.4"	60.4"	60.4"
Cutting Capacity.....	Up to 4" (Only up to 1.5" on E32i, E35i)	Up to 4"	Up to 4"
Hydraulic Flow.....	12.2-19.5 GPM	14-22.4 GPM	18.4-31.7 GPM
Number of Knives.....	27	36	36
Mount Options.....	X-Change	X-Change, Pin-On	X-Change, Pin-On


Part Number	Description	Attachment	SLP in US \$
(E32, E35) (E32i*, E35i*) (E32R2, E35R2, E38R2, E40R2)			
7225484	30" Flail Mower - 30FM.....		\$10,484.00
	(Approved only for excavator models equipped with an enclosed cab) (Approved on Long and Extendable Arm – must have extendable arm retracted during flail mower use.)		
	(Must also order case drain kit, hose kit and mounting cap)		
(E42, E45, E50, E55) (E42R2, E48R2, E50R2, E60R2)			
7225485	40" Flail Mower - 40FM.....		\$11,780.00
	(Approved only for excavator models equipped with an enclosed cab) (Approved on Long and Extendable Arm – must have extendable arm retracted during flail mower use.)		
	(Must also order case drain kit, hose kit and mounting cap)		
(E63, E80, E85) (E88R2)			
7225486	40" Reinforced Flail Mower - 40FMR.....		\$13,082.00
	(Approved only for excavator models equipped with an enclosed cab)		
	(Must also order case drain kit, hose kit and mounting cap)		

Factory Installed Accessories		
Part Number	Description	SLP in US \$
7245468	Hoses for E32, E32i, E32R2, E35, E35i, E35R2, E38R2, E40R2.....	\$322.00
	(Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	
7238337	X-Change Mounting Cap - E32, E32i, E32R2, E35, E35i, E35R2, E38R2, E40R2.....	\$1,240.00
	(Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	
(E32, E35, E38) (E32R2, E35R2, E38R2, E40R2)		
46912817	35mm PIN-ON MTG CAP 30FM (Pins Not Included).....	\$1,323.00
	(Not compatible with hydraulic clamp) (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	
7245468	Hoses for R2-Series E42/E48/E50/E60 All Arm Configurations.....	\$322.00
	(Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	
7245468	Hoses for Std. Arm E42, E45, E50 and Ext Arm E42, E45.....	\$322.00
	(Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	
7245469	Hoses for Std Arm E42, E45, E50, E55, and E55 Ext Arm.....	\$345.00
	(Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	
7238337	X-Change Mounting Cap - E42, E45, E50, E55, E60.....	\$1,240.00
	(Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	
(E42, E45, E50, E55, E60)		
46912818	45mm PIN-ON MTG CAP 40FM (Pins Not Included).....	\$1,323.00
	(Not compatible with hydraulic clamp) (Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	
<u>Accessories - 40" Reinforced Flail Mower - 40FMR</u>		
7260182	Hoses for 40FMR on E63, E80, E85 and E88R2.....	\$363.00
	(Includes hoses and quick couplers) (Must order a mounting cap and case drain kit)	
7238337	X-Change Mounting Cap - E63.....	\$1,240.00
	(Mounting cap will arrive assembled on Flail Mower) (Must also order a hose kit and case drain kit)	
7238338	Pin-On Mounting Cap - E80, E85.....	\$1,562.00
	(Mounting cap will arrive assembled on Flail Mower)	
	(Must also order a hose kit and case drain kit, mounting cap uses 45 mm pins)	
7307134	Pin-On Mounting Cap - E85 R-Series, E88 R2-Series.....	\$1,539.00
	(Mounting cap will arrive assembled on Flail Mower)	
	(Must also order a hose kit and case drain kit, mounting cap uses 55 mm pins)	

Dealer Installed Accessories - Order From Parts		
Part Number	Description	
<u>For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.</u>		
7245617	Case Drain Kit for E32, E35.....	\$_____
	(90 minute assembly time)	
7429624	Case Drain Kit for R2 E32, E35, E38, E40.....	\$_____
	(90 minute assembly time)	
7393097	Case Drain Kit for R2-Series E42/E48/E50/E60 All Arms.....	\$_____
	(90 minute assembly time)	
7246494	Case Drain Kit for E42.....	\$_____
	(90 minute assembly time)	
7245618	Case Drain Kit for E45, E50, E55.....	\$_____
	(90 minute assembly time)	
7252156	Case Drain Kit for E63.....	\$_____
	(90 minute assembly time)	
7252158	Case Drain Kit for E80, E85.....	\$_____
	(90 minute assembly time)	

Assembly Required		Installation Time
Attachment		(Hours)
Case Drain Kit.....	Installation.....	1.5

Grapple, 3-Tine Bobcat Excavator Attachment



Quick Specs

	<u>Grapple, Class III</u>	<u>Grapple, Class IV</u>
Operating Weight.....	200 lbs.	225 lbs.
Grapple Width.....	20.5"	20.5"
Tine Radius.....	27.0"	33.0"
Tine Thickness.....	0.75"	0.75"


Part Number	Description	Attachment	SLP in US \$
(325, 328, 329, 331, 334, 425, 430) (E26, E32, E35, E38, E40)			
7102977	3-Tine Grapple, Class III.....		\$1,060.00
	(X-Change System Required) (Hydraulic Clamp is recommended when using 3-Tine Grapple)		
(E26, E32, E35, E38, E40)			
46923286	Grapple 3-Tine MX3 35mm PIN-ON (Pins Not Included).....		\$1,110.00
	(Not compatible with hydraulic clamp).....		
(335, 337, 341, 435) (E42, E45, E50, E55, E60, E63)(E42R2, E48R2, E50R2, E60R2)			
6817104	3-Tine Grapple, Class IV.....		\$1,344.00
	(X-Change System Required) (Hydraulic Clamp is recommended when using 3-Tine Grapple)		
(E42, E45, E50, E55, E60, E63) (E42R2, E48R2, E50R2, E60R2)			
46923290	Grapple 3-Tine MX4 45mm PIN-ON (Pins Not Included).....		\$1,417.00
	(Not compatible with hydraulic clamp).....		

Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
3-Tine Grapple.....	None.....	-

Hydra-Tilt Bobcat Excavator Attachment



Quick Specs

Operating Weight..... 250 lbs.
Width..... 17.5"
Length..... 31"
Side-to-Side Rotation..... 60°
Output Torque..... 3,210 ft-lbs. @ 3000 psi

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435)

(E26, E32, E35, E42, E45, E50, E55, E60, E63) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2)

6728578 Hydra-Tilt..... \$2,972.00
(Must also order Hose Kit below)
(Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)
(Not compatible with E42-E55 Pro Clamp™)

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

(325, 329, 331, 331E, 425, 430) (E26, E32, E35, E60, E63) (R2-Series E32/E35/E38/E40/E42/E48/E50/E60)

6729174 Excavator Hose Kit..... \$362.00
(This hose kit must be used on above excavators when using a Hydra-Tilt)

(328, 334, 335, 337, 430 Long Arm, 435) (E42, E45, E50)

(E26, E32, E35, E42, E45, E48 – All with Long Arm)

6729175 Excavator Hose Kit..... \$381.00
(This hose kit must be used on above excavators when using a Hydra-Tilt)

(341 Long Arm, 435 Long Arm, E50 Long Arm, E55)

6729176 Excavator Hose Kit..... \$401.00
(This hose kit must be used on above excavators when using a Hydra-Tilt)


Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Hydra-Tilt..... Install Hoses..... 0.50

Packer Wheel Bobcat Excavator Attachment



Quick Specs

Operating Weight..... 386 lbs.
 Width..... 11.0"
 Length..... 39.8"
 Wheel Assembly..... 2
 Wheel Diameter..... 30.0"
 Sheepfoot (hollow tube)..... 18 (9 per wheel)


Part Number	Description	Attachment	SLP in US \$
(325, 328, 329, 331, 331E, 334, 335, 337, 341, 425, 430, 435)			
(E26, E32, E35, E42, E45, E50, E55, E60, E63) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2)			
7129977	Packer Wheel.....		\$3,060.00
(E26, E32, E35) (E32R2, E35R2, E38R2, E40R2)			
46923930	Packer Wheel 35mm PIN-ON (Pins Not Included).....		\$3,055.00
(E42, E45, E50, E55, E60, E63) (E42R2, E48R2, E50R2, E60R2)			
46923931	Packer Wheel 45mm PIN-ON (Pins Not Included).....		\$3,074.00

Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Packer Wheel.....	None.....	-

Plate Compactor Bobcat Excavator Attachment



Quick Specs

	<u>PCF34</u>	<u>PCF64</u>
Operating Weight.....	478 lbs.	856 lbs.
Width.....	18.75"	23.5"
Length.....	26.0"	34.2"
Dynamic Force.....	3400 lbs.	6400 lbs.
Frequency.....	2100 VPM	2000 VPM
Minimum Flow.....	12 GPM	12 GPM
Maximum Flow.....	28 GPM	28 GPM

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(E32, E35, E42, E45, E50, E55, E60, E63) (E32R2, E35R2, E38R2, E40R2, E42R2, E48R2, E50R2, E60R2)

7211623 **PCF34 Plate Compactor**..... \$7,157.00
(Must also order X-Change Mounting Cap and Hose Kit)

(E55, E60, E63, E80, E85) (E60R2, E88R2)

7210256 **PCF64 Plate Compactor**..... \$8,261.00
(Must also order Mounting Cap and Hose Kit)

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

Mounting Frame - PCF34

7113656 **X-Change Mounting Cap - E32, E35, E38, E40, E42, E45, E48, E50, E55, E60, E63**..... \$806.00
(Must also order a hose kit)

7387136 **CAP Plate Compactor 1/8YD CIMC (Common Industry Mechanical Coupler)**..... \$636.00
(For use with PCF34 Plate Compactor with 1/8YD CIMC "TAG" style coupler) (Must also order hose kit)

46906913 **HB680/NB140/PCF34 CAP - 35mm PIN-ON (Pins Not Included)**..... \$854.00
(Not compatible with hydraulic clamp)

Mounting Frame - PCF64

7210254 **Mounting Cap - E80, E85 M-Series**..... \$1,004.00
(Must also order a hose kit, mounting caps uses 45mm pins)

7307178 **Mounting Cap - E85 R-Series, E88**..... \$957.00
(Must also order a hose kit, mounting caps uses 55mm pins)

7113657 **X-Change Mounting Cap - E55, E60, E63**..... \$835.00
(Must also order a hose kit)

7387137 **CAP Plate Compactor 1/4YD CIMC (Common Industry Mechanical Coupler)**..... \$1,045.00
(For use with PCF64 Plate Compactor with 1/4YD CIMC "TAG" style coupler) (Must also order hose kit)

7387138 **CAP Plate Compactor 1/8YD CIMC (Common Industry Mechanical Coupler)**..... \$1,045.00
(For use with PCF64 Plate Compactor with 1/8YD CIMC "TAG" style coupler) (Must also order hose kit)

46906914 **HB980/NB160/PCF64 CAP- 45mm PIN-ON (Pins Not Included)**..... \$892.00
E42-E60 For All Series with 45mm pin Excavators (Must also order a hose kit)

Hose Kits- PCF34, PCF64

7217834 **Hose Kit - for (E32/35 R1, E42/45/50 M, Long Arm) (E55M All Arms) (E60R2 EXT Arm)**..... \$332.00
(Includes hoses and quick couplers)


7217835 **Hose Kit -for (E32/35 R1, E42/45/50 M, STD/EXT) (E32/35/38/40/42 R2, All Arms) (48/50/60 R2, STD/LONG)**..... \$307.00
(Includes hoses and quick couplers)

7217836 **Hose Kit - for E63, E80, E85, E88R2**..... \$433.00

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Plate Compactor..... Install Hoses and Mounting Cap..... 1.5

Power Tilt® Bobcat Excavator Attachment



Quick Specs

	<u>PTX3</u>
Operating Weight.....	170 lbs.
Width.....	11"
Length.....	25"
Output Torque.....	2100 ft. lbs. @ 3000 psi
Side-to-Side Rotation.....	178°

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(325, 328, 329, 331, 331E, 334, 425, 430) (E26, E32, E35) (E32R2, E35R2, E38R2, E40R2)			
7319636	PTX3.....		\$6,836.00

(Includes hoses and quick couplers) (Must also order Auxiliary Hydraulics p/n 7126596 if using with 329 excavator)

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

(335, 337, 341, 435) (E42, E45, E50, E55, E60, E63) (E42R2, E48R2, E50R2, E60R2)			
7319637	PTX4.....		\$9,067.00

(Includes hoses and quick couplers) (Must also order Hose Kit below)

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

(R2-Series E50 All Arms) (R2-Series E32/E35/E38/E40/E42/E48/E60 Std and Long Arm) (325, 425) (E63/E26 Std Arm)			
7331054	Excavator Hose Kit.....		\$295.00
(This hose kit must be used on above excavators when using a Power Tilt)			

(329, 331, 331E, 430, 328, 335, 435) (R1-Series E32/35 Std and Ext Arm) (M-Series E42/E45 Std and Ext Arm)			
(E26 Long Arm) (R2-Series E32/E35/E38/E42 Ext Arm)			
7331055	Excavator Hose Kit.....		\$295.00
(This hose kit must be used on above excavators when using a Power Tilt)			

(334, 337, 430 Long Arm) (M-Series E50 Std, E55 Ext, E42/45 Long) (R1-Series E32/35 Long) (R2-Series E60 Ext)			
7331056	Excavator Hose Kit.....		\$299.00
(This hose kit must be used on above excavators when using a Power Tilt)			

(341 Long Arm, 435 Long Arm) (M-Series E55 Std Arm, E50 Long Arm)			
7331057	Excavator Hose Kit.....		\$299.00
(This hose kit must be used on above excavators when using a Power Tilt)			


Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Power Tilt.....	None.....	-
-----------------	-----------	---

180 Degree Power Tilt
Tilting Coupler



Quick Specs

Overall Height.....
Overall Length.....
Overall Width.....
Pin Diameter.....
Tilt Angle Range +/-.....
Weight.....
Drive Type.....
Interface Type.....
Hydraulic Pressure - Actuator (max).....
Hydraulic Pressure - Coupler (min).....
Hydraulic Flow Lites/Minute (GPM).....


Part Number	Description	SLP in US \$
(E85 R series, E85 R2 series)		
7509472	Tilt Coupler - 8 Ton..... (Excavator must be hydraulic pin-grabber ready) (Uses 55MM pins) (Includes, coupler, jumper hose kit, and Soft Pins)	\$9,956.00
(E145)		
7513091	Tilt Coupler - 14 Ton..... (Uses 65MM pins) (Includes, coupler, jumper hose kit, and Soft Pins)	\$12,052.00

Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Ripper
Bobcat Excavator Attachment



Ripper with X-Change Mount



Ripper with Pin-On Mount

Quick Specs

Ripper with X-Change

Operating Weight.....	270 lbs.
Tooth Radius.....	36"
Shank Thickness.....	1.5"

Part Number	Description	Attachment	SLP in US \$
(E26, E32, E35, E38, E40)			
7328289	Ripper, 35 mm Pins.....		\$1,509.00
(E42, E45, E48, E50, E55, E60, E63)			
7328290	Ripper, 45 mm Pins.....		\$1,509.00
(E26, E32, E35, E38, E40, E42, E45, E48, E50, E55, E60, E63) with X-Change system			
7328288	Ripper, X-Change.....		\$1,530.00
(E80, E85 M-Series)			
7328287	Ripper 45 mm Pin 8T.....		\$2,056.00
(E85 R-Series) (E88 R2-Series)			
7328286	Ripper 55 mm Pin 8T.....		\$2,026.00
If using a pin grabber coupler order pin kits from below:			
7329828	35 mm Attachment Pin Kit.....		PARTS
46938829	45 mm Attachment Pin Kit.....		PARTS
7328360	55 mm Attachment Pin Kit.....		PARTS


Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Ripper.....	None.....	-

Tilting Grade Bucket

Bobcat Excavator Attachment



Quick Specs

	P/N 7325612
Ship Weight.....	831 lbs.
Mounting.....	Pin-On (55mm)
Tilt.....	(+/-) 45 degrees
SAE Heaped Capacity.....	9.99 ft³

Part Number	Description	Attachment	SLP in US \$
(E85R, E88R2) 7325612	48" Tilting Grade Bucket, Smooth Lip.....		\$9,333.00


Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Tilt Bucket.....	None.....	-

MX Trencher

Bobcat Excavator Attachment



Quick Specs

Operating Weight (without teeth).....	570 lbs.
Flow Range.....	13-20 gpm
Maximum Operating Pressure.....	3000 psi
Overall Width.....	30.6"
Overall Length.....	68.2"
Side Shift Travel.....	N/A
Auger Diameter.....	12"
Dig Depth.....	2'
Standard Boom Length.....	39.4"
Trenching Widths Available.....	4" to 8"

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(331, 331E, 334, 335, 337, 341, 430, 435) (E42, E45, E50, E55) (E42R2, E48R2, E50R2, E60R2)			
M7012	MX112 Trencher.....		\$6,454.00
	(Includes X-Change mounting frame, hoses, couplers, 2' depth, no sideshift)		
	(Can only order one chain option per trencher model)		

NOTE: Extendable Arm must be pinned in the retracted position to use hydraulic attachments.

MX112 Chain Configuration Options (Factory Installed)

Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)

M7012-R01-C01	2' x 4" Cup Teeth, Single Standard Pattern.....	\$744.00
M7012-R01-C02	2' x 4" Cup Teeth, Double Standard Pattern.....	\$610.00
M7012-R01-C03	2' x 4" Cup & Carbide Teeth, Double Standard Pattern.....	\$1,361.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

MX112 Chain Configuration Accessories (Replacement Chain - Dealer Installed)
Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)

6959315	2' x 4" Cup Teeth, Single Standard Pattern..... (Ship Weight 76 lbs.)		\$717.00
6959323	2' x 4" Cup Teeth, Double Standard Pattern..... (Ship Weight 85 lbs.)		\$901.00
6959333	2' x 4" Cup & Carbide Teeth, Double Standard Pattern..... (Ship Weight 91 lbs.)		\$1,703.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.

6959248	Boom Guide Assembly..... (Needed for 3' dig depth) (Also required (2) ¾" bolts # 84G3712 additional 1' chain, and additional teeth or order 3' chain configuration from LT112 accessories)	Parts	\$_____
6705531	Carbide Tooth Kit..... (Ship Weight 16 lbs.)	Parts	\$_____
6701918	Cup Tooth Kit..... (Ship Weight 13 lbs.)	Parts	\$_____
6959302	Double Standard Chain..... (No teeth attached)(Ship Weight 1 lb.)	Parts	\$_____
6959301	Double Standard Chain - 16P..... (For additional 1' dig depth)	Parts	\$_____
7110909	Spacer Kit, 6"..... (Used with cup teeth for 6" width)	Parts	\$_____
7110910	Spacer Kit, 8"..... (Used with cup teeth for 8" width)	Parts	\$_____
6806974	Trench Cleaner Adapter, 6"..... (Used with Trench Cleaner Kit) (Ship Weight 3 lbs.)	Parts	\$_____
6806975	Trench Cleaner Adapter, 8"..... (Used with Trench Cleaner Kit) (Ship Weight 4 lbs.)	Parts	\$_____

Destination Charge/Fuel Surcharge
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges


Attachment	Assembly Required	Installation Time (Hours)
MX112.....	None.....	-

X-Change Accessories


Bobcat Excavator Attachment



**Replacement
HD X-Change Kit**



Bolt-On-X-Change



**Replacement
HD X-Change Kit**



Wide Link

Part Number	Description	Attachment	SLP in US \$
----------------	-------------	------------	--------------

For current Attachment pricing, reference Quote & Order or Dealer Parts Department.

(322, 323, 324, E20) 6727180	Bolt-On X-Change, 322 - 324, E17, E20 (Mounts to Excavator) (Not for use with Pin Grabber)..... (Must also order PN 6817100)	Sales	\$418.00
(325, 328, 425) 7105177	Replacement Heavy Duty X-Change Kit..... (Utilizes pin retention system to secure attachment) (Replacement Heavy Duty X-Change assembly; 325G SN 234112006 & above, 328G SN 234211808 & above) (Can also be used in conjunction with wide link PN 6805374 to convert latching X-Change excavators to HD X-Change) (Ship Weight - 48 lbs.; Estimated Install Time 1 hrs.)	Parts	\$_____
(325, 328) 6813306	X-Change Kit (Non-Current)..... (Includes automatic latch retention system for attachment mounting) (Ship Weight - 75 lbs.; Estimated Install Time 1.5 hrs.)	Parts	\$_____
6805374	Wide Link..... (Recommended when converting excavator from standard X-change to Heavy Duty X-Change)	Parts	\$_____
6817828	Bolt-On Conversion Kit, Heavy Duty X-Change..... (Includes hardware to secure a non-current latching S-Change attachment on a Heavy Duty X-Change excavator)	Parts	\$_____
6736191	Attachment Conversion Kit, Heavy Duty X-Change..... (Used to convert non-current attachment interface to Heavy Duty pin retention system)	Parts	\$_____
(E26, E32, E35, E38, E40) 7178041	Replacement Heavy Duty X-Change Kit..... (Utilizes pin retention system to secure attachment) (Replacement X-Change assembly)	Sales	\$1,045.00
(335, 337, 341, 435) 6818270	Replacement Heavy Duty X-Change Kit..... (Utilizes pin retention system to secure attachment)(Ship Weight - 48 lbs) (Estimated Install Time 1 hrs.) (Replacement Heavy Duty X-Change assembly; 337G, 341G and 435G) (Can also be used in conjunction with wide link PN 6805281 to convert latching X-Change excavators to HD X-Change) (Ship Weight - 48 lbs.; Estimated Install Time 1 hrs.)	Parts	\$_____
(337, 341, 435) 6805281	Wide Link..... (Used when converting latching X-change excavators to Heavy Duty X-Change)	Parts	\$_____
6817828	Bolt-On Conversion Kit, Heavy Duty X-Change..... (Includes hardware to secure a non-current latching S-Change attachment on a Heavy Duty X-Change excavator)	Parts	\$_____
(325, 328, 329, 331, 331E, 334, 337, 341, 430, 435) (E32, E35, E38, E40, E42, E45, E48, E50, E55, E60, E63) 6737698	X-Change Adapter Mounting Frame..... (Used to convert attachments to X-Change mounting system) (Cast X-Change welded to fab flat plate, welds to flat surface) (Not compatible with 12" pin-on bucket) (Ship Weight - 50 lbs.)	Sales	\$854.00

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

For current Attachment pricing, reference Quote & Order or Dealer Parts Department.

6807074	X-Change Release Tool..... (Replacement for lost or damaged tool on non-current latching X-Change systems) (Ship Weight – 3 lbs.)	Parts	\$_____
(E19e/E20) 7422462	Pin Grabber, Manual - E19e/E20..... (Manual Pin Grabber)(For use with E19e/E20 attachments)(Must use Pin Grabber compatible Clamp)	Sales	\$1,140.00
(E85R-Series) (55 mm pin size) 7350524	Hyd. Pin Grabber Kit: E85R: 55mm pins <=> 55 mm pins..... (Hydraulic Pin Grabber) (For use on E85R's w/ factory installed Pin Grabber (Ready) Plumbing Option) (Plumbing not included)	Parts	\$_____
(E145) 7382902	Hyd. Pin Grabber w/ Connection Kit.....	Sales	\$8,893.00
(E165) 7401684	E165 - Hyd. Pin Grabber w/ Connection Kit.....	Sales	\$9,778.00

Kits are available for various pin sizes (Kit includes 2 pins, 2 bolts and 2 nuts). These un-hardened Attachment pins must be used to couple attachments to the Pin Grabber Coupler

7484856	30 mm Attachment Pin Kit For use with attachments that are used with the Pin-Grabber quick coupler. Applicable to 30mm pin diameter attachments only. Includes two pins and required hardware. Estimated Installation Time: 0.25 hr. (Single Pin = 7484854)	\$____
7329828	35 mm Attachment Pin Kit For use with attachments that are used with the Pin-Grabber quick coupler. Applicable to 35mm pin diameter attachments only. Includes two pins and required hardware. Estimated Installation Time: 0.25 hr. (Single Pin = 7331939)	\$____
46938829	45 mm Attachment Pin Kit For use with attachments that are used with the Pin-Grabber quick coupler. Applicable to 45mm pin diameter attachments only. Includes two pins and required hardware. Estimated Installation Time: 0.25 hr. (Single Pin = 46938828)	\$____
7328360	55 mm Attachment Pin Kit For use with attachments that are used with the Pin-Grabber quick coupler. Applicable to 55mm pin diameter attachments only. Includes two pins and required hardware. Estimated Installation Time: 0.25 hr. (Single Pin = 7331936)	\$____
7301268	55mm "Hard" Pin (Pins Excavator Arm to Pin Grabber) (Qty. 1)	\$____
7397822	65 mm Attachment Pin Kit For use with attachments that are used with the Pin-Grabber quick coupler. Applicable to 65mm pin diameter attachments only. Includes two pins and required hardware. Estimated Installation Time: 0.5 hr.	\$____
7437692	80 mm Attachment Pin Kit For use with attachments that are used with the Pin-Grabber quick coupler. Applicable to 80mm pin diameter attachments only. Includes two pins and required hardware. Estimated Installation Time: 0.5 hr.	\$____