

BOBCAT COMPANY PRICE PAGES
NA LOADERS – ATTACHMENTS



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- All Parts Pricing valid only for North America.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

7/1/2022	Updated SLP pricing effective July 1st, 2022
7/1/2022	Added Sweeper SCWK (Self Contained Water Kit)
8/4/2022	Added R-series forestry kits and super flow drum mulcher
8/16/2022	Removed 730698 brick guard extension
8/18/2022	Added S/T86 approvals to qualified attachments
9/2/2022	Added 8x stabilizer mounting kit
10/5/2022	Removed BLR2 Replaced by LR410 laser receivers. Updated laser mount kits for Grader and Box Blades
10/6/2022	24" & 48" Super Flow Planers added. 40" Planer approved for High Flow and Super Flow Loaders
12/14/2022	Added 12PH, 14PH, 20PH, 25PH auger drives, frames and bits to be ordered through wholegoods
12/22/2022	Added Loader/CIMC (TAG Equivalent) Caps for Breakers
1/1/2023	Updated SLP pricing effective January 1st, 2023
2/6/2023	Re-open Drop Hammer orders.
7/14/2023	OTT Tracks transferred to Aftermarket
8/30/2023	Added 86" Root, Bucket and Fork Grapples and updated root grapple and mini bucket grapple part numbers
9/22/2023	Added Topcon Recievers, Transmitter, and Tripod
10/20/2023	Added Disc Mulcher
11/20/2023	Added GPX (low profile) Buckets approved on select MTL, SAL & Small Loaders
12/18/2023	Updated Snowblower Motor Options and Hydraulic Approvals
2/20/2024	Added 30PH Auger
3/15/2024	Updated carrier approvals for disc mulcher
3/22/2024	Auger Bits transfer from Wholegoods to Parts
4/1/2024	Added 86" Landplane
6/4/2024	Added Bolt-on Side Plate Kits for Industrial Bucket Grapples
6/17/2024	Revised Severe Duty Pallet Forks Specs and Part Numbers
7/1/2024	Pricing Updates
7/12/2024	Added T7X
7/30/2024	Updated SB36 motor package information. Added S70 to approved carriers for SB26
9/30/2024	Revised silt fence installer mounting kits.
10/3/2024	Updated MT85 and MT100 requirements for RC44 Brushcat Rotary Cutter
12/13/2024	Added MT120
1/9/2025	Updater 24" Planer
1/21/2025	Updated Water Kit Section
2/18/2025	Removed 7113738 Breaker mount (out of production)
3/7/2025	Update Auger Info
3/24/2025	Updated Standard and High Flow Planers
4/24/2025	Updated Attachments + Information
5/16/2025	Updated approvals for drum mulcher
6/2/2025	Updated L35 Approvals
8/8/2025	Added PC Augers
8/13/2025	Updated PN on Pallet Frame Mini Bobtach
9/2/2025	Changed Port relief from "Recommended" to "Required" on grapples and combination bucket
10/15/2025	Discontinued 24" Wheel Saw
10/28/2025	Added Bale Spears
11/17/2025	Mini Boring Unit Discontinued
1/1/2026	Updated SLP pricing effective January 1st, 2026

****Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.***

Attachment Control Kit
Bobcat Loader Attachment

Attachment Control Kits need to be installed on Bobcat loaders to operate the following attachments:

Angle Broom	Dozer Blade	Snowblower
Bob-Tach Mounted Backhoe	Grader	Soil Conditioner, Hydraulic
Box Blade with Laser	Planer (For Planers with	Stump Grinder
Chipper	Hydraulic Depth Adjust)	Tree Spades with ACD
Concrete Mixer	Snow V-Blades	Wheel Saw
Concrete Pump		

Note: Attachment Control Kits are included with the High Flow Auxiliary Hydraulics Option on all 763H (S/N 512220766 & above), 863H F-Series Loaders and all High Flow G-Series and newer Loaders.

Part Number	Description	Attachment - Order From Parts
-------------	-------------	-------------------------------

For current Attachment pricing, reference Quote and Order or Dealer Parts Department.
Choose the appropriate kit below for your loader’s model and serial number range.

G-Series thru K-Series Loaders

6733142	Attachment Control Kit, 7-Pin..... (Used on all G-Series thru K-Series loaders) (Controls 7-Pin Attachments only) (Ship Weight 5 lbs.; Estimated install time 1.5 hours)	Parts	\$____
6733136	Attachment Control Kit, 14-Pin..... (Used on all M-Series loaders) (Controls 14-Pin Attachments only) (May be used independently or in conjunction with Factory-Installed or Dealer-Installed 7-Pin Attachment Control Kit and High Flow loaders) (Estimated install time 1.5 hours)	Parts	\$____
6727739	Attachment Control Kit, Dual (7 and 14-Pin)..... (Used on all G-Series thru K-Series loaders except S220, S250, S300, S330, T250, T300, T320 and A300) (Controls both 7 and 14-Pin Attachments) (Requires Front Auxiliary Hydraulics to Operate) (Estimated install time 1.5 hours)	Parts	\$____

M-Series Loaders

7229102	Attachment Control Kit, 7-Pin..... (Used on S450 and T450 M-Series loaders only) (Controls 7-Pin Attachments only) (Ship Weight 5 lbs.) (Estimated install time 1.5 hours)	Parts	\$____
7128426	Attachment Control Kit, 7-Pin..... (Used on all M-Series loaders except S450 and T450) (Controls 7-Pin Attachments only) (Ship Weight 5 lbs.) (Estimated install time 1.5 hours)	Parts	\$____
6733136	Attachment Control Kit, 14-Pin..... (Used on all M-Series loaders) (Controls 14-Pin Attachments only) (May be used independently or in conjunction with Factory-Installed or Dealer-Installed 7-Pin Attachment Control Kit and High Flow loaders) (Estimated install time 1.5 hours)	Parts	\$____

R-Series Loaders

7393140	Attachment Control Kit, 14-Pin..... (Used on all R-Series loaders) (Controls 14-Pin Attachments only) (May be used independently or in conjunction with Factory-Installed or Dealer-Installed 7-Pin Attachment Control Kit and High Flow loaders) (Estimated install time 1.5 hours)	Parts	\$____
---------	--	--------------	--------

Small Loaders

7427836	14-Pin Attachment Control Kit (MT50, MT52, MT55) (Controls attachments with two or more functions such as SG30 and SB26) (Must also order Light Kit, P/N 6732657 if using with MT50) (Estimated install time 1 hour)	Parts	\$____
7427838	14-Pin Attachment Control Kit (MT85, MT100)..... (Controls attachments with two or more functions such as SG30 and SB26) (Estimated install time 1 hour)	Parts	\$____
7509395	14-Pin Attachment Control Kit (MT120)..... (Controls attachments with up to two functions such as SG30, SB26, and Hydraulic Rotating Log Grapple) (Estimated install time 1 hour)	Parts	\$____
7143064	14-Pin Attachment Control Kit (S100, T110)..... (S100 and T110 loaders must be equipped with Standard Controls) (Includes wiring and two replacement handles) (Controls 14-Pin Attachments with up to three functions) (14-pin T-harness required on attachment not equipped with 14-pin harness) (Estimated install time 1 hour)	Parts	\$____
6733142	Attachment Control Kit, 7-Pin (S100, T110)..... (S100 and T110 loaders must be equipped with Selectable Joystick Controls) (Controls 7-Pin Attachments only) (Estimated install time 1.5 hours)	Parts	\$____
7427921	14-Pin Attachment Control Kit (SAL)..... (Controls attachments with two or more functions such as SG30 and SB26) (Estimated install time 1 hour)	Parts	\$____
6733136	Attachment Control Kit, 14-Pin (S100, T110)..... (S100 and T110 loaders must be equipped with Selectable Joystick Controls) (Controls 14-Pin Attachments only) (Estimated install time 1.5 hours)	Parts	\$____
6729313	14-Pin Attachment Control Kit (463, 553, S70)..... (Controls attachments with up to two functions such as SG 30 & SB26) (14-pin T-harness required on attachment not equipped with 14-pin harness) (Includes one replacement handle) (Must also order Harness Accessory P/N 6736214 if using on a loader with heater kit) (Estimated install time 1 hour)	Parts	\$____

with header file (estimated 1000 lines of code)

Part Number	Description	Attachment - Order From Parts
-------------	-------------	-------------------------------

For current Attachment pricing, reference Quote and Order or Dealer Parts Department.

Attachment Plus

7214742	Bobcat Attachments Plus Attachment Control Kit.....	Parts	\$_____
	(For use with competitive loaders that don't have a factory installed control kit) (Allows competitive loaders to be equipped with 14-pin attachment control) (Attaches to the loader lift arm and frame with the use of tie straps and clamps making it more permanent than rental and demo kit) (14-pin T-harness required on attachment not equipped with 14-Pin T-Harness) (Est. installation time—1.5 hours)		
6959151	Single Function Attachment Control Kit.....	Parts	\$_____
	(Allows all Bobcat loaders and other brand loaders to be equipped with a toggle switch mounted to the loader steering lever for control of single function attachments; angle brooms and older 72" & 84" soil conditioners with hydraulic angle only) (Estimated install time 1 hour)		

F-Series and Prior Loaders

All F-Series and prior loaders must use one of the following 14-Pin Control Kits

6709228	14-Pin Attachment Control Kit (Basic).....	Parts	\$_____
	Use on the following loaders: 751 – All Prior to G-Series 753 – (S/N 508613488 & Above); (S/N 508613487 & Below) will NOT work without add'l parts. 753L, 763, 7753, 773 – All Prior to G-Series 853 – (S/N 508411354 & Above); (S/N 508411353 & Below) will NOT work without add'l parts. 853 – (S/N 512818873 & Below) 853H – All S/N 5103 & 5097 Prefix 853H – (S/N 512818873 & Below) 873 – (S/N 514111465 & Below) (Estimated install time 3 hours)		
6712820	14-Pin Attachment Control Kit (pwm).....	Parts	\$_____
	Use on the following loaders: 853 – (S/N 512818874 & Above), but (S/N 512818874 – 512821845) must also order Adapter Module P/N 6669201 from Bobcat Parts. 853H – (S/N 512818874 & Above), but (S/N 512818874 – 512821845) must also order Adapter Module P/N 6669201 from Bobcat Parts. 863 – All Prior to G-Series 873 – (S/N 514111466 & Above), but (S/N 514111424 – 514111962) must also order Adapter Module P/N 6669201 from Bobcat Parts. 963 – All Prior to G-Series (Estimated install time 3 hours)		
6706824	14-Pin Attachment Control Kit (40 series).....	Parts	\$_____
	(Used on all 543, 553, 640, 740 and 840 loaders) (Used to operate 68" Angle Broom, 60" Snow V-Blade, SG30 Stump Grinder, SB150 and 1412 Snowblowers) (Estimated install time 4 hours)		

Note: Attachment Control Kit for Rental & Demonstration does NOT work with High Flow Attachments, Hand Control Loaders or G-Series Loaders.

6716566	19-Pin Remote Attachment Control Kit (RAC).....	Parts	\$_____
	(Used on all 700-800 Series BICS loaders prior to G-Series) (Required for chipper, concrete mixer and concrete pump attachments with 19-Pin harnesses) (Estimated install time 2 hours)		

Part Number	Description	Attachment - Order From Parts
-------------	-------------	-------------------------------

For current Attachment pricing, reference Quote and Order or Dealer Parts Department.


14-Pin Attachment T-Harness Kits

Converts a 7-pin attachment to include a 14-pin harness which is required for use with older loaders equipped only with 14-pin attachment control kit. When installed, the attachment will include both a 7-pin and 14-pin harness.

6725381	14-Pin Attachment T-Harness Kit..... (Used with 68" & 84" Angle Brooms and 72" (S/N 232000101 and above) and 84" (S/N 651400101 and above) Hydraulic Soil Conditioners) (Estimated install time .5 hours)	Parts	\$____
6725383	14-Pin Attachment T-Harness Kit..... (Used with Bob-Tach Mounted Backhoe, 15" and 16" Planers, 18" Planer S/N 231611101 and above, & 24" Planer S/N 231711101 and above, 14" Planer Kit, Grader (S/N 648000101 thru 64801630), Laser Box Blade (S/N 657500101 thru 657500369), Snow V-Blades, 18" Wheel Saw (S/N 991800101 thru 991800625) & 24" Wheel Saw (S/N 991900101 thru 991900830), SG60 Stump Grinder (Estimated install time .5 hours)	Parts	\$____
6727456	14-Pin Attachment T-Harness Kit..... (Used with 40" Planer S/N 991400101 thru 991401035) (Ship Weight 5 lbs.) (Estimated install time .5 hours)	Parts	\$____
6725384	14-Pin Attachment T-Harness Kit..... (Used with 68", 80", 90" & 96" Dozer Blades) (Estimated install time .5 hours)	Parts	\$____
6728165	14-Pin Attachment T-Harness Kit..... (Used with Snowblowers) (Estimated install time .5 hours)	Parts	\$____
7155357	14-Pin Attachment T-Harness Kit..... (Used with Soil Conditioner with hydraulic angle and hydraulic depth: 60" S/N A86R00101 and above, 72" High Flow S/N A6TD00101 and above, 84" S/N A6TG00101 and above, 84" High Flow S/N A6TH00101 and above) (Estimated install time .5 hours)	Parts	\$____
7196479	14-Pin Attachment T-Harness Kit..... (Used with all attachments built after January 1st 2022, or equipped with SACD controller. Further details on attachment compatibility can be found in attachments+ price pages.) (Estimated install time .5 hours)	Parts	\$____

Adapter Plate

Bobcat Loader Attachment



Quick Specs

Operating Weight..... 87 lbs.

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (L23, L28) 7100695	Adapter Plate..... (Installs on competitive attachment for use with Bobcat MT50, MT52, MT55, MT85 and MT100)		\$729.00

Note: The adapter plate is not approved for use with buckets because of reduced breakout forces and ROC.
Also, the below attachments have not been evaluated on the L23 or L28.


Competitive Model Number	Attachment Description	Notes
Dingo® 22414	Hydraulic Blade	Extend hoses 20" to get full
Dingo 22400	Auger Power Head	Maximum bit diameter is 30"
Dingo 22801	Universal Auger Power Head	Maximum bit diameter is 30"
Dingo 22441	Concrete Breaker	Extend hoses 20"
Dingo 22445	Tiller, 40"	
Dingo 22420	Boring Unit	
Dingo 22910	Vibratory Plow	
Dingo 22447	Trencher	
Harley Rake	M4F, M4M, M4H	
Ditch Witch SK5VP	Vibratory Plow	
Ditch Witch SK5TR	Trencher	Extend hoses 12"

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Adapter Plate.....	Install Plate on attachment.....	0.25

Adapter Plate - Bob-Dock
Bobcat Loader Attachment



Quick Specs

Operating Weight..... 209 lbs.


Part Number	Description	Attachment	SLP in US \$
(S630, S650, S740, S770, T630, T650, T740, T770) 7346768	Bob-Dock Adapter Plate.....		\$1,370.00

Note: Customers may require more than one Bob-Dock Adapter Plate

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Bob-Dock Adapter Plate.....	Install Plate on attachment.....	1.00

Angle Broom
Bobcat Loader Attachment



Quick Specs

Operating Weight.....	<u>52"</u> 355 lbs.	<u>64"</u> 385 lbs.
Sweep Width Straight.....	51.5"	63.5"
Sweep Width Fully Angled.....	46.5" @ 25°	57.5" @ 25°
Broom Angling.....	Hydraulic Cylinder	Hydraulic Cylinder
Drive System.....	Hydraulic Motor	Hydraulic Motor
	Direct Drive	Direct Drive
Flow Range.....	9-17.4 GPM	9-17.4 GPM
Broom Bristle Diameter.....	26"	26"
Bristle Material.....	Poly Orange HD	Poly Orange HD
Number of Bristle Sections.....	27 Zig-Zag	33 Zig-Zag
Electrical.....	14 Pin Standard	14 Pin Standard

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

*Must order a hydraulic motor package with the 52” and 64” Angle Broom
To convert 14 pin to 7 pin order Kit # 7413216*

(S70, S100, S450) (MT55, MT85, MT100, MT120) (L23, L28, L35)		
M7043	52" Angle Broom.....	\$5,604.00
	(Loader must be equipped with 14-Pin Attachment Control Kit – See Page 1 or 2) (For loaders with 7-Pin order PN 7413216) (L23, L28 Hose extensions are required. Order Qty. 2 P/N 7415238)	
M7043-R02-C01	10.3 CID Motor Package 9.6 - 12.0 GPM.....	\$620.00
	(S70,S100, MT55, MT85/100, L23, L28)	
M7043-R02-C02	14.5 CID Motor Package 16.5 – 17.4 GPM	\$868.00
	(S450)	
(S70, S100, S450) (T450) (MT55, MT85, MT100, MT120) (L23, L28, L35)		
M7044	64" Angle Broom.....	\$6,165.00
	(Loader must be equipped with 14-Pin Attachment Control Kit – See Page 1 or 2) (For loaders with 7-Pin order PN 7413216) (L23, L28 Hose extensions are required. Order Qty. 2 P/N 7415238)	
M7044-R02-C01	10.3 CID Motor Package 9.6 - 12.0 GPM	\$577.00
	(S70,S100, MT55, MT85/100, L23, L28)	
M7044-R02-C02	14.5 CID Motor Package 16.5 – 17.4 GPM	\$807.00
	(S450, T450)	

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---


Water Kit

Note: Water Kits are available for use with the Angle Broom attachments – see Water Kit page for details.

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Angle Broom.....	None.....	-
Attachment Control Kit.....		See Page 1

Angle Broom
Bobcat Loader Attachment



Quick Specs


Operating Weight.....	68" 860 lbs.	84" 944 lbs.
Sweep Width Straight.....	68"	84"
Sweep Width Fully Angled.....	63" @ 25°	77" @ 25°
Broom Angling.....	Hydraulic Cylinder	Hydraulic Cylinder
Drive System.....	Hydraulic Motor	Hydraulic Motor
	Direct Drive	Direct Drive
Flow Range.....	15-28 GPM	15-28 GPM
Broom Bristle Diameter.....	32"	32"
Bristle Material.....	Poly Orange HD	Poly Orange HD
Number of Bristle Sections.....	36 Zig-Zag 2 Straight	44 Zig-Zag 2 Straight

Part Number	Description	Attachment	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (A770) (T110, T140, T180, T190) (T450,T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76) (L35) 7337703	68" Angle Broom.....		\$8,169.00
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 3)			
(S150, S160, S160H, S175, S185, S185H, S205, S205H)(S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S650,S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35) 7337715	84" Angle Broom.....		\$9,332.00
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 2)			

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Angle Broom.....	None.....	-

Auger- Planetary Drive
Bobcat Loader Attachment



Auger Drive Unit

Planetary Drive Auger Quick Specs

	<u>Model</u> <u>12PH/PC</u>	<u>Model</u> <u>14PH/PC</u>	<u>Model</u> <u>20PH/PC</u>	<u>Model</u> <u>25PH/PC</u>	<u>Model</u> <u>30PH</u>	<u>Model</u> <u>35PH</u>	<u>Model</u> <u>50PH</u>
Ship Weight (Auger Drive).....	140 lbs.	140 lbs.	140 lbs.	141 lbs.	216 lbs.	325 lbs.	325 lbs.
Ship Weight (Mtg. Frame).....	94 lbs	118 lbs	118 lbs	118 lbs	118 lbs	209 lbs	209 lbs
Operating Weight (less bit).....	234 lbs	258 lbs	258 lbs	259 lbs	334 lbs	454 lbs	454 lbs
Digging Depth (without extensions)	56"	56"	56"	56"	56"	72"	72"
Shaft Diameter - Round.....	2.5" (PC ONLY)	2.5" (PC ONLY)	2.5" (PC ONLY)	2.5" (PC ONLY)	2.5"	-	-
Shaft Diameter - Hex.....	2.0"	2.0"	2.0"	2.0"	2.0"	2.5"	2.5"
RPM					0		
@ 8 gpm (30 L/min.).....	39 rpm	-	-	-	-	-	-
@ 12 gpm (45 L/min.).....	60 rpm	48 rpm	-	-	-	-	-
@ 17 gpm (64 L/min.).....	86 rpm	71 rpm	49 rpm	-	-	-	-
@ 18 gpm (68 L/min.).....	-	75 rpm	52 rpm	-	-	46 rpm	36 rpm
@ 21 gpm (70 L/min.).....	-	90 rpm	61 rpm	49 rpm	42 rpm	-	-
@ 22 gpm (83 L/min.).....	-	94 rpm	64 rpm	51 rpm	44 rpm	56 rpm	45 rpm
@ 23 gpm (87 L/min.).....	-	98 rpm	67 rpm	53 rpm	46 rpm	-	-
@ 26 gpm (98 L/min.).....	-	-	-	-	-	67 rpm	53 rpm
@ 30 gpm (114 L/min.).....	-	-	-	-	-	77 rpm	61 rpm
@ 32 gpm (121 L/min.).....	-	-	-	-	-	82 rpm	65 rpm
@ 34 gpm (129 L/min.).....	-	-	-	-	-	87 rpm	69 rpm
@ 36 gpm (136 L/min.).....	-	-	-	-	-	92 rpm	73 rpm
@ 37 gpm (140 L/min.).....	-	-	-	-	-	-	-
@ 38 gpm (144 L/min.).....	-	-	-	-	-	98 rpm	77 rpm
Torque							
@ 2000 psi (19,788 kPa).....	782 ft.lb (1,060 Nm)	911 ft.lb (1,235 Nm)	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)	1,868 ft. lb (2,532 Nm)	2,387 ft.lb. (3,237 Nm)	3,023 ft.lb. (4,100 Nm)
@ 2400 psi (16,547 kPa).....	1,039 ft.lb (1,409 Nm)	1,208 ft.lb (1,638 Nm)	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)	2,385 ft. lb (3,234 Nm)	2,864 ft.lb. (3,884 Nm)	3,628 ft.lb. (4,920 Nm)
@ 2600 psi (17,926 kPa).....	1,126 ft.lb (1,526 Nm)	1,309 ft.lb (1,775 Nm)	1,875 ft.lb (2,542 Nm)	2,280 ft.lb (3,091 Nm)	2,534 ft. lb (3,436 Nm)	3,103 ft.lb (4,208 Nm)	3,931 ft.lb. (5,330 Nm)
@ 2700 psi (18,616 kPa).....	1,169 ft.lb (1,585 Nm)	1,359 ft.lb (1,843 Nm)	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)	2,638 ft. lb (3,638 Nm)	-	-
@ 3000 psi (20,684 kPa).....	1,261 ft.lb (1,709 Nm)	1,465 ft.lb (1,986 Nm)	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)	2,974 ft.lb (4,032 Nm)	-	-
@ 3200 psi (22,753 kPa).....	1,386 ft.lb (1,879 Nm)	1,611 ft.lb (2,184 Nm)	2,308 ft.lb (3,129 Nm)	2,806 ft.lb (3,804 Nm)	3202 ft. lb (4,341 Nm)	3,819 ft.lb. (5,179 Nm)	4,838 ft.lb. (6,560 Nm)
@ 3300 psi (22,753 kPa).....	1,429 ft.lb (1,937 Nm)	1,662 ft.lb (2,253 Nm)	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)	3,398 ft. lb (4,607 Nm)	-	-
@ 3500 psi (24,132 kPa).....	1,516 ft.lb (2,055 Nm)	1,762 ft.lb (2,389 Nm)	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)	3,514 ft. lb (4,764 Nm)	4,177 ft.lb. (5,664 Nm)	5,291 ft.lb. (7,175 Nm)

Part Number	Description	Attachment	SLP in US \$
(MT100, MT120) (S70, S100) (S450) (T450) (L23, L28, L35) 7501033	Model 12PH Auger Drive Unit.....		\$2,217.00
	(Must also order Mounting Frame for Loader and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(MT100, MT120) (S70, S100) (S450) (T450) (L23, L28, L35) 46948002	Model 12PC Auger Drive Unit.....		\$2,295.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(MT100, MT120) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66) (L23, L28, L35) 7501034	Model 14PH Auger Drive Unit.....		\$2,327.00
	(Must also order Mounting Frame for Loader and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(MT100, MT120) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66) 46948006	Model 14PC Auger Drive Unit.....		\$2,380.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35) 7501035	Model 20PH Auger Drive Unit.....		\$2,417.00
	(Must also order Mounting Frame for Loader and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35) 46948007	Model 20PC Auger Drive Unit.....		\$2,470.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35) 7501036	Model 25PH Auger Drive Unit.....		\$2,554.00
	(Must also order Mounting Frame for Loader and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)		
(S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35) 46948008	Model 25PC Auger Drive Unit.....		\$2,607.00
	(Combination 2" hex / 2.5" round output shaft) (Must also order Mounting Frame for MX and Bit)(Auger Bit is shipped with bit retention pin)		
(S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) 46890491	Model 30PH Auger Drive Unit.....		\$3,928.00
	(Must also order loader frame for Model 30PH and Bit)(2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)(Auger will ship with both 2-in. HEX shaft and 2.5" round shaft. These are bolt on and interchangeable on the auger drive.)		
(S510, S530, S550, S570, S590, S595, S630, S650, S740, S740H, S750, S770, S850) (S62H, S64, S64H, S66, S66H, S76, S76H, S86) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62H, T64H, T66, T66H, T76, T76H, T86) 7220280	Model 35PH Auger Drive Unit.....		\$5,147.00
	(Must also order 35PH/50PH Mounting Frame and Bit) (Auger Drive unit is shipped with bit retention pin)		
(S550H, S570H, S590H, S595H, S630, S650, S740, S740H, S750, S770, S850)(S62H, S64H, S66, S66H, S76, S76H, S86) (A770) (T550H, T590H, T595H, T630, T650, T740, T750, T770, T870) (T62H, T64H, T66, T66H, T76, T76H, T86) 7227984	Model 50PH Auger Drive Unit.....		\$5,890.00
	(Must also order 35PH/50PH Mounting Frame and Bit) (Auger Drive unit is shipped with bit retention pin)		

Part		Dealer Installed Auger Frames - Order From Sales	
Number	Description	SLP in US \$	
(L23, L28) (S70) (MT100, MT120)			
7508120	12PH/PC, 14PH/PC Mini Track Loader/SAL Mounting Frame (Includes Mounting Hardware to attach auger drive)		\$786.00
(L23, L28) (S70) (MT100, MT120)			
7524085	12PH/PC, 14PH/PC Common Industry Interface (CII) MTL/SAL Mounting Frame (Includes Mounting Hardware to attach auger drive)		\$786.00
(S100) (S450-S850) (S62, S64, S66, S76, S86) (A770) (T450-T870) (T62, T64, T66, T76, T86) (L35)			
7508119	12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH Mounting Frame..... (Includes Mounting Hardware to attach auger drive)		\$755.00
(S510-S850) (S62, S64, S66, S76, S86) (A770) (T550-T870) (T62, T64, T66, T76, T86)			
7223507	15H/C, 30H/C, 35PH/50PH Mounting Frame..... (Includes Mounting Hardware)		\$838.00
<u>Heavy Duty Auger Bits Accessories/Rock Auger Bits Accessories</u>			
7515529	2" HEX SHAFT TO 2 1/2" ROUND BIT ADAPTER..... (For Model 12PH, 14PH, 20PH, 25PH, & 30PH Augers with Hex Output Shaft to use with round shaft bits)	Parts	\$_____
6679807	48" Adjustable Hex Extension..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (Ship Weight 48 lbs.)	Parts	\$_____
6662876	24" Adjustable Hex Extension..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (Ship Weight 33 lbs.)	Parts	\$_____
<u>Heavy Duty Auger Bits Accessories/Rock Auger Bits Accessories</u>			
7243729	48" Adjustable Hex Extension..... (For 35PH & 50PH Auger Drives) (Shipping Weight 105 lbs.)	Parts	\$_____

Part Number	Dealer Installed Auger Bits - Order From Parts		
	<i>Black color, Semi-Flight unless noted. 48" Length. Shaft Diameter- 2" Hex Not compatible with 35PH or 50PH augers Retaining Pin ships with auger</i>		
7500735	6" Semi-Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500736	9" Semi-Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500737	12" Semi-Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500738	15" Semi-Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500739	18" Semi-Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500740	24" Semi-Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500746	30" Double Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500747	36" Double Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____

Standard Duty Auger Bits
Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers
*Black color, Single Flight unless noted.
48" Length. Shaft Diameter- 2" Hex
Not compatible with 35PH or 50PH augers
Retaining Pin ships with auger*

7500763	6" Single Flight (2" Hex)..... Approved for 12PH, 14PH, 20PH, 25PH and 30PH augers	Parts	\$____
7500765	9" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500767	12" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500768	15" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500769	18" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____
7500771	24" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$____

Part Number	Description	Dealer Installed Auger Bits - Order From Parts
-------------	-------------	--

Heavy Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Single Flight unless noted.

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500798	6" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500800	9" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500802	12" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500803	15" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500805	20" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500806	24" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500807	30" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500808	36" Single Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500812	9" Double Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500814	12" Double Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500816	18" Double Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500818	24" Double Flight (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____

Tree Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Double Flight

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500822	18" Tree Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500823	24" Tree Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500841	30" Tree Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500842	36" Tree Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____

Rock Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Double Flight, Carbide tips

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

7500916	6" Carbide Rock Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500918	9" Carbide Rock Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500922	18" Carbide Rock Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____
7500923	24" Carbide Rock Auger Bit (2" Hex)..... (For use with 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	Parts	\$ ____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--


Heavy Duty Auger Bits - 35/50PH Auger Drive

7243233	8" Bit..... (Ship Weight 115 lbs.)	Parts	\$____
7243234	12" Bit..... (Ship Weight 130 lbs.)	Parts	\$____
7243235	18" Bit..... (Ship Weight 165 lbs.)	Parts	\$____
7243236	24" Bit..... (Ship Weight 225 lbs.)	Parts	\$____
7243237	30" Bit..... (Ship Weight 295 lbs.)	Parts	\$____
7243238	36" Bit..... (Ship Weight 350 lbs.)	Parts	\$____
7243239	48" Bit..... (Ship Weight 495 lbs.)	Parts	\$____

Rock Auger Bits - 35/50PH Auger Drive

7243240	8" Bit..... (Ship Weight 118 lbs.)	Parts	\$____
7243241	12" Bit..... (Ship Weight 130 lbs.)	Parts	\$____
7243242	18" Bit..... (Ship Weight 165 lbs.)	Parts	\$____
7243243	24" Bit..... (Ship Weight 210 lbs.)	Parts	\$____
7243244	30" Bit..... (Ship Weight 300 lbs.)	Parts	\$____

Auger- Direct Drive
Bobcat Loader Attachment



Direct Drive Auger Quick Specs

	Model 10	Model 15C	Model 15H	Model 30C	Model 30H
Ship Weight (Auger Drive).....	191 lbs.	245 lbs.	241 lbs.	263 lbs.	257 lbs.
Ship Weight (Mtg. Frame).....	162 lbs	193lbs	193 lbs	193 lbs	193 lbs
Operating Weight (less bit).....	283 lbs	358 lbs	354 lbs	376 lbs	370 lbs
Digging Depth (without extensions)	58"	62"	62"	62"	62"
Shaft Diameter - Round.....	2.5"	2.5"	-	2.5"	-
Shaft Diameter - Hex.....	-	2.0"	2.0"	2.0"	2.0"
RPM					
@ 8 gpm (30 L/min.).....	48 rpm	-	-	-	-
@ 12 gpm (45 L/min.).....	72 rpm	57 rpm	57 rpm	-	-
@ 17 gpm (64 L/min.).....	102 rpm	80 rpm	80 rpm	41 rpm	41 rpm
@ 18 gpm (68 L/min.).....	-	-	-	-	-
@ 21 gpm (70 L/min.).....	-	99 rpm	99 rpm	51 rpm	51 rpm
@ 22 gpm (83 L/min.).....	-	-	-	-	-
@ 23 gpm (87 L/min.).....	-	109 rpm	109 rpm	56 rpm	56 rpm
@ 26 gpm (98 L/min.).....	-	-	-	-	-
@ 30 gpm (114 L/min.).....	-	-	-	70 rpm	70 rpm
@ 32 gpm (121 L/min.).....	-	-	-	-	-
@ 34 gpm (129 L/min.).....	-	-	-	-	-
@ 36 gpm (136 L/min.).....	-	-	-	-	-
@ 37 gpm (140 L/min.).....	-	-	-	90 rpm	90 rpm
@ 38 gpm (144 L/min.).....	-	-	-	-	-
Torque					
@ 2000 psi (19,788 kPa).....	1,021 ft.lb. (1,523 Nm)	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)
@ 2400 psi (16,547 kPa).....	1,225 ft.lb. (1,661 Nm)	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)
@ 2600 psi (17,926 kPa).....	-	-	-	-	-
@ 2700 psi (18,616 kPa).....	1,378 ft.lb. (1,868 Nm)	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)
@ 3000 psi (20,684 kPa).....	1,532 ft.lb. (2,077 Nm)	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)
@ 3200 psi (22,753 kPa).....	-	-	-	-	-
@ 3300 psi (22,753 kPa).....	-	2,415 ft.lb. (2,908 Nm)	2,415 ft.lb. (2,908 Nm)	4,158 ft.lb. (5,638 Nm)	4,158 ft.lb. (5,638 Nm)
@ 3500 psi (24,132 kPa).....	-	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100) (S70, S100, S130, S150, S160, S175, S185, S205) (S450) (T110, T140) (T450) (L23, L28)			
6808799	Model 10 Auger Drive Unit..... (Must also order Mounting Frame and Bit) (Must order mounting frame, light duty bit and swing stop kit when installing on MT50,MT52, MT55, MT85, and MT100)		Discontinued
(S100, S130, S150, S160, S175, S185, S205) (S450*, S510*, S530*, S550*, S570*, S590*, S595*, S630*, S650*, S740*, S750*, S770*, S850*) (S62, S64, S66, S76, S86) (A770*) (T110, T140, T180, T190, T250, T300, T320) (T450*, T550*, T590*, T595*, T630*, T650*, T740*, T740H*, T750*, T770*, T870*) (T62, T64, T66, T76, T86)			
6809442	Model 15C Auger Drive Unit..... (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)		Discontinued
7145345	Model 15H Hex Shaft Auger Drive Unit..... (Must also order Mounting Frame and Bit)		Discontinued
(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450*, S510*, S530*, S550*, S550H*, S570*, S570H*, S590*, S590H*, S595*, S595H*, S630H*, S650*, S650H*, S740*, S740H*, S750*, S750H*, S770*, S770H*, S850*, S850H*) (S62*, S62H*, S64*, S64H*, S66*, S66H*, S76*, S76H*, S86*) (A770*, A770H*) (T140, T180, T180H, T190, T190H) (T450*, T550*, T550H*, T590*, T590H*, T595*, T595H*, T630*, T630H*, T650*, T650H*, T740*, T740H*, T750*, T750H*, T770*, T770H*, T870*, T870H*) (T62*, T62H*, T64*, T64H*, T66*, T66H*, T76*, T76H*, T86*)			
6809445	Model 30C Auger Drive Unit..... (Must also order Mounting Frame and Bit) (Auger drive unit is shipped with a 7/8" round bit retention pin, if used in conjunction with a hex bit a 5/8" Pin Kit P/N 6809733 is required.)		Discontinued
7138264	Model 30H Hex Shaft Auger Drive Unit..... (Must also order Mounting Frame and Bit)		Discontinued
*Must also order Bumper Kit p/n 7172609 from Parts ONLY IF AUGER MOUNTING FRAME p/n 6812980 IS OLDER MODEL. <u>Current Auger Mounting Frame p/n 6812980 includes Bumper Kit p/n 7172609.</u>			

Dealer Installed Auger Frames - Order From Sales		
Part Number	Description	SLP in US \$
(L23, L28) (S70) (MT50-MT55, MT85, MT100)		
6812946	Auger 10 Bob-Tach Mounting Frame..... (Includes Mounting Hardware)	Discontinued
(MT85, MT100)		
7272933	Auger 10 MTG Bracket CII..... (Includes Mounting Hardware)	Discontinued
(S100-S330, S450-S850) (S62, S64, S66, S76, S86) (A770) (T110-T320, T450-T870) (T62, T64, T66, T76, T86)		
6812980	Auger 15C/H, 30C/H Mounting Frame..... (Includes Mounting Hardware) (Includes Bumper Kit p/n 7172609)	Discontinued

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6811444	Swing Stop Kit, MT50 - MT55, MT85, MT100 (Use with Model 10 auger) (Limits side to side swing of auger bit.)	Parts	\$____
7172609	Bumper Kit, for M-Series (Required for use with M-Series Loaders only if updating older Mounting Frame p/n 6812980)	Parts	\$____

Auger Drive & Bit Recommendations

Model 10 Augers—Recommended bit size 6" – 18"
Model 15C and 30C and PC Augers—Recommended bit size 6" – 36"
Model 15H and 30H and PH Augers—Recommended bit size 6" – 36"
Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions.

Light Duty Auger Bits

*Used with MT50, MT52, MT55, MT85, MT100 and Model 10 Auger
White, round Drive, 45" Length, Single Flight.*

6679574	6" Bit (Ship Weight 45 lbs.)	Parts	\$____
6679575	9" Bit (Ship Weight 52 lbs.)	Parts	\$____
6679576	12" Bit (Ship Weight 100 lbs.)	Parts	\$____
6679577	15" Bit (Ship Weight 120 lbs.)	Parts	\$____
6679578	18" Bit (Ship Weight 79 lbs.)	Parts	\$____
6679579	24" Bit (Ship Weight 124 lbs.)	Parts	\$____
6679580	30" Bit (Ship Weight 144 lbs.)	Parts	\$____
6679581	36" Bit (Ship Weight 165 lbs.)	Parts	\$____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Standard Auger Bits & Accessories

Charcoal Color, Round Drive, 49" Length, Double Flight, Variable Tooth Angle: 40 ° or 50 °

6666891	6" Bit (Ship Weight 60 lbs.)	Parts	\$ ____
6666892	9" Bit (Ship Weight 91 lbs.)	Parts	\$ ____
6666893	12" Bit (Ship Weight 128 lbs.)	Parts	\$ ____
6666894	15" Bit (Ship Weight 119 lbs.)	Parts	\$ ____
6666895	18" Bit (Ship Weight 160 lbs.)	Parts	\$ ____
6666896	24" Bit (Ship Weight 203 lbs.)	Parts	\$ ____
6666897	30" Bit (Ship Weight 275 lbs.)	Parts	\$ ____
6666898	36" Bit (Model 15 & 30) (Ship Weight 380 lbs.)	Parts	\$ ____
6666899	18" Tree Planting Bit (Ship Weight 140 lbs.)	Parts	\$ ____
6666900	24" Tree Planting Bit (Ship Weight 162 lbs.)	Parts	\$ ____
6666901	30" Tree Planting Bit (Ship Weight 236 lbs.)	Parts	\$ ____
6666902	36" Tree Planting Bit (Ship Weight 305 lbs.)	Parts	\$ ____

Standard Auger Bit Accessories

6679806	48" Adjustable Round Extension (For Model 15H, 15C, 30H and 30C Augers with Round Output Shaft) (6" and 9" bits will not allow the extension to telescope, only works in the top position) (Ship Weight 82 lbs.)	Parts	\$ ____
6679826	24" Adjustable Round Extension (For Model 15H, 15C, 30H and 30C Augers with Round Output Shaft) (6" and 9" bits will not allow the extension to telescope, only works in the top position) (Ship Weight 44 lbs.)	Parts	\$ ____
6679825	14" Round Extension (For Model 15H, 15C, 30H and 30C Augers with Round Output Shaft) (Ship Weight 24 lbs.)	Parts	\$ ____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Heavy Duty Auger Bits

6674957	6" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 46 lbs.)	Parts	\$_____
6674958	9" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 59 lbs.)	Parts	\$_____
6674959	12" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 76 lbs.)	Parts	\$_____
6674960	16" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 97 lbs.)	Parts	\$_____
6675034	18" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 112 lbs.)	Parts	\$_____
6674961	20" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 117 lbs.)	Parts	\$_____
6674962	24" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 151 lbs.)	Parts	\$_____
6674963	30" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 193 lbs.)	Parts	\$_____
6674964	36" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 270 lbs.)	Parts	\$_____
6674965	42" Bit..... (If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 302 lbs.)	Parts	\$_____


Dealer Installed Accessories - Order From Parts			
Part Number	Description		
<u>Rock Auger Bits</u>			
White color, Hex shaft, 42" Length, Single Flight			
7169665	6" Bit..... (Ship Weight 64 lbs.)	Parts	\$____
7169666	9" Bit..... (Ship Weight 78 lbs.)	Parts	\$____
7169667	12" Bit..... (Ship Weight 102 lbs.)	Parts	\$____
7169668	16" Bit..... (Ship Weight 123 lbs.)	Parts	\$____
7169669	18" Bit..... (Ship Weight 149 lbs.)	Parts	\$____
7169670	20" Bit..... (Ship Weight 152 lbs.)	Parts	\$____
7169671	24" Bit..... (Ship Weight 195 lbs.)	Parts	\$____
7169672	30" Bit..... (Ship Weight 225 lbs.)	Parts	\$____
Rock Auger Bits Accessories – See Heavy Duty Auger Bits Accessories			
Dealer Installed Accessories - Order From Parts			
Part Number	Description		

<u>Heavy Duty Auger Bits Accessories/Rock Auger Bits Accessories</u>			
6809733	5/8" (.625) Pin Kit..... (Used for retention of hex bits on 15C and 30C Auger drive units) (Ship Weight 11 lbs.)	Parts	\$____
6679807	48" Adjustable Hex Extension..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (Ship Weight 48 lbs.)	Parts	\$____
6662876	24" Adjustable Hex Extension..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (Ship Weight 33 lbs.)	Parts	\$____
6662874	Round Shaft To Hex Bit Adapter, Cast..... (For 15H/C, 30H/C Augers with Round Output Shaft) (Ship Weight 19 lbs.)	Parts	\$____
6662875	Hex Shaft To Round Bit Adapter, Cast..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (Ship Weight 20 lbs.)	Parts	\$____
7137091	Hex Shaft To Round Bit Adapter, Sleeve..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (5/8" Pin Kit P/N 6809733 is required.) (Sleeve slides over hex shaft, converting it to round) (Ship Weight 3 lbs.)	Parts	\$____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Auger.....	Assemble drive unit to mounting frame and install bit.....	0.50

Bob-Tach Backhoe Bobcat Loader Attachment
--



Quick Specs

Operating Weight (without bucket).....	750 lbs
Swing Angle.....	48 degrees left or right
Length.....	77.0"
Width.....	50.0"
Height.....	17.8"
Dig Depth.....	72.0"
Reach.....	77.0"
Dig Force – Bucket.....	4878 lbf.
Bolt-on X-Change.....	Standard

Part Number	Description	Attachment	SLP in US \$
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S62, S64, S66, S66) (T180, T190) (T550, T590, T595) (T62, S64, S66,T66)			
6906767	Bob-Tach Mounted Backhoe.....		\$7,366.00
(Must also order bucket, see Backhoe Bucket pages) (Loader must be equipped with an Attachment Control Kit – See Page 1 and 2) (If installing on loader with 14-Pin Attachment Control, must also order 14-pin Attachment T-Harness P/N 6725383) (Bob-Tach Mounted Backhoe is NOT compatible with Rear Stabilizers)			


Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
7104321	Hydraulic Clamp..... (Includes cylinder, hoses & pins) (Must also order Auxiliary Hydraulic Kit)	\$2,677.00

Dealer Installed Accessories - Order From Parts	
Part Number	Description
6958160	Auxiliary Hydraulic Kit..... (Must order if using Hydraulic Clamp with Backhoe) (Ship Weight 10 lbs.)
	Parts \$_____

Destination Charge/Fuel Surcharge Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Backhoe.....	Install bucket on backhoe.....	0.25
Auxiliary Hydraulics Kit.....	Install Auxillary Hydraulics Kit on backhoe.....	1.00

Backhoe
Bobcat Loader Attachment



Quick Specs

	<u>M06</u>	<u>7BH</u>	<u>9BH</u>	<u>8811</u>
Operating Weight.....	685 lbs	1298 lbs	1487 lbs	2012 lbs
Dig Depth.....	76.2"	95.1"	116.6"	135.7"
Reach.....	88"	123.6"	145.3"	166"
Dig Force – Bucket.....	2200 lbf.	5294 lbf.	5318 lbf.	8611 lbf.
Dig Force – Dipper.....	968 lbf.	2835 lbf.	3291 lbf.	3020 lbf.
Bolt-on X-Change.....	N/A	Standard	Standard	Standard
Swing Angle.....	180°	180°	180°	180°
Stabilizer type.....	Hydraulic	Hydraulic	Hydraulic	Hydraulic

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

For current parts pricing, reference Quote and Order or Dealer Parts Department.

(MT50, MT52, MT55)			
7101456	M06 Backhoe.....		\$10,111.00
	(Must order a Bucket and Mounting Kit)		
7153411	Auxiliary Hydraulics Mode Switch Kit.....		\$_____
	(Needed to control M06 Backhoe attachment on MT52 s/n A3WR11001 & above and MT55 s/n A3WT11001 & above)		

(S450, S510, S530, S550, S570, S590, S595) (T450, T550, T590, T595)			
7243518	7BH Backhoe.....		\$17,763.00
	(Must also order mounting kit and bucket) (Will not fit K-Series and older loaders)		

(S510, S530, S550, S570, S590, S595, S630, S650) (T550, T590, T595, T630, T650)			
7237275	9BH Backhoe.....		\$18,797.00
	(Must also order mounting kit and bucket) (Will not fit K-Series and older loaders)		

(S630, S650, S740, S750, S770, S850) (A770) (T630, T650, T740, T750, T770, T870)			
7130772	8811 Backhoe.....		\$20,027.00
	(Must also order Mounting Kit and Bucket) (Must order Spacer Kit (PN 7168932) When mounting on M-Series machines) (Must order latch kit if backhoe serial number is below A5581500)		

- Note: Use of Rear Stabilizers is recommended with the 9BH and 8811 Backhoes.
- Note: Bolt-on street pads are available for the 607, 709, 8709, 811 and 8811 Backhoes from Bobcat Parts.

Part Number	Dealer Installed Accessories - Order From Sales (If no price shown, Order From Parts) Description	SLP in US \$
<u>Backhoe Attachments</u>		
6817177	Ripper, X-Change (Used on the 709/8709/811/8811 Backhoes to penetrate and scarify frost or hard ground) (X-Change System required) (Operating Weight 195 lbs.)	\$1,299.00
7129927	Packer Wheel (Use with 607/709/8709/811/8811 Backhoes to compact fill after trenching.) (X-Change System required) (Operating Weight 386 lbs.)	\$3,060.00
<u>Backhoe Mounting Kits – Current</u>		
7101552	Mounting Kit (M06 to MT52 or MT55)	\$268.00
7228276	Mounting Kit (7BH & 9BH to S450, S510, S530, S550, S570, S590, S595, T450, T550, T590, T595) (Ship Weight 50 lbs) (Estimated install time 2 hrs)	\$681.00
6813148	Mounting Kit (8811 to S220, S250, S300, S330, A300, T250, T300, T320) (Use with backhoe s/n A55809999 & below and s/n 630199999 & below) (Ship Weight 45 lbs.; Estimated install time 1 hour)	\$_____
7167510	Mounting Kit (8811 to S220, S250, S300, S330, A300, T250, T300, T320) (Ship Weight 50 lbs.; Estimated install time 1 hour) (Use with backhoe s/n A55810000 & above, effective May 2009) (Use with backhoe s/n A55809999 & below and s/n 630199999 & below, if equipped with Latch Kit p/n 7204238)	\$_____
7168488	Mounting Kit (8811 to S630, S650, S740, S750, S770, A770, T630, T650, T740, T750, T770) (9BH to S630, S650, T630, T650) (Ship Weight 50 lbs.; Estimated install time 2 hours) (For Backhoe 8811 s/n A55809999 & below and s/n 630199999 & below, must also order p/n 7204238 from parts)	\$681.00
7204239	Mounting Kit (8811 to S850 & T870) (Ship Weight 50 lbs.; Estimated install time 2 hours) (For backhoe s/n A55810370 & below and s/n 630199999 & below, must also order p/n 7204238 from parts) (Must also order Spacer Kit p/n 7168932)	\$_____
7204238	Latch Kit (Required for 8811 s/n A55809999 & below and s/n 630199999 & below to S630, S650, S740, S750, S770, S850, A770, T630, T650, T740, T750, T770, T870) (Requires Mounting Kit p/n 7167510 to be compatible with K-Series loaders)	\$_____
7168932	Bob-Tach Adapter Kit (Spacer) (Required to mount 8811 to S630, S650, S740, S750, S770, S850, S76 A770, T630, T650, T740, T750, T770, T870, T76)	\$1,179.00

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
<u>Laser Equipment</u>		
(S130, S150, S160, S175, S185, S205) (S630, S650, S740, S750, S770) (A770) (T140, T180, T190) (T630, T650, T740, T750, T770)		
7387821	Laser Receiver, CR700..... (Can be used as handheld, machine, or rod-mounted laser receiver) (Includes magnetic mount for machines and clamp mount for grader rod)	\$688.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

<u>Backhoe Mounting Kits – Non-Current</u>		
Piece Parts	Mounting Kit..... (406 to 463, S70) (Mounts included with backhoe---to install on additional loaders only.)	PIECE PARTS
7141973	Mounting Kit..... (506 to S100, T110)	Parts \$____
7101325	Mounting Kit..... (607 or 709 to S150, S160 and T180) (Ship Weight 160 lbs.; Estimated install time 1 hour)	Parts \$____
6718155	Mounting Kit..... (607 or 709 S/N 2700-00301 & above to 773 G-Series or newer, S175, S185, S205 and T190 and all 709s with Fold Down Stabilizers) (Ship Weight 66 lbs.; Estimated install time 1 hour)	Parts \$____
6538707	Mounting Kit..... (607 or 709 to 753, S130, 763, T140, however, 753 with 54" offset rim option will NOT allow Backhoe mount clearance) (Ship Weight 160 lbs.; Estimated install time 1 hour)	Parts \$____
Piece Parts	Mounting Kit..... (905B to 453)	Parts \$____
Piece Parts	Mounting Kit..... (905B to 553)	Parts \$____
6538426	Mounting Kit, Ball Type..... (Bolts to P/N 6538707 to Mount 907 or 909 to 753) (Ship Weight 20 lbs.; Estimated install time 1 hour)	PIECE PARTS
6562446	Mounting Kit..... (907 to 630, 640, 730, 740 Series & 909 to 730, 730 Series) (Ship Weight 28 lbs.; Estimated install time 1 hour)	PIECE PARTS
Piece Parts	Mounting Kit..... (907 or 909 to 753)	Parts \$____
Piece Parts	Mounting Kit..... (607 or 907 to 640 Series)	Parts \$____
Piece Parts	Mounting Kit..... (607, 709, 907 or 909 to 740 Series)	Parts \$____
Piece Parts	Mounting Kit..... (607s & 709 with Fold Down Stabilizers & 709 (S/N 2700-00301 & Above) to 773 F-series and prior)	Parts \$____
Piece Parts	Mounting Kit..... (811 to 853, 863, A220, T200)	Parts \$____
Piece Parts	Mounting Kit..... (811 to 843, however, mounting kit does not allow track clearance on 843)	Parts \$____
Piece Parts	Mounting Kit..... (811 to 963)	Parts \$____
Piece Parts	Mounting Kit..... (8709 to 873 F-Series, 873 G-Series & 883)	Parts \$____
Piece Parts	Mounting Kit..... (911 to 853, 863 F-Series. Fits 863 S/N 514425684 and below. Will not work with G-Series)	Parts \$____
Piece Parts	Mounting Kit..... (911 to 843)	Parts \$____
6587606	Mounting Kit..... (607 (S/N 775001440 & Above), All 709s with Fold Down Stabilizers, 709 (S/N 270001200 & Above) to 853, 863, A220 and T200) (Ship Weight 120 lbs.; Estimated install time 1.5 hours)	PIECE PARTS
Piece Parts	Mounting Kit..... (8811 to 873 and 883) (Ship Weight 31 lbs.; Estimated install time 1 hour)	Parts \$____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Backhoe Training Kit

6900329	Backhoe Attachment Operator Training Kit..... (Spanish Version is also available P/N 6900585)	Parts	\$____
---------	--	-------	--------

Hydraulics Kit

Piece Parts	Hydraulic Kit, 709..... (Not compatible with 709 s/n A54M00101 & above; 709 FDS s/n A5F300101 & above)	Parts	\$____
Piece Parts	Hydraulic Kit, 811..... (Not compatible with 8811)	Parts	\$____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Street Pads

6660164	Rubber Street Pad (Use with 607, 709 with Fold down or Vertical stabilizers and 8709 Backhoes) (Must order quantity of 2)	Parts	\$____
6632445	Rubber Street Pad (Use with 811 and 8811 Backhoes) (Must order quantity of 2)	Parts	\$____

Accessories for all Current Backhoe Buckets

7107317	Hensley Forged Tooth Point..... (Qty. 1)	Parts	\$____
7107320	Hensley Tiger Tooth Point..... (Qty. 1)	Parts	\$____
7107321	Hensley Twin Tiger Tooth Point..... (Qty. 1)	Parts	\$____

Backhoe Buckets - Order From Sales				
Part Number	Description	SAE Heaped Capacity (FT³)	Ship WGT.	SLP in US \$

Backhoe Buckets – Current

(Bob-Tach Mounted Backhoe X-Change™ Style)

Note: These buckets are the same buckets as used with the 607 Backhoe and 325 and 328 excavators.

7333229	12" Trenching Bucket, Smooth Lip.....	1.33	167	\$1,040.00
7333230	12" Trenching Bucket, 3 Weld-On Teeth.....	1.33	173	\$1,040.00
7333244	16" Trenching Bucket, Smooth Lip.....	1.92	192	\$1,088.00
7333245	16" Trenching Bucket, 3 Weld-On Teeth.....	1.92	195	\$1,088.00
7333254	20" Trenching Bucket, Smooth Lip.....	2.53	226	\$1,159.00
7333255	20" Trenching Bucket, 4 Bolt-On Teeth.....	2.53	230	\$1,159.00

(M06 Pin-On Style)

6715495	9" Trenching Bucket, 2 Bolt-On Teeth.....	0.5	53	\$673.00
6715496	12" Trenching Bucket, 3 Bolt-On Teeth.....	0.7	63	\$745.00

(406 Pin-On Style)

6715495	9" Trenching Bucket, 2 Bolt-On Teeth.....	0.5	53	\$673.00
6715496	12" Trenching Bucket, 3 Bolt-On Teeth.....	0.7	63	\$745.00
6715497	16" Trenching Bucket, 3 Bolt-On Teeth.....	1.1	75	\$816.00
7109522	18" Trenching Bucket, 4 Bolt-On Teeth.....	1.3	90	\$841.00
6715498	20" Trenching Bucket, 4 bolt-on teeth.....	1.4	85	\$888.00

Note: These buckets are the same buckets used with 322 excavator.

Backhoe Buckets - Order From Sales				
Part Number	Description	SAE Heaped Capacity (FT³)	Ship WGT.	SLP in US \$

Backhoe Buckets – Current (Continued)

(7BH/607 X-Change™ Style)

7333229	12" Trenching Bucket, Smooth Lip.....	1.33	167	\$1,040.00
7333230	12" Trenching Bucket, 3 Weld-On Teeth.....	1.33	173	\$1,040.00
7333244	16" Trenching Bucket, Smooth Lip.....	1.92	192	\$1,088.00
7333245	16" Trenching Bucket, 3 Weld-On Teeth.....	1.92	195	\$1,088.00
7333254	20" Trenching Bucket, Smooth Lip.....	2.53	226	\$1,159.00
7333255	20" Trenching Bucket, 4 Bolt-On Teeth.....	2.53	230	\$1,159.00
7333259	24" Trenching Bucket, Smooth Lip.....	3.14	254	\$1,263.00
7333260	24" Trenching Bucket, 4 Weld-On Shanks.....	3.14	255	\$1,263.00

Note: These buckets are the same buckets used with 322 excavator.

(709/9BH/8709/811/8811 X-Change™ Style)

7323832	12" Trenching Bucket, Smooth Lip.....	1.6	178	\$1,391.00
7323833	12" Trenching Bucket, 3 Weld-On Shanks.....	1.6	184	\$1,391.00
7324829	16" Trenching Bucket, Smooth Lip.....	2.31	206	\$1,431.00
7324830	16" Trenching Bucket, 4 Weld-On Shanks.....	2.31	208	\$1,431.00
7323841	18" Trenching Bucket, Smooth Lip.....	2.68	226	\$1,568.00
7323842	18" Trenching Bucket, 4 Weld-On Shanks.....	2.68	231	\$1,568.00
7323820	20" Trenching Bucket, Smooth Lip.....	3.05	241	\$1,633.00
7323821	20" Trenching Bucket, 4 Weld-On Shanks.....	3.05	244	\$1,633.00
7323529	24" Trenching Bucket, Smooth Lip.....	3.8	238	\$1,689.00
7323530	24" Trenching Bucket, 4 Weld-On Shanks.....	3.8	274	\$1,689.00
7323822	30" Trenching Bucket, Smooth Lip.....	4.91	319	\$1,881.00
7323823	30" Trenching Bucket, 5-Weld-On Shanks.....	4.91	325	\$1,881.00
7323824	36" Trenching Bucket, Smooth Lip.....	6.02	365	\$2,047.00
7323825	36" Trenching Bucket, 6 Weld-On Shanks.....	6.02	365	\$2,047.00
7333657	36" Grading Bucket, No Teeth.....	6.33	355	\$1,938.00


Note: These buckets are the same buckets used with 331, 331E and 334 excavators.

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Backhoe, S70.....	Install backhoe on S70 loader & bucket on backhoe.....	0.50
Backhoe.....	Install mounting kit on loader & bucket on backhoe.....	1 - 2

Bale Forks
Bobcat Loader Attachment



Bale Forks with Pallet Fork Frame

Quick Specs

Weight Forks..... 100 lbs
Operating Capacity..... Based on Machine's rated operating capacity
Length of Fork..... 40.8"

Part Number	Description	Attachment	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (S62, S64, S66, S76, S86) (T140, T180, T190) (T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
6815781	Bale Forks, Set of 2..... (Must also order pallet fork frame p/n 7297499, 7294305, or 7294332)		\$1,039.00

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Bale Forks.....	None.....	-

Bale Spears
Bobcat Loader Attachment



Quick Specs


	<u><i>RB42</i></u>	<u><i>MS26</i></u>	<u><i>LS42</i></u>
Main Tine Length.....	42"	26"	42"
Height.....	18.5"	18.5"	18.5"
Width.....	43"	60.5"	60.5"
Bale Capacity.....	3000 lbs.	3000 lbs.	4000 lbs.
Operating Weight.....	146 lbs.	165 lbs.	190 lbs.

Part Number	Description	Attachment	SLP in US \$
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4058, CT4545, CT4558, CT5545, CT5550, CT5558) (UT6066, UT6566, UT6573) (T64, T66, T76, T86, T450, T550, T595, T650, T740, T770) (S64, S66, S76, S86) (L65, L95) (UW56) (TL519, TL623) (L35)			
46963946	Bale Spear- Round Bale.....		\$938.00
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4058, CT4545, CT4558, CT5545, CT5550, CT5558) (UT6066, UT6566, UT6573) (T64, T66, T76, T86, T450, T550, T595, T650, T740, T770) (S64, S66, S76, S86) (L65, L95) (UW56) (TL519, TL623) (L35)			
46963945	Bale Spear- Medium Square Bale.....		\$1,185.00
(CT5545, CT5550, CT5558) (UT6066, UT6566) (T64, T66, T76, T86, T450, T550, T595, T650, T740, T770) (S64, S66, S76, S86) (L65, L95) (UW56) (TL519, TL623) (L35)			
46963944	Bale Spear- Large Square Bale.....		\$1,218.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Boring Unit Bobcat Loader Attachment



Quick Specs

Operating Weight (without bit)..... 130 lbs
Overall Width..... 36"
Overall Height..... 17.5"
Overall Length..... 26.75"
Maximum recommended boring distance..... 30'

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
7110098	Boring Unit..... (Includes drive unit and guide tool)		Discontinued

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

7110583	Boring Tools Kit..... (Includes (5) 5' drilling rods, 1 ¾" boring bit, 2 7/8" reamer bit, swivel shank, button repair kit (qty. 12), and uncoupling tool) (Use with up to 2 ½" outside diameter material)	Parts	\$____
6687659	Drill Rod, 5'.....	Parts	\$____
6577076	Drill Rod, 10'.....	Parts	\$____

The following boring and reaming bits should be used together for proper efficiency All reaming bits include a swivel shank.

6687657	Boring Bit, 1 1/4"	Parts	\$____
6687656	Reaming Bit, 2"	Parts	\$____
6577077	Boring Bit, 1 3/4"	Parts	\$____
6577298	Reaming Bit, 2 7/8"	Parts	\$____
6577078	Boring Bit, 2"	Parts	\$____
6577080	Reaming Bit, 3 1/2"	Parts	\$____
6687658	Boring Bit, 2 1/2"	Parts	\$____
6577299	Reaming Bit, 4 1/2"	Parts	\$____

Dealer Installed Accessories - Order From Parts	
Part Number	Description

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

The folowing carbide bits and augers should be used together when boring through hard clays, shale, hardpan, sandstone and root impregnated areas.


6577302	Carbide Head, 2 1/2"	Parts	\$_____
6687653	Auger, 4' x 2 3/8"	Parts	\$_____
6688364	Carbide Head, 3 5/8"	Parts	\$_____
6687654	Auger, 4' x 3 1/4"	Parts	\$_____
6687652	Carbide Head, 4 1/2"	Parts	\$_____
6687655	Auger, 4' x 4"	Parts	\$_____
7102514	Cable Pull Kit, 0.50-0.99" Diameter.....	Parts	\$_____
7100498	Cable Pull Kit, 1.00-1.24" Diameter.....	Parts	\$_____
7102515	Cable Pull Kit, 1.25-1.49" Diameter.....	Parts	\$_____
7100499	Pipe Pull Kit, 1.00-1.50" Pipe.....	Parts	\$_____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	


Attachment	Assembly Required	Installation Time (Hours)
Boring Unit.....	None.....	-

Box Blade

Bobcat Loader Attachment



Box Blade



Box Blade with Laser Receiver

Quick Specs

	Box Blade	Box Blade with Laser Receiver
Operating Weight.....	980 lbs. (445 kg)	1020 lbs. (464 kg)
Height.....	32.0" (813 mm)	32.0" (813 mm)
Width.....	85.5" (2173 mm)	85.5" (2173 mm)
Moldboard Width.....	84.0" (2134 mm)	84.0" (2134 mm)
Moldboard Cutting Edge (Reversible).....	½" x 6"	½" x 6"
Grade Accuracy with Laser.....	N/A	+/- ¼"

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)	(S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)		
6906574	84" Box Blade.....		\$6,232.00
	(Used for rough grading and landscaping)		

(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)	(S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)		
6906676	84" Box Blade With Laser Mounting.....		\$9,630.00
	(Must also order Trimble LR410 Laser Receiver p/n 7436330 or Topcon p/n 7522613 laser receiver)(Must order from Parts: Trimble LR410 harnesses 7426835 & 7426875, harness pn 7144375 for Trimble BLR2, or p/n 7513989 harness for Topcon equipped Box Blades)(May also need laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser beacons) (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (If installing on loader with 14-Pin Attachment Control, must also order 14-Pin Attachment T-Harness P/N 7164095)		

Part Number	Description	SLP in US \$
-------------	-------------	--------------


7275232	Laser Transmitter, Dual Slope.....	Discontinued
	(Trimble GL422N; includes CR700 receiver). Works with either Topcon or Trimble receivers	
6688806	Trimble Elevating Tripod.....	Discontinued
7436330	Trimble Laser Receiver, LR410.....	\$2,451.00
	(Must order 1 for use with laser kit)(For use with Laser Box Blade S/N 657500370 and above). (May also need a laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser transmitters.)	
7531738	Topcon Transmitter, Dual Slope.....	\$3,802.00
	Works with either Topcon or Trimble receivers	
7531739	Topcon Elevating Tripod.....	\$708.00
	Works with either Topcon or Trimble transmitters	
7522613	Topcon Laser Receiver, LS-B200W.....	\$2,830.00
	Includes 1 LS-B200W receiver and case. (Must order 2 with HD Box Blase) (Order 1 reciever for Std. Box Blade & one 7513989 Harness for Topcon Receiver (harness ordered through Parts)). (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)	

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Box Blade.....	Install cylinder pin.....	0.25
Box Blade with Laser Receiver.....	Install cylinder pin.....	0.25

HD Box Blade
Bobcat Loader Attachment



Quick Specs

Operating Weight	1384 lb (628 kg)
Box Height	19.0 in (483 mm)
Front Box Capacity	17.0 ft³ (0,48.m³)
Rear Box Capacity	10.0 ft³ (0,28 m³)
Unit Height.....	46.0 in (1168 mm)
Unit Length	62.0 in (1575 mm)
Working Width.....	84.0 in (2134 mm)
Minimum Flow	5.0 gpm (19 lpm)
Maximum Flow	40.0 gpm (151 lpm)


Part Number	Description	Attachment	SLP in US \$
(S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7357063	84” HD Box Blade.....		\$23,162.00
(Approved for use only on BICS loaders) (Must also order 2 Trimble LR410 or 2 Topcon LS-B200 Laser Receivers) (May also need laser transmitter and tripod—unless customer has this equipment.) (The laser receivers will work with most rotating laser beacons) (Loader must be equipped with an Attachment Control Kit) (If installing on loader with 14-Pin Attachment Control, must also order 14-Pin Attachment T-Harness P/N 7164095)			

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
7436330	Trimble Laser Receiver, LR410.....	\$2,451.00
	Includes 1 LR410 reciever and case. (Must order 2 for use with laser kit) (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)	
7436108	Trimble LR410 Laser Receiver Mount Kit.....	\$1,204.00
	(Required for Laser Grading System)(Must also order two LR410 laser receivers, p/n 7436330) (Includes 2 poles, 2 receiver harnesses, and 1 jumper harness (jumper connected to left receiver).	
7370490	Trimble BLR2 Laser Receiver Mount Kit	\$1,204.00
	Includes 2 poles and 2 receiver harnesses. (Required for Laser Grading System) (*Not for use with LR410 receivers)	
7531738	Topcon Transmitter, Dual Slope.....	\$3,802.00
	Works with either Topcon or Trimble receivers	
7531739	Topcon Elevating Tripod.....	\$708.00
	Works with either Topcon or Trimble transmitters	
7522613	Topcon Laser Receiver, LS-B200W.....	\$2,830.00
	Includes 1 LS-B200W receiver and case. (Must order 2 with HD Box Blase) (Order 1 reciever for Std. Box Blade & one 7513989 Harness for Topcon Receiver (harness ordered through Parts)). (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)	
7514689	Topcon Laser Receiver Mount Kit.....	\$1,371.00
	Includes 2 poles and 2 receiver harnesses. (Required for Laser Grading System) (*for Topcon use only)	

Parts Needed to Equip Bobcat Graders and Boxblades with Guidance Systems							
	Trimble 2D Laser Guiding	Topcon 2D Laser Guiding	3D Dual GPS	3D Single GPS	3D UTS	Sonic & Slope	SITECH dealer needed for setup
Box Blade	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not	Not Compatible
Box Blade w/Laser	Quantity: 1-LR410 Laser Receiver - 7436330 , 1- 7426875 Harness, 1 - 7426835 Jumper Harness	Quantity: 1-LS-B200W Laser Receiver - 7522613 , 1- 7513989 Harness	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
84" Grader	Laser Mounting Kit - 7436128 , LR410 Laser Receivers - 7436330 (Qty: 2)	Laser Mounting Kit - 7514700 , LS-B200W Laser Receivers - 7522613 (Qty: 2)	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
96" & 108" HD Grader	Laser Mounting Kit - 7436129 , LR410 Laser Receivers - 7436330 (Qty: 2)	Laser Mounting Kit - 7514701 , LS-B200W Laser Receivers - 7522613 (Qty: 2)	Consult SITECH dealer for Earthworks components	Consult SITECH dealer for Earthworks components	Consult SITECH dealer for Earthworks components	Sonic Tracer & Slope Sensor Package - 7023454 Sonic Tracer & Slope Mounting Kit - 7211624	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D UTS)
HD Box Blade	Laser Mounting Kit - 7436108 , LR410 Laser Receivers - 7436330 (Qty:2)	Laser Mounting Kit - 7514689, LS-B200W Laser Receivers- 7522613 (Qty:2)	Earthworks coming soon	Earthworks coming soon	Earthworks coming soon	Not Compatible	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D UTS)
Tripod	PN 6688806. Needed for all Laser guided systems if customer does not have a tripod	PN 7531739. Needed for all Laser guided systems if customer does not have a tripod					
Laser Transmitter Dual Slope	PN 7275232. Needed for all Laser guided systems if customer does not have a transmitter	PN 7531738. Needed for all Laser guided systems if customer does not have a transmitter					

Breaker, Hydraulic

Bobcat Loader Attachment



Quick Specs

	<u>HB680</u>	<u>HB880</u>	<u>HB980</u>
Operating Weight (nail point/loader frame).....	436 lbs	681 lbs	756 bs
Operating Weight (nail point/Loader X-Change frame).....	483 lbs	689 lbs	764 lbs
Impact Energy Class.....	150 ft. lb	300 ft. lb	500 ft. lb
CIMA Tool Energy Rating.....	143 ft. lb	207 ft. lb	282 ft. lb
Blows per Minute.....	1340 @ 13 gpm	1310 @ 17 gpm	1450 @ 21 gpm
Flow Requirements.....	7-13 gpm	8-17 gpm	12-21 gpm
Tool Working Length.....	13.0"	13.0"	14.0"
Tool Diameter.....	2.2"	2.6"	2.8"
<i>Estimated Breaker Performance with Concrete</i>			
Recommended Working Thickness.....	2 - 4"	4 - 10"	6 - 14"
<i>Demolished Volume per Hour</i>			
Non-Reinforced Concrete.....	1 - 4 cu. yd	4 - 12 cu. yd	5 - 15 cu. yd
Reinforced Concrete.....	1 - 3 cu. yd	1 - 4 cu. yd	2 - 6 cu. yd
	<u>HB1180</u>	<u>HB1380</u>	<u>HB2380</u>
Operating Weight (nail point/loader frame).....	939 lbs	1129 lbs	1183 lbs
Operating Weight (nail point/Loader X-Change frame).....	N/A	N/A	N/A
Impact Energy Class.....	750 ft. lb	850 ft. lb	1000 ft. lb
CIMA Tool Energy Rating.....	384 ft. lb	515 ft. lb	700 ft. lb
Blows per Minute.....	1280 @ 26 gpm	1230 @ 32 gpm	910 @ 33 gpm
Flow Requirements.....	15-26 gpm	17-32 gpm	20-33 gpm
Tool Working Length.....	16.0"	17.0"	18.0"
Tool Diameter.....	3.0"	3.4"	3.8"
<i>Estimated Breaker Performance with Concrete</i>			
Recommended Working Thickness.....	8 - 16"	10 - 18"	12 – 20"
<i>Demolished Volume per Hour</i>			
Non-Reinforced Concrete.....	6 - 15 cu. yd	8 – 18 cu. yd	10 – 20 cu. yd
Reinforced Concrete.....	2 - 7 cu. yd	3 – 8 cu. yd	4 – 9 cu. yd

Part Number	Description	HB680 Breaker	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
7113419	HB680 Breaker.....		\$6,632.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker) (When installing on MT50, must also order Shutdown Kit, p/n 6735945)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>Mounting Frames – HB680</u>			
7113736	Bob-Tach Loader Mounting Frame.....		\$1,106.00
	(Must also order a hose kit, P/N 6727411)		
7272954	Breaker Frame CII, MT85, MT100, MT120.....		\$1,134.00
	(Must also order a hose kit, P/N 6727411)		
7150181	Loader X-Change Mounting Frame.....		\$1,625.00
	(Uses X-Change pin-through design) (Must also order Breaker X-Change Mounting Cap p/n 7113656. This allows breaker with X-Change Mounting Cap to be installed on loader) (Must also order a hose kit, P/N 6727411)		
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) (Must also order Breaker CIMC Mounting Cap p/n 7387135. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader) (Must also order a hose kit, P/N 6727411)		
7113656	X-Change Mounting Cap.....		\$806.00
<u>Accessories – HB680</u>			
6727411	Hose Kit.....		\$316.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

<u>Breaker Tools – HB680</u>			
7144681	Blunt.....	Parts	\$ ____
7144676	Conical Point (MOIL).....	Parts	\$ ____
7144679	Cross Cut Asphalt.....	Parts	\$ ____
7144673	Cross Cut Chisel.....	Parts	\$ ____
7144677	Cross Cut Wide Chisel.....	Parts	\$ ____
7144680	In-Line Asphalt.....	Parts	\$ ____
7144674	In-Line Chisel.....	Parts	\$ ____
7144678	In-Line Wide Chisel.....	Parts	\$ ____
7149302	Nail Point.....	Parts	\$ ____
7144682	Tamping.....	Parts	\$ ____

Part Number	Description	HB880 Breaker	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T110, T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)			
7113420	HB880 Breaker.....		\$9,261.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>Mounting Frames – HB880</u>			
7113737	Loader Mounting Frame.....		\$1,176.00
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)		
7141800	Loader X-Change Mounting Frame.....		\$1,730.00
	(Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)		
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387136. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
7113657	X-Change Mounting Cap.....		\$835.00
<u>Accessories – HB880</u>			
7114764	Hose Kit.....		\$359.00
	(Ship Weight 20 lbs.)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

<u>Breaker Tools – HB880</u>			
7144696	Blunt.....	Parts	\$ ____
7144691	Conical Point (moil).....	Parts	\$ ____
7144694	Cross Cut Asphalt.....	Parts	\$ ____
7144688	Cross Cut Chisel.....	Parts	\$ ____
7144692	Cross Cut Wide Chisel.....	Parts	\$ ____
7144695	In-Line Asphalt.....	Parts	\$ ____
7144689	In-Line Chisel.....	Parts	\$ ____
7144693	In-Line Wide Chisel.....	Parts	\$ ____
7144690	Nail Point.....	Parts	\$ ____
7144697	Tamping.....	Parts	\$ ____

Part Number	Description	HB980 Breaker	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630*, S650*, S740*, S750*, S770*) (A770*) (S62, S64, S66, S76, S86) (T110, T140, T180, T190) (T450, T550, T590, T595, T630*, T650*, T750*, T770*) (T62, T64, T66, T76, T86) (L35)			
7113421	HB980 Breaker.....		\$11,600.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

*May need to order Flow Control Valve Kit for M-Series, see below for details

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>Mounting Frames – HB980</u>			
7113737	Loader Mounting Frame.....		\$1,176.00
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)		
7141800	Loader X-Change Mounting Frame.....		\$1,730.00
	(Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)		
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387136. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
7113657	X-Change Mounting Cap.....		\$835.00
<u>Accessories – HB980</u>			
7114764	Hose Kit.....		\$359.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

7177744	Flow Control Valve Kit, for M-Series.....	Parts	\$_____
	(Required for use with S630-T770 M-Series Loaders) (Standard on new breakers starting 1 June 09)		

<u>Breaker Tools – HB980</u>			
7144707	Blunt.....	Parts	\$_____
7144702	Conical Point (MOIL).....	Parts	\$_____
7144705	Cross Cut Asphalt.....	Parts	\$_____
7144699	Cross Cut Chisel.....	Parts	\$_____
7144703	Cross Cut Wide Chisel.....	Parts	\$_____
7144706	In-Line Asphalt.....	Parts	\$_____
7144700	In-Line Chisel.....	Parts	\$_____
7144704	In-Line Wide Chisel.....	Parts	\$_____
7144701	Nail Point.....	Parts	\$_____
7144708	Tamping.....	Parts	\$_____

Part Number	Description	HB1180 Breaker	SLP in US \$
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86) (L35)			
7115923	HB1180 Breaker.....		\$15,251.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Mounting Frame – HB1180</u>	
7115937	Loader Mounting Frame.....		\$1,344.00
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)		
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387138. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
7509286	Loader/TAG Mounting Frame (1/4 yd.).....		\$2,689.00
	(Uses CIMC "TAG" 1/4 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387137. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
		<u>Accessories – HB1180</u>	
7114764	Hose Kit.....		\$359.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
	<u>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</u>	
		<u>Breaker Tools – HB1180</u>
7144718	Blunt.....	Parts \$ ____
7144713	Conical Point (MOIL).....	Parts \$ ____
7144716	Cross Cut Asphalt.....	Parts \$ ____
7144714	Cross Cut Wide Chisel.....	Parts \$ ____
7144717	In-Line Asphalt.....	Parts \$ ____
7144711	In-Line Chisel.....	Parts \$ ____
7144712	Nail Point.....	Parts \$ ____
7144719	Tamping.....	Parts \$ ____
7144715	In-Line Wide Chisel.....	Parts \$ ____

Part Number	Description	HB1380 Breaker	SLP in US \$
(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)			
7157576	HB1380 Breaker.....		\$19,202.00
	(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Mounting Frame – HB1380</u>	
7115937	Loader Mounting Frame.....		\$1,344.00
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)		
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387138. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
7509286	Loader/TAG Mounting Frame (1/4 yd.).....		\$2,689.00
	(Uses CIMC "TAG" 1/4 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387137. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
		<u>Accessories – HB1380</u>	
7114764	Hose Kit.....		\$359.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
	<u>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</u>	
		<u>Breaker Tools – HB1380</u>
7163375	Blunt.....	Parts \$ ____
7163370	Conical Point (MOIL).....	Parts \$ ____
7163373	Cross Cut Asphalt.....	Parts \$ ____
7163367	Cross Cut Chisel.....	Parts \$ ____
7163371	Cross Cut Wide Chisel.....	Parts \$ ____
7163374	In-Line Asphalt.....	Parts \$ ____
7163368	In-Line Chisel.....	Parts \$ ____
7163369	Nail Point.....	Parts \$ ____
7163372	Wide Chisel.....	Parts \$ ____

Part Number	Description	HB2380 Breaker	SLP in US \$
-------------	-------------	----------------	--------------

(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)

7133203 **HB2380 Breaker**..... \$23,257.00

(Includes Nail Point, fixing cap bolts, cradle, isolation mount, gauge tool, retainer clip and hose protector) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

7115937 **Loader Mounting Frame**..... *Mounting Frame – HB2380* \$1,344.00

(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)

7509286 **Loader/TAG Mounting Frame (1/4 yd.)**..... \$2,689.00

(Uses CIMC "TAG" 1/4 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387137. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)

7141851 **Auto-Grease Kit**..... *Accessories – HB2380* \$2,410.00
7114764 **Hose Kit**..... \$359.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.


7163375 **Blunt**..... *Breaker Tools – HB2380* **Parts** \$ ____
7163370 **Conical Point (MOIL)**..... **Parts** \$ ____
7163373 **Cross Cut Asphalt**..... **Parts** \$ ____
7163367 **Cross Cut Chisel**..... **Parts** \$ ____
7163371 **Cross Cut Wide Chisel**..... **Parts** \$ ____
7163374 **In-Line Asphalt**..... **Parts** \$ ____
7163368 **In-Line Chisel**..... **Parts** \$ ____
7163369 **Nail Point**..... **Parts** \$ ____
7163372 **Wide Chisel**..... **Parts** \$ ____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Special Applications Kit.....	Install Kit.....	2.00
HB2380.....	Install grease kit on HB2380.....	1.00

Breaker, Nitrogen

Bobcat Loader Attachment



Quick Specs

	<u>NB140</u>	<u>NB 150</u>	<u>NB160</u>
Operating Weight (nail point/loader frame).....	463 lbs	695 lbs	912 lbs
Operating Weight (nail point/Loader X-Change frame).....	509 lbs	703 lbs	920 lbs
Impact Energy Class.....	350 ft. lb	550 ft. lb	900 ft. lb
AEM Tool Energy Rating.....	243 ft. lb	303 ft. lb	592 ft. lb
Blows per Minute.....	1,022 @ 13.2 gpm	1,075 @ 20.4 gpm	979 @ 23.3 gpm
Flow Requirements.....	7-13 gpm	13-20 gpm	13-24 gpm
Tool Working Length.....	14.6"	13.0"	18.4"
Tool Diameter.....	2.2"	2.6"	2.8"
<i>Estimated Breaker Performance with Concrete</i>			
Recommended Working Thickness.....	1 - 5"	6 - 15"	10 - 20"
<i>Demolished Volume per Hour</i>			
Non-Reinforced Concrete.....	1 - 4 cu. yds.	4 - 15 cu. yds.	6 - 20 cu. yds.
Reinforced Concrete.....	1 - 4 cu. yds.	1 - 6 cu. yds.	3 - 8 cu. yds.
	<u>NB170</u>	<u>NB180</u>	
Operating Weight (nail point/loader frame).....	1275 lbs	1395 lbs	
Operating Weight (nail point/Loader X-Change frame).....	N/A	N/A	
Impact Energy Class.....	1200 ft. lb	1500 ft. lb	
AEM Tool Energy Rating.....	759 ft. lb	996 ft. lb	
Blows per Minute.....	965 @ 21.9 gpm	1,000 @ 29 gpm	
Flow Requirements.....	11-24 gpm	15-30 gpm	
Tool Working Length.....	21.9"	22.7"	
Tool Diameter.....	3.2"	3.7"	
<i>Estimated Breaker Performance with Concrete</i>			
Recommended Working Thickness.....	12 - 22"	14 - 24"	
<i>Demolished Volume per Hour</i>			
Non-Reinforced Concrete.....	8 - 20 cu. yds.	11 - 25 cu. yds.	
Reinforced Concrete.....	4 - 10 cu. yds.	5 - 16 cu. yds.	

Part Number	Description	NB140 Breaker	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
7355666	NB140 Breaker.....		\$5,338.00
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker) (When installing on MT50, must also order Shutdown Kit, p/n 6735945)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Mounting Frames – NB140</u>	
7113736	Bob-Tach Loader Mounting Frame.....		\$1,106.00
	(Must also order a hose kit, P/N 6727411)		
7272954	Breaker Frame CII, MT85, MT100, MT120.....		\$1,134.00
	(Must also order a hose kit, P/N 6727411)		
7150181	Loader X-Change Mounting Frame.....		\$1,625.00
	(Uses X-Change pin-through design) (Must also order Breaker X-Change Mounting Cap p/n 7113656. This allows breaker with X-Change Mounting Cap to be installed on loader) (Must also order a hose kit, P/N 6727411)		
7113656	X-Change Mounting Cap.....		\$806.00
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387135. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6727411)		
		<u>Accessories – NB140</u>	
6727411	Hose Kit.....		\$316.00
	(Includes hoses and quick couplers)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
		<u>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</u>
		<u>Breaker Tools – NB140</u>
7357286	Conical Point (MOIL).....	Parts \$ ____
7357288	Cross Cut Chisel.....	Parts \$ ____
7357287	In-Line Chisel.....	Parts \$ ____
7357285	Nail Point.....	Parts \$ ____

Part Number	Description	NB150 Breaker	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T110, T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)			
7234534	NB150 Breaker.....		\$6,990.00
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
		<u>Mounting Frames – NB150</u>	
7113737	Loader Mounting Frame.....		\$1,176.00
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)		
7141800	Loader X-Change Mounting Frame.....		\$1,730.00
	(Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)		
7113657	X-Change Mounting Cap.....		\$835.00
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387136. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
		<u>Accessories – NB150</u>	
7114764	Hose Kit.....		\$359.00
	(Ship Weight 20 lbs.)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Water Kit

Note: Water Kits are available for use with the NB Breaker attachments – see Water Kit page for details.

		<u>Breaker Tools – NB150</u>	
7357294	Blunt.....	Parts	\$ ____
7357291	Conical Point (MOIL).....	Parts	\$ ____
7357293	Cross Cut Chisel.....	Parts	\$ ____
7357292	In-Line Chisel.....	Parts	\$ ____
7357290	Nail Point.....	Parts	\$ ____

Part Number	Description	NB160 Breaker	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190)(T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86) (L35)			
7234536	NB160 Breaker.....		\$8,755.00
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	SLP in US \$
<u>Mounting Frames – NB160</u>		
7113737	Loader Mounting Frame..... (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order a hose kit, P/N 7114764)	\$1,176.00
7141800	Loader X-Change Mounting Frame..... (Allows breaker with X-Change Mounting Cap to be installed on loader, breaker can then be used on excavator and loader. Uses X-Change pin-through design) (Breaker mounting frame allows for breaking horizontal or vertical surfaces) (Must also order Breaker X-Change Mounting Cap P/N 7113657) (Must also order a hose kit, P/N 6728963)	\$1,730.00
7113657	X-Change Mounting Cap.....	\$835.00
7509285	Loader/TAG Mounting Frame (1/8 yd.)..... (Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387136. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)	\$2,324.00
<u>Accessories – NB160</u>		
7114764	Hose Kit.....	\$359.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Water Kit
 Note: Water Kits are available for use with the NB Breaker attachments – see Water Kit page for details.

<i>Breaker Tools – NB160</i>			
7357299	Blunt.....	Parts	\$ ____
7357298	Conical Point (MOIL).....	Parts	\$ ____
7357295	Cross Cut Chisel.....	Parts	\$ ____
7357302	In-Line Chisel.....	Parts	\$ ____
7357297	Nail Point.....	Parts	\$ ____

Part Number	Description	NB170 Breaker	SLP in US \$
-------------	-------------	---------------	--------------

(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)			
7355672	NB170 Breaker.....		\$13,329.00
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

		<u>Mounting Frames – NB170</u>	
7115937	Loader Mounting Frame.....		\$1,344.00
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)		
7509285	Loader/TAG Mounting Frame (1/8 yd.).....		\$2,324.00
	(Uses CIMC "TAG" 1/8 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387138. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
7509286	Loader/TAG Mounting Frame (1/4 yd.).....		\$2,689.00
	(Uses CIMC "TAG" 1/4 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387137. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
		<u>Accessories – NB170</u>	
7114764	Hose Kit.....		\$359.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Water Kit

Note: Water Kits are available for use with the NB Breaker attachments – see Water Kit page for details.

Breaker Tools – NB170

7357306	Conical Point (MOIL).....	Parts	\$ ____
7357303	Cross Cut Chisel.....	Parts	\$ ____
7357302	In-Line Chisel.....	Parts	\$ ____
7357300	Nail Point.....	Parts	\$ ____

Part Number	Description	NB180 Breaker	SLP in US \$
-------------	-------------	---------------	--------------

(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)			
7355674	NB180 Breaker.....	\$15,210.00	
	(Includes Nail Point & fixing cap bolts) (Must also order Loader Mounting Frame and Hose Kit) (Special Applications Kit must be used when operating a Hydraulic Breaker)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

		<u>Mounting Frames – NB180</u>	
7115937	Loader Mounting Frame.....	\$1,344.00	
	(Breaker mounting frame allows for breaking horizontal or vertical surfaces.) (Must also order a hose kit, P/N 7114764)		
7509286	Loader/TAG Mounting Frame (1/4 yd.).....	\$2,689.00	
	(Uses CIMC "TAG" 1/4 yd design) Must also order Breaker CIMC Mounting Cap p/n 7387137. This allows breaker with CIMC (TAG equivalent) Mounting Cap to be installed on loader. (Must also order a hose kit, P/N 6728963)		
		<u>Accessories – NB180</u>	
7114764	Hose Kit.....	\$359.00	

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Water Kit

Note: Water Kits are available for use with the NB Breaker attachments – see Water Kit page for details.


		<u>Breaker Tools – NB180</u>	
7357306	Conical Point (MOIL).....	Parts	\$ ____
7357308	Cross Cut Chisel.....	Parts	\$ ____
7357307	In-Line Chisel.....	Parts	\$ ____
7357305	Nail Point.....	Parts	\$ ____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Special Applications Kit.....	Install Kit.....	2.00

Brush Saw

Bobcat Loader Attachment



Top View

Quick Specs

Operating Weight.....	590 lbs
Number of Cutting Teeth.....	15
Tip Speed Cutting Teeth.....	3256 ft./min @ 24 gpm
Disc RPM @ 22 gpm.....	400 RPM
Flow Range.....	15 – 23 gpm
Cutting Wheel (Disc) Diameter.....	28.5"
Overall Width.....	48.0"
Overall Length.....	85.0"
Overall Height.....	29.5"


Part Number	Description	Attachment	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35)			
7121030	Brush Saw.....		\$9,592.00
	(Special Applications kit must be installed on loader when operating Brush Saw)		

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Brush Saw.....	None.....	-

Brushcat™ Rotary Cutter
Bobcat Loader Attachment



Quick Specs

	<u>RC44</u>	<u>RC5435</u>	<u>RC5450</u>		
Operating Weight.....	931 lbs	1042 lbs	1042 lbs		
Hydraulic Flow Range.....	9.0-12.5gpm	9.0-12.5gpm	12-18 gpm		
Blade Tip Speed (Minimum Flow / ft./min).....	11,948	12,783	11,715		
Blade Tip Speed (Maximum Flow / ft./min).....	16,595	17,754	17,573		
Cutting Width.....	44in.	54in.	54in.		
Cutting Height.....	3in.	3in.	3in.		
Deck Length.....	58.18in.	68.18in.	68.18in.		
Vertical Travel.....	8in.	8in.	8in.		
Overall Width.....	48in.	58in.	58in.		
Overall Height.....	26.5in.	26.5in.	26.5in.		
Overall Length.....	64.12in.	74.12in.	74.12in.		
Cutting Capacity.....	2in.	2in.	2in.		
	<u>RC66</u>	<u>RC66HF</u>	<u>RC72</u>	<u>RC72HF</u>	<u>RC80HF</u>
Operating Weight.....	1437 lbs	1437 lbs	1500 lbs	1500 lbs	1581 lbs
Hydraulic Flow Range.....	15-24 gpm	24-36 gpm	15-26 gpm	24-40 gpm	24-40 gpm
Blade Tip Speed (Minimum Flow / ft./min).....	11,399	11,394	9,922	9,922	10,932
Blade Tip Speed (Maximum Flow / ft./min).....	18,238	17,064	17,197	16,536	18,219
Cutting Width.....	66"	66"	72"	72"	80"
Cutting Height.....	3"	3"	3"	3"	3"
Deck Length.....	61.1"	61.1"	64.3"	64.3"	67.7"
Vertical Travel.....	8"	8"	8"	8"	8"
Overall Width.....	70.3"	70.3"	76.3"	76.3"	84.3"
Overall Height.....	26.5"	26.5"	26.5"	26.5"	26.5"
Overall Length.....	67.2"	67.2"	70.4"	70.4"	73.8"
Cutting Capacity.....		Brush material up to 3 in. in diameter for all models			

Part Number	Description	Attachment	SLP in US \$
(MT85, MT100, MT120) (L23, L28) 7385981	RC44 Brushcat Rotary Cutter..... (All loaders must be equipped with case drain kit) (MT85 and MT100 must be equipped with case drain kit (P/N 7279903) and engine shut down kit (P/N 7348547))		\$7,549.00
(L23, L28) 7388300	RC54-35 Brushcat Rotary Cutter..... (All loaders must be equipped with case drain kit)		\$8,236.00
(S450, T450) (L35) 7424531	RC54-50 Brushcat Rotary Cutter..... (All loaders must be equipped with case drain kit)		\$8,942.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66) (L35) 7234049	RC66 Brushcat Rotary Cutter..... (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3") (Counterweight kit required for L35)		\$9,470.00
(S160H, S175H, S185H, S205H) (S550H, S570H, S590H, S595H) (S62H, S64H, S66H) (T180H, T190H) (T550H, T590H, T595H) (T62H, T64H, T66H) 7233014	RC66HF Brushcat Rotary Cutter..... (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")		\$11,092.00
(S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T76) (T180, T190) (T62, T64, T66, T76) (A770) 7218087	RC72 Brushcat Rotary Cutter..... (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")		\$9,947.00
(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H,S76H, S86) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (A770H) (T62H, T64H, T66H, T76H) 7233002	RC72HF Brushcat Rotary Cutter..... (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")		\$11,376.00
(S630H, S650H, S740H, S750H, S770H, S850H) (S76H, S86) (T630H, T650H, T740H, T750H, T770H, T870H) (A770H) (T76H, T86) 7233092	RC80HF Brushcat Rotary Cutter..... (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")		\$11,609.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

7242262	4" Cutting Height Blades Kit (For 66" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)	Parts	\$_____
7242263	4" Cutting Height Blades Kit (For 72" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)	Parts	\$_____
7242264	4" Cutting Height Blades Kit (For 80" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)	Parts	\$_____
7244897	Motor Cover Kit (Requires (8) bolts P/N 84G3716 to install the covers onto the Rotary Cutter) (Please see installation instructions on BASSII)	Parts	\$_____
7242261	Front Roller Kit (Install time: 1 hour)	Parts	\$_____
7279903	Case Drain Kit (Required on MT85 and MT100) (Install time: 1.5 hours)	Parts	\$_____
7348547	Engine Shut-off Kit (Required on MT85 and MT100) (Install time: 2 hours)	Parts	\$_____
7362520	Counterweight Kit (Required for L35)	Parts	\$_____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Brushcat Rotary Cutter.....	None.....	-
Blade Kits.....	Install Blades.....	1.50
Front Roller Kit.....	Install Rollers.....	1.00
Motor Cover Kit.....	Install Covers.....	0.50
Case Drain Kit.....	Install Case Drain.....	1.50
Engine Shut-off Kit.....	Install Shut-off kit.....	2.00

Brush Cutter, HD
Bobcat Loader Attachment




Quick Specs

	<u>62"</u>	<u>62" HF</u>	<u>74"</u>	<u>74" HF</u>	<u>86" HF</u>
Operating Weight (lbs)	1950	1950	2150	2150	2450
Hydraulic Flow Range (gpm)	17-23	26-31	17-23	26-37	30-37
Blade Tip Speed (MinFlow ft./min)	13,313	14173	13242	12405	16469
Blade Tip Speed (Max flow ft./min)	17,907	19429	17811	17005	19763
Cutting Width	62"	62"	74"	74"	86"
Overall Width	68.9"	68.9"	80.9"	80.9"	92.9"
Overall Height	24.5"	24.5"	24.5"	24.5"	24.5"
Overall Length	72.3"	72.3"	84.3"	84.3"	96"
Cutting Capacity	Brush material up to 10" in diameter for all models				
Standard Features	Dual edge blades, Reversible cutting direction				

Part Number	Description	Attachment	SLP in US \$
(S570, S590, S595, S630, S650, S740, S750, S770, A770, S850) (S62, S64, S66, S76) (T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7405767	62" HD Brush Cutter, Standard Flow..... (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)		\$15,520.00
(S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, A770H, S850H) (S62H, S64H, S66H, S76H) (T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)			
7405768	62" HD Brush Cutter, High Flow..... (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)		\$15,775.00
(S595, S630, S650, S740, S750, S770, A770, S850) (S62, S64, S66, S76, S86) (T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7405769	74" HD Brush Cutter, Standard Flow..... (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)		\$16,880.00
(S595H, S630H, S650H, S740H, S750H, S770H, A770H, S850H) (S62H, S64H, S66H, S76H, S86H) (T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)			
7405770	74" HD Brush Cutter, High Flow..... (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)		\$17,213.00
(S650H, S740H, S750H, S770H, A770H, S850H) (S66H, S76H, S86H) (T650H, T740H, T750H, T770H, T870H) (T66H, T76H, T86H)			
7405773	86" HD Brush Cutter, High Flow..... (Comes with replaceable front skid shoes), (Loader must be equipped with special applications door)		\$18,380.00

Dealer Installed Accessories - Order From Parts			
Part Number	Description		
7376911	Special Applications Door, R-Series..... (Required for HD Brush Cutter), (Order through parts)	Parts	\$ -
7128395	Special Applications Door, M-Series..... (Required for HD Brush Cutter), (Order through parts)	Parts	\$ -

Bucket
Bobcat Loader Attachment



Buckets - Order From Sales					
Part Number	Description	SAE Capacity (FT ³)		Ship WGT.	SLP in US \$
		Struck	Heaped		
(MT50, MT52, MT55, MT85, MT100, MT120) (L23, L28) (S70)					
6731520	36" Constr./Ind. Bucket *..... (Not approved for use with 32" Utility Grapple, P/N 6728117)	3.18	4	167	\$963.00
7117432	36" Dirt Bucket *..... (Not approved for use with 32" Utility Grapple, P/N 6728117)	3.7	4.7	168	\$919.00
7117433	44" Dirt Bucket *.....	4.6	5.8	188	\$972.00
7114488	36" General Purpose Bucket *..... (For use with 32" Utility Grapple, P/N 7125370)	4.5	6	185	\$970.00
7272912	Bucket GP 36" CII, MT85, MT100 *..... (For use with 32" Utility Grapple, P/N 7125370)	4.5	6	185	\$970.00
7114581	44" General Purpose Bucket *..... (For use with 32" Utility Grapple, P/N 7125370)	5.5	7.4	207	\$1,025.00
(MT85, MT100, MT120)					
7501826	Bucket 36" GPX*..... (Not approved for use with 32" Utility Grapple, P/N 6728117)	5.8	7.7	223	\$1,085.00
7501831	Bucket GP 36" GPX CII, MT85, MT100 *..... (Not approved for use with 32" Utility Grapple, P/N 6728117)	5.8	7.7	225	\$1,085.00
(MT100, MT120)(L23, L28)					
7501827	Bucket 44" GPX*..... (Not approved for use with 32" Utility Grapple, P/N 6728117)	7.2	9.6	249	\$1,140.00
7501832	Bucket GP 44" GPX CII, MT100 *..... (Not approved for use with 32" Utility Grapple, P/N 6728117)	7.2	9.6	251	\$1,140.00
(MT120)(S100)(L23, L28)					
7501828	Bucket 50" GPX*.....	8.2	11	271	\$1,262.00
(MT85, MT100, MT120)(L23, L28)(S70)					
7501829	44" Light Material Bucket Δ.....	12.52	15.7	302	\$1,221.00
(MT100, MT120)(L23, L28)(S100)					
7501830	54" Light Material Bucket Δ.....	15.43	19.67	343	\$1,310.00
(MT55, MT85, MT100, MT120)(L32, L28) (S70)					
7387672	44" SAL Utility bucket *.....	8.1	9.9	232	\$1,048.00
(L23, L28, L35)					
7387673	54" SAL Utility bucket *.....	10	12.3	272	\$1,185.00
7387674	60" SAL Utility bucket *.....	11.1	13.7	293	\$1,272.00
(S70, MT55, MT85, MT100, MT120) (L23, L28)					
7117432	36" Dirt Bucket *.....	3.7	4.7	168	\$919.00
7117433	44" Dirt Bucket *.....	4.6	5.8	188	\$972.00
7114488	36" General Purpose Bucket *.....	4.5	6	185	\$970.00
7114581	44" General Purpose Bucket *.....	5.5	7.4	207	\$1,025.00
(S70, MT85, MT100, MT120) (L23, L28)					
7272919	Bucket GP 44" CII, MT85, MT100 *.....	5.5	7.4	207	\$1,025.00
7114583	50" General Purpose Bucket *.....	6.3	8.5	223	\$1,072.00
(MT120)(S100)					
7117434	50" Dirt Bucket *.....	5.2	6.6	202	\$1,000.00
7114582	50" General Purpose Bucket *.....	6.3	8.5	223	\$1,072.00
(MT85, MT100, MT120) (L23, L28)					
7501829	44" Light Material Bucket Δ.....	12.52	15.7	302	\$1,221.00
(MT100, MT120) (L23, L28)(S100)					
7501830	54" Light Material Bucket Δ.....	15.43	19.67	343	\$1,310.00
Δ	Buckets have holes predrilled to accept bolt-on cutting edges.				
*	Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.				

	Mini Loader Bucket Matrix																			
	Dirt Buckets			General Purpose Buckets											SAL Utility Buckets			C/I Bucket	Light Material	
Width (in)	36"	44"	50"	36"	36" CII	36" GPX	36" GPX CII	44"	44" CII	44" GPX	44" GPX CII	50"	50"	50" GPX	44"	54"	60"	36"	44"	54"
Part #	7117432	7117433	7117434	7114488	7272912	7501826	7501831	7114581	7272919	7501827	7501832	7114583	7114582	7501828	7387672	7387673	7387674	6731520	7501829	7501830
SAE Heap (ft³)	4.7	5.8	6.6	6	6	7.65	7.65	7.4	7.4	9.59	9.59	8.5	8.5	11.05	9.9	12.3	13.7	4	15.7	19.67
Oper. Wgt (lbs)	168	188	202	185	185	223	225	207	207	249	251	223	223	271	232	272	293	167	302	343
SLP in US \$	\$919	\$972	\$1,000	\$970	\$970	\$1,085	\$1,085	\$1,025	\$1,025	\$1,140	\$1,140	\$1,072	\$1,072	\$1,262	\$1,048	\$1,185	\$1,272	\$963	\$1,221	\$1,310
MT50	x	x		x				x										x		
MT52	x	x		x				x										x		
MT55	x	x		x				x							x			x		
MT85	x	x		x	x	x	x	x	x			x			x			x	x	
MT100	x	x		x	x	x	x	x	x	x	x	x			x			x	x	x
MT120	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x
L23	x	x		x			x	x		x		x		x	x	x	x	x	x	x
L28	x	x		x				x			x	x		x	x	x	x	x	x	x
S70	x	x		x		x		x				x			x				x	
S100			x										x	x						x

		Loader Bucket Matrix																		
		Standard Duty				Heavy Duty					Severe Duty				Light Material					
Width (in)	56	62	68	74	56	62	68	74	80	74	80	86	92	68	74	80	86	92	98	
Part #	7272770	7272769	7272771	7272768	7293982	7272678	7272679	7272680	7272681	7326130	7326129	7326128	7326127	7279100	7279101	7279102	7279103	7279104	7279105	
SAE Heap	10.7	12.0	13.3	14.5	13.7	15.3	16.9	18.5	20.1	23.5	24.8	26.2	27.5	24.9	27.3	29.7	32.1	50.2	53.8	
Oper. WGT	318	336	354	373	442	476	508	546	578	762	806	849	892	589	632	669	706	864	914	
SLP in US \$	\$1,183	\$1,243	\$1,275	\$1,357	\$1,518	\$1,627	\$1,795	\$1,951	\$2,124	\$2,608	\$2,810	\$2,949	\$3,130	\$2,017	\$2,134	\$2,339	\$2,493	\$2,914	\$3,249	
SSLs																				
Skid Steer Loaders (SSLs)	S450	X	X	X		X	X							X						
	S510		X	X	X		X	X	X					X	X	X	X			
	S530		X	X	X		X	X	X					X	X	X	X			
	S550		X	X	X		X	X	X					X	X	X	X			
	S570		X	X	X		X	X	X					X	X	X	X			
	S590		X	X	X		X	X	X					X	X	X	X			
	S595		X	X	X		X	X	X					X	X	X	X			
	S62			X	X			X	X					X	X	X	X			
	S64			X	X			X	X					X	X	X	X			
	S66			X	X			X	X					X	X	X	X			
	S630			X	X			X	X	X	X	X		X	X	X	X			
	S650			X	X			X	X	X	X	X		X	X	X	X			
	S76			X	X			X	X	X	X	X		X	X	X	X			
	S750							X	X	X	X	X	X	X	X	X	X	X	X	X
	S770							X	X	X	X	X	X	X	X	X	X	X	X	X
	A770							X	X	X	X	X	X	X	X	X	X	X	X	X
S86								X	X	X	X	X	X		X	X	X	X	X	
S850									X		X	X	X			X	X	X	X	
CTLs																				
Compact Track Loaders (CTLs)																				
	T450	X	X	X		X	X							X						
	T550			X	X			X	X	X				X	X	X	X			
	T590			X	X			X	X	X				X	X	X	X			
	T595			X	X			X	X	X				X	X	X	X			
	T62			X	X			X	X	X				X	X	X	X			
	T64			X	X			X	X	X				X	X	X	X			
	T66			X	X			X	X	X				X	X	X	X			
	T630				X				X	X	X				X	X	X			
	T650				X				X	X	X				X	X	X			
	T76				X				X	X	X	X			X	X	X			
	T740										X	X	X	X		X	X	X	X	X
	T770										X	X	X	X		X	X	X	X	X
	T86											X	X	X			X	X	X	X
T870												X	X			X	X	X	X	

	Bucket Accessories																		
	Standard				Heavy Duty					Severe Duty				Light Material					
Bucket Size (in)	56	62	68	74	56	62	68	74	80	74	80	86	92	68	74	80	86	92	98
Bucket Part Number	7272770	7272769	7272771	7272768	7293982	7272678	7272679	7272680	7272681	7326130	7326129	7326128	7326127	7279100	7279101	7279102	7279103	7279104	7279105
Bolt-on Cutting Edge	7125269	6732406	7104508	7104510	7102450	6718005	6718006	6718007	6718008	6718007	6718008	7296449	7296450	6718006	6718007	6718008	7296449	7296450	7296451
Teeth	N/A				7355991, 7355992					7355991, 7355992				N/A					
Spill Guard *	N/A				N/A	7196474 *				N/A				N/A					
Corner Cutting Edge	N/A				6729084					6729084				N/A					
Utility Grapple *	N/A	7176977 *			N/A	7176977 *				N/A				N/A					
Tooth Bar	7125550	6905314	6905315	6905316	7125550	7243845	7243844	7243843	7243842	N/A				N/A					



* Sold through **Sales/whole goods**.
All other accessories are sold through **parts**.



If customer wants teeth on Standard Duty or Light Material Buckets, they will have to drill through only the metal wrap that goes over cutting edge and bucket. Cutting edge has pre-drilled holes.

Buckets - Order From Sales					
Part Number	Description	SAE Capacity (FT ³)		Ship WGT.	SLP in US \$
		Struck	Heaped		

Standard Duty Buckets

7272770	56" Standard Duty Bucket Δ.....	8.1	10.7	318	\$1,183.00
7272769	62" Standard Duty Bucket Δ.....	8.9	12	336	\$1,243.00
7272771	68" Standard Duty Bucket Δ.....	9.8	13.3	354	\$1,275.00
7272768	74" Standard Duty Bucket Δ.....	10.7	14.5	373	\$1,357.00

Heavy Duty Buckets

7293982	56" Heavy Duty Bucket *.....	10.2	13.7	442	\$1,518.00
7272678	62" Heavy Duty Bucket *.....	11.3	15.3	476	\$1,627.00
7272679	68" Heavy Duty Bucket *.....	12.4	16.9	508	\$1,795.00
7272680	74" Heavy Duty Bucket *.....	13.5	18.5	546	\$1,951.00
7272681	80" Heavy Duty Bucket *.....	14.7	20.1	578	\$2,124.00

Severe Duty Buckets

7326130	74" Severe Duty Bucket *.....	15.7	23.5	762	\$2,608.00
7326129	80" Severe Duty Bucket *.....	17	24.8	806	\$2,810.00
7326128	86" Severe Duty Bucket *.....	18.3	26.2	849	\$2,949.00
7326127	92" Severe Duty Bucket *.....	19.6	27.5	892	\$3,130.00

Light Material Buckets

7279100	68" Light Material Bucket Δ.....	19.1	24.9	589	\$2,017.00
7279101	74" Light Material Bucket Δ.....	20.8	27.3	632	\$2,134.00
7279102	80" Light Material Bucket Δ.....	22.5	29.7	669	\$2,339.00
7279103	86" Light Material Bucket Δ.....	24.3	32.1	706	\$2,493.00
7279104	92" Light Material Bucket Δ.....	38.4	50.2	864	\$2,914.00
7279105	98" Light Material Bucket Δ.....	41	53.8	914	\$3,249.00

Δ Buckets have holes predrilled to accept bolt-on cutting edges.
* Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Accessories for Roundback Buckets

Used with all buckets that have the * symbol

6728247	7 Bolt-On Teeth Kit, 36" Mini C/I, 36"-74" Dirt & GP..... (1-Piece Bolt-on Tooth Shank) (Hardware included) (When quoting, must use multiple of 7: 7x\$13.23=\$92.61)	Parts	\$_____
7107319	Standard Forged Tooth Point..... (Replacement Pin-on Tooth Point for S130-T320 Buckets) (Qty. 1)	Parts	\$_____
7107317	Hensley Forged Tooth Point..... (Replacement Pin-on Tooth Point for S130-T320, S630-T870 Buckets) (Qty. 1)	Parts	\$_____
7107320	Hensley Tiger Tooth Point..... (Replacement Pin-on Tooth Point for S130- T320, S630-T870 Buckets) (Qty. 1) (It is recommended that the Hensley Twin Tiger Tooth Point (p/n 6671148) be used at each end of the bucket when using the tiger tooth points)	Parts	\$_____
7107321	Hensley Twin Tiger Tooth Point..... (Replacement Pin-on Tooth Point for S130- T320, S630-T870 Buckets) (Qty. 1)	Parts	\$_____
7355991	Short Bolt-On Teeth Kit..... (For 56 - 80" Heavy Duty, 74-92" Severe Duty) **<u>(Kit is 1 individual tooth. 8 kits = 8 individual teeth) Ex...8x\$27.85=\$222.80**</u> (This tooth kit will work on previous HD CI & SD CI buckets only) (Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)	Parts	\$_____
7355992	Long Bolt-On Teeth Kit..... (For 56 - 80" Heavy Duty, 74-92" Severe Duty) **<u>(Kit is 1 individual tooth. 8 kits = 8 individual teeth) Ex...8x\$27.85=\$222.80**</u> (This tooth kit will work on previous HD CI & SD CI buckets only) (Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)	Parts	\$_____
6729042	Bolt-On Cutting Edge, 36"..... (For 36" C/I, GP, Dirt Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6729043	Bolt-On Cutting Edge, 44"..... (For 44" Dirt/GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7104502	Bolt-On Cutting Edge, 50"..... (For 50" Dirt/GP Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6661451	Bolt-On Cutting Edge, 54"..... (For C/I, Dirt, Fertilizer, Utility Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7125269	Bolt-On Cutting Edge, 56"..... (For 56" Standard Duty Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7102450	Bolt-On Cutting Edge, 56"..... (For 56" Heavy Duty Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6718005	Bolt-On Cutting Edge, 62"..... (For 62" Heavy Duty, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6732406	Bolt-On Cutting Edge, 62"..... (For 62" Standard Duty Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6718006	Bolt-On Cutting Edge, 68"..... (For 68" Heavy Duty / Light Material, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7104508	Bolt-On Cutting Edge, 68"..... (For 68" Standard Duty Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6718007	Bolt-On Cutting Edge, 74"..... (For 74" Heavy Duty / Severe Duty / Light Material, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7104510	Bolt-On Cutting Edge, 74"..... (For 74" Standard Duty Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
6718008	Bolt-On Cutting Edge, 80"..... (For 80" Heavy Duty / Severe Duty / Light Material, Combo Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

*Used with all buckets that have the * symbol*

7296449	*Bolt-On Cutting Edge, 86" (For 86" Severe Duty / Light Mat. Bucket) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7296450	Bolt-On Cutting Edge, 92" (For 92" Severe Duty / Light Mat. Bucket) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
7296451	*Bolt-On Cutting Edge, 98" (For 98" Light Material Buckets) (Hardware not included) (Estimated Install Time 1.5 hours)	Parts	\$_____
<u>*For Severe Duty Buckets: Order Bolt 95G1040 and Nut 57D10. Qty 16 for 82" and Qty 18 for 88"</u>			
6729084	Corner Cutting Edge (3/4" thick single bevel, threaded cutting g edge. Does not require nut) (Must order a quantity of 2) (Hardware not included—must order P/N 1C816, quantity 4)	Parts	\$_____
6719407	Bolt-On Corner Cutting Edge (3/4" thick single bevel, threaded cutting g edge. Does not require nut) (Must order a quantity of 2) (Hardware not included—must order P/N 1C816, quantity 4)	Parts	\$_____
6805464	Bolt-On Corner Cutting Edge (5/8" thick double bevel cutting edge) (Must order a quantity of 2) (Hardware not included—must order P/N 39C000828B, quantity 4 and 97D8, quantity 4)	Parts	\$_____
6729085	Bolt-On Side Guard Kit (For S70 C/I Buckets) (Hardware included) (Extends bucket sideplates)	Parts	\$_____
6729086	Bolt-On Side Guard Kit (For S70 Utility Buckets) (Hardware included) (Extends bucket sideplates.)	Parts	\$_____
7125270	Side Utility Plate Kit (For 36" – 50" Dirt Buckets)	Parts	\$_____
7104358	Side Utility Plate Kit (For 36" – 74" General Purpose Buckets)	Parts	\$_____

Dealer Installed Accessories - Order From Parts	
Part Number	Description

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

7196474	Bucket Spill Guard, Standard.....	\$486.00
	(For 62 - 80" Heavy Duty) (Includes a see through 44" Spill Guard and Hardware) (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area from debris)	

Bucket Bit™ Tooth Bars for Current Standard & Heavy Duty Buckets
Not for use with Severe Buckets

7115543	Bucket Bite Tooth Bar, 44"	Parts	\$ ____
7125548	Bucket Bite Tooth Bar, 44" General Purpose/Dirt.....	Parts	\$ ____
6905521	Bucket Bite Tooth Bar, 48" (Fits 50" LP).....	Parts	\$ ____
7125549	Bucket Bite Tooth Bar, 50" General Purpose/Dirt.....	Parts	\$ ____
6905522	Bucket Bite Tooth Bar, 54"	Parts	\$ ____
7125550	Bucket Bite Tooth Bar, 56"	Parts	\$ ____
6905314	Bucket Bite Tooth Bar, 62"	Parts	\$ ____
6905315	Bucket Bite Tooth Bar, 66" & 68"	Parts	\$ ____
6905316	Bucket Bite Tooth Bar, 74"	Parts	\$ ____
6905317	Bucket Bite Tooth Bar, 80"	Parts	\$ ____

(Heavy Duty Tooth Bars Only)

7243845	Bucket Bite Tooth Bar, 62" (For Bolt-on Cutting Edge).....	Parts	\$ ____
7243844	Bucket Bite Tooth Bar, 68" (For Bolt-on Cutting Edge).....	Parts	\$ ____
7243843	Bucket Bite Tooth Bar, 74" (For Bolt-on Cutting Edge).....	Parts	\$ ____
7243842	Bucket Bite Tooth Bar, 80" (For Bolt-on Cutting Edge).....	Parts	\$ ____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Teeth.....	Bolt to bucket.....	0.50
Bucket Bite.....	Bolt to bucket.....	0.50
Spill Guard.....	Bolt to bucket.....	0.25
Side Guard.....	Bolt to bucket.....	0.25
Corner Cutting Edge.....	Bolt to bucket.....	0.25
Cutting Edge.....	Bolt to bucket.....	0.50
Bucket Adapter.....	Install on bucket.....	0.25
Bucket Mounting Kit.....	Remove existing mount, weld on new mount.....	2.00

Bucket Spill Guard Bobcat Loader Attachment
--

Quick Specs


Operating Weight..... 27 lbs
Overall Width..... 59.75"
Width (Spill Guard)..... 44"
Overall Height..... 22.5"

Part Number	Description	Attachment	SLP in US \$
(62 - 80" Heavy Duty Bucket) 7196474	Bucket Spill Guard, Standard..... (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area) (Includes a see through 44" Spill Guard and Hardware)		\$486.00


Destination Charge/Fuel Surcharge Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Bucket Spill Guard.....	Install on Bucket.....	1.00

Chipper
Bobcat Loader Attachment



5A Chipper



8B Chipper

Quick Specs

	5A Chipper	8B Chipper
Operating Weight.....	1145 lbs	1660 lbs
Feeder Opening.....	5"	9.2"
Continuous Chipping Size.....	Up to 3" diameter material	Up to 5" diameter material
Feed Table Height.....	23.5"	25.4"
Discharge Chute Height.....	92"	93.3"
Blades.....	4 reversible tool steel blades	4 reversible tool steel blades
Dual Mounting Locations.....	Front or right side of loader	Front or right side of loader
Discharge Chute (Incl. End Deflector).....	Rotates 360°	Rotates 360°
Both chippers have automatic hydraulic feed, which includes speed control and load sensing system.		

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)	5A Chipper.....		\$15,553.00
6719129	(Loader must be equipped with an Attachment Control Kit – See Page 1) (Attachment includes a 7-pin harness only) (Approved G-Series and newer Loaders only)		
(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)	8B Chipper.....		\$18,923.00
7117662	(Loader must be equipped with an 7-Pin Attachment Control Kit – See Page 1) (Approved G-Series and new Loaders only)		


Note: 5A Chipper must be installed on 700-800 Series BICS Loaders. Will not function on non-BICS loaders, 953s or 963s. 700-800 Series Loaders prior to G-Series need a Remote Attachment Control Kit, P/N 6716566. 8B Chipper must be installed on G-Series and new loaders only.

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Chipper.....	Install discharge chute.....	0.25
Attachment Control Kit.....		See Page 1

Combination Bucket
Bobcat Loader Attachment



Quick Specs

	<u>62"</u>	<u>68"</u>	<u>74"</u>	<u>80"</u>	<u>84"</u>
Operating Weight.....	807 lbs	852 lbs	898 lbs	1075 lbs	1109 lbs
Overall Width.....	62.5"	68.5"	74.5"	81.4"	85.4"
SAE Capacity Heaped.....	10.7 ft3	11.8 ft3	13.4 ft3	18.3 ft3	19.3 ft3
Number of Teeth.....	7 bolt-on	7 bolt-on	8 bolt-on	8 bolt-on	9 bolt-on
Max Clamping Force.....	8590 lbs	8590 lbs	8590 lbs	6834 lbs	6834 lbs
Cutting Edges.....	62-84" include Bolt-On Cutting Edge on Dozer & back of Clamshell				

Part Number	Description	Attachment	SLP in US \$
(S130, S150*, S160*, S175*, S185*) (S450, S510*, S530*, S550*, S570*, S590*, S595*) (T140) (T450)			
7167310	62" Combination Bucket..... (Bolt-on Teeth are available from Bobcat Parts)		\$4,516.00
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S630*, S650*, S740*, S750*, S770*) (S62, S64, S66, S76*) (T180, T190) (T550, T590, T595) (T62, T64, T66)			
7167311	68" Combination Bucket..... (Bolt-on Teeth are available from Bobcat Parts)		\$4,805.00
(S150, S160, S175, S185, S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
7167312	74" Combination Bucket..... (Bolt-on Teeth are available from Bobcat Parts)		\$5,067.00
(S630, S650, S740, S750, S770) (S76, S86) (A770) (T630, T650, T740, T750, T770) (T76, T86)			
7167313	80" Combination Bucket..... (Bolt-on Teeth are available from Bobcat Parts)		\$6,060.00
(S740, S750, S770) (A770) (S86) (T650, T740, T750, T770) (T76, T86)			
7167314	84" Combination Bucket..... (Bolt-on Teeth are available from Bobcat Parts)		\$6,782.00

*Requires Inset Rims

- Note: Combination Buckets are not approved for use with the Tilt-Tatch.
- Note: Combination Buckets may interfere with tracks at extreme roll-back position on some loaders. Use of lift-arm stop is required if this occurs.
- Note: It is required that a port relief be installed for use with the Combination Buckets except when used on a 463, S70, S100, T100 or MT. Installation instructions are included in the Operation Manual.
- Order the following from Bobcat Parts.
- 6684646

Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
- 6684645

Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574

Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004
- Note: Older loaders listed below will require the following parts, which must be ordered separately from Bobcat Parts.
- 6513594

Port Relief (for 740s with Gresen Valve)
- 6514641

Port Relief (for 843s with Cessna Valve)
- 6658127

Check Valve (for 853s with Apitech Valve)

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6728247	7 Bolt-On Teeth Kit (For 44" Combination Bucket) (1-Piece Bolt-on Tooth Shank) (Hardware included) (When quoting, must use multiple of 7, for example: 7 x \$11.34=\$79.38)	Parts	\$_____
6737322	8 Bolt-On Teeth Kit (For 62" to 84" Combination Buckets) (Must purchase multiple of 8, for example: 8 x \$25.51=\$204.08) (Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)	Parts	\$_____
7107317	Hensley Forged Tooth Point (Qty. 1)	Parts	\$_____
7107320	Hensley Tiger Tooth Point (Qty. 1)	Parts	\$_____
7107321	Hensley Twin Tiger Tooth Point (Qty. 1)	Parts	\$_____
6718005	Bolt-On Cutting Edge, 62" (Estimated install time 1.5 hours)	Parts	\$_____
6718006	Bolt-On Cutting Edge, 68" (Estimated install time 1.5 hours)	Parts	\$_____
6718007	Bolt-On Cutting Edge, 74" (Estimated install time 1.5 hours)	Parts	\$_____
6718008	Bolt-On Cutting Edge, 80" (Hardware not included) (Estimated install time 1.5 hours)	Parts	\$_____
6807069	Bolt-On Cutting Edge, 84" (Hardware not included) (Estimated install time 1.5 hours)	Parts	\$_____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Combination Bucket.....	Install port relief & restrictor on loader.....	0.75

Concrete Mixer
Bobcat Loader Attachment



Quick Specs

	<u>Concrete Mixer</u>
Operating Weight.....	440 lbs
Length.....	43.2"
Width.....	45.2"
Height.....	40.1"
Recommended Drum Speed.....	20 RPM @ 11 gpm
Capacity.....	6.9 cu. ft.
Rotation.....	Bi-rotational
Chain.....	#50 standard roller

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(S175, S185, S205, S220, S250, S300, S330) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86)(A300) (A770) (T180, T190, T250, T300, T320) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7186695	Concrete Mixer.....		\$5,929.00
	(Loader must be equipped with a 7-pin Attachment Control Kit. – See Page 1 and 2) (Attachment will not operate on competitive machines or 14-pin loaders) (Attachment includes a 7-Pin Harness only)		


Note: Concrete Mixer needs to be installed on BICS Loaders. Concrete Mixer will not function on non-BICS loaders, 953s or 963.

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Concrete Mixer.....	None.....	-
Attachment Control Kit.....		See Page 1

Concrete Pump
Bobcat Loader Attachment



Quick Specs

Operating Weight.....	2200 lbs	Concrete Cylinder Diameter.....	6.0"
Length.....	102.9"	Concrete Cylinder Stroke.....	24.0"
Width.....	47.9"	Swing Tube Diameter.....	5.0"
Height.....	54.9"	Concrete Placement.....	30 cu. yards/hour*
Hydraulic Flow Range.....	15 - 40 GPM	Maximum Concrete Pressure.....	750 psi
Hopper Capacity.....	10 cu. ft.	Maximum Aggregate Size.....	1.5" or less

*Volume output will vary depending on mix design, slump, line size, job site conditions and the loader's auxiliary hydraulic flow. Choose a high flow loader for optimum performance.

Part Number	Description	Attachment	SLP in US \$
(S185, S185H, S205, S205H) (S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850, S850H)(S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86)(A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870, T870H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)			
7108693	Concrete Pump.....		\$35,264.00
	(Loader must be equipped with an Attachment Control Kit – See Page 1 and 2) (Attachment includes a 7-Pin Harness only) (May also need Delivery System Kit-unless customer has this equipment)		


Note: Concrete Pump needs to be installed on 700-800, S185-S300, A220-A300, T180-T300 G-Series or newer BICS Loaders or 963 G-Series, will not function on F-Series or non-BICS loaders, 953s or 963 C-Series.

Part Number	Description	Attachment	SLP in US \$
6906079	Delivery System Kit (Includes 5" elbow, 5" to 3" reducer, (3) 25 ft. sections of 3" flexible hose, 3" x 6' flexible hose, (3) 3" x 10' steel lines, (2) 5" couplings, (8) 3" couplings, 3" cleanout ball) (Ship Weight 640 lbs.)		\$8,204.00
6906813	Remote Control Kit (The hand held transmitter runs all functions of the Concrete Pump within a range of 200-400 feet from the pump.) (Ship Weight 8 lbs.)		\$3,224.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Concrete Pump.....	Mount remote attachment start box.....	0.50
Remote Control Kit.....	Install Remote Control kit.....	1
Attachment Control Kit.....		See Page 1

Digger
Bobcat Loader Attachment



Quick Specs

Operating Weight.....	<u>12S</u> 200 lbs	<u>25"</u> 290 lbs	<u>30"</u> 307 lbs	<u>36"</u> 325 lbs
Dig Depth.....	28"	48"	48"	48"

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
7100915	12S Digger.....		\$1,271.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66) (L35)			
6719756	25" Digger.....		\$1,893.00
6719757	30" Digger.....		\$1,993.00
6719758	36" Digger.....		\$2,077.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Digger.....	None.....	-

Disc Mulcher
Bobcat Loader Attachment



Quick Specs

	48" 88cc	48" 103cc	60" 132cc	60" 124cc
Operating Weight (lbs).....	1625	1625	2100	2115
Cutting Width (in).....	48	48	60	60
Overall Width (in).....	63.1	63.1	77.7	77.7
Overall Height (in).....	36.9	36.9	36.9	36.9
Overall Length.....	64.2	64.2	77.7	77.7
Hydraulic Flow Range (gpm).....	23-29	30-37	30-45	30-45
Disc RPM @ 29 GPM	1178	NA	NA	NA
Disc RPM @ 37 GPM.....	NA	1288	1022	1061
Disc RPM @ 45 GPM.....	NA	NA	1219	1290
Max Cutting Capacity.....	Mulch up to 6" and cut up to 14" with all models			

Part Number	Description	Attachment	SLP in US \$
(S550H, S570H, S590H, S595H, S630, S650, S740, S750, S770, S850) (A770) (T550H, T590H, T595H, T630, T650, T740, T750, T770, T870) (S62H, S64H, S66H, S76, S86) (T62H, T64H, T66H, T76, T84, T86)			
7518475	Disc Mulcher, 48, 88cc.....		\$23,856.00
(Must order Forestry Applications Kit. For M-Series loaders must also order Engine Compartment Seal Kit) *S550 requires 200# counterweight kit PN 7129250			
(S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T630H, T650H, T740H, T750H, T770H, T870H) (S76H, S86H) (T76H, T84H, T86H)			
7518801	Disc Mulcher, 48" 103cc.....		\$24,132.00
(Must order Forestry Applications Kit. For M-Series loaders must also order Engine Compartment Seal Kit)			
(S630H, S650H, S740H, S750H, S770H, S850H) (A770H) (T630H, T650H, T740H, T750HH, T770H, T870H) (S76H, S86H, S86S) (T76H, T84H, T86H, T86S)			
7518794	Disc Mulcher, 60" 132cc.....		\$29,510.00
7518474	Disc Mulcher, 60" 124cc Piston		\$31,716.00
(Must order Forestry Applications Kit. For M-Series loaders must also order Engine Compartment Seal Kit)			

Part Number	Dealer Installed Accessories - Order From Sales		SLP in US \$
7131810	Forestry Applications Kit, K-Series.....		\$7,907.00
	(Kit is required to operate Forestry Cutter and provides operator & machine protection. Not compatible with rear auxiliary hydraulics.) (Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Debris Screen for Radiator, Muffler Guard, Lift Cylinder Debris Shields, Top and Rear Windows (1/4 in. polycarbonate), Cab Bulb Seal and Door Threshold and Seal (Estimated install time 6.5 hours))		
7230523	Tier 3 and iT4 Forestry Applications Kit, M-Series.....		\$12,507.00
	(Kit is required to operate Forestry Cutter and provides operator & machine protection. Must also order Engine Compartment Seal Kit. Not compatible with rear auxiliary hydraulics.) (Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours))		
7257723	Tier 4 Forestry Applications Kit, M-Series.....		\$12,507.00
	(Kit is required to operate Forestry Cutter and provides operator & machine protection. Must also order Engine Compartment Seal Kit. Not compatible with rear auxiliary hydraulics.) (Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours))		
(S62, S64, S66, S76) (T62, T64, T66, T76)			
7485082	Forestry Kit T 7# Standard Cab.....		\$12,078.00
	(Kit is required to operate Drum Mulcher and provides operator & machine protection) (Kit includes: exhaust debris guard, polycarbonate side and rear windows, forestry door (3/4 in. laminated polycarbonate), level II FOPS, front and rear light guards, heavy duty spring, tailgate guard and fire extinguisher (estimated intall time 8 hours)) (Coupler guard must be ordered seperatly)		
(S62, S64, S66, S76) (T62, T64, T66, T76)			
7485083	Forestry Kit T 7# Clear Side Cab.....		\$10,582.00
	(Kit is required to operate Drum Mulcher and provides operator & machine protection. Clear side cab is required) (Kit includes: exhaust debris guard, polycarbonate rear windows, polycarbonate sliding side window, forestry door (3/4 in. laminated polycarbonate), level II FOPS, heavy duty spring, front and rear light guards, tailgate guard and fire extinguisher (estimated install time 7 hours)) (Coupler guard must be ordered seperatly)		
(T86, S86)			
7485084	R-Series Forestry Kit T/S 8# Standard Cab.....		\$12,078.00
	(Kit is required to operate Drum Mulcher and provides operator & machine protection) (Kit includes: exhaust debris guard, polycarbonate side and rear windows, forestry door (3/4 in. laminated polycarbonate), level II FOPS, front and rear light guards, heavy duty spring, tailgate guard and fire extinguisher (estimated intall time 8 hours)) (Coupler guard must be ordered seperatly)		
(T86, S86)			
7485085	R-Series Forestry Kit T/S 8# Clear Side Cab.....		\$10,582.00
	(Kit is required to operate Drum Mulcher and provides operator & machine protection. Clear side cab is required) (Kit includes: exhaust debris guard, polycarbonate rear windows, polycarbonate sliding side window, forestry door (3/4 in. laminated polycarbonate), level II FOPS, heavy duty spring, front and rear light guards, tailgate guard and fire extinguisher (estimated install time 7 hours)) (Coupler guard must be ordered seperatly)		

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP in US \$
-------------	-------------	---	--------------


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

(S650) (T650) 7209981	600 VP Engine Compartment Seal Kit (Required when using M-Series 600 platform Vertical Path machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$_____
(S630) (S650) 7206200	600 RP Engine Compartment Seal Kit (Required when using M-Series 600 platform Radial Path machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$_____
(S550) (T550) 7246231	500 RP Engine Compartment Seal Kit (Required when using M-Series 500 platform Radial Path machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$_____
(S570, S590, S595) (T570,T590,T595) 7233421	500 VP Engine Compartment Seal Kit (Required when using M-Series 500 platform Vertical Path machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$_____
(S750, S770) (A770) (T750, T770) 7309976	Engine Compartment Seal Kit (Required when using M-Series 700 platform machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$_____
7179952	Engine Compartment Seal Kit (Required when using M-Series 800 platform machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$_____
(S62H, S64H, S66H, S76H, S86H) (T62H, T64H, T66H, T76H, T84H, T86H) 7422814	R-Series 5-Coupler Guard "Super Flow" (Compatible with R-Series Loaders with Super Flow only) (Use 3/4 couplers with Super Flow coupler block)	Parts	\$_____
7360697	R-Series Standard Coupler Guard (Compatible with R-Series Loaders with Standard/High flow only) (Use 1/2 couplers with Standard/High Flow coupler block)	Parts	\$_____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Dozer Blade

Bobcat Loader Attachment



Quick Specs

	<u>54"</u>	<u>80"</u>	<u>90"</u>	<u>96"</u>
Operating Weight.....	310 lbs	950 lbs	987 lbs	1580 lbs
Width.....	54"	80"	90"	96"
Width (Fully Angled).....	46.8"	69.3"	78.0"	83.5"
Blade Height.....	20.0"	24.1"	24.2"	25.2"
Overall Height.....	21.9"	24.9"	25.2"	27.7"
Length.....	28.7"	33.0"	33.0"	34.8"
Oscillation.....	0°	± 8°	± 8°	± 10°
Angle.....	± 30°	± 30°	± 30°	± 30°
Cutting Edge (reversible).....	0.38" x 4"	0.5" x 6"	0.5" x 6"	0.63" x 6"
Cylinders.....	1	3	3	3
Skid Shoes.....	Adjustable	Adjustable	Adjustable	Adjustable

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100) (S70) (L28)			
7196165	54" Utility Blade (with hydraulic angle)..... (To be used as either a Snow Blade or a Dozer Blade)		\$2,562.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)			
(S62, S64, S66, S76, S86) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
6905884	80" Dozer Blade, 6-Way..... (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)		\$7,816.00
(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
6905811	90" Dozer Blade, 6-Way..... (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)		\$8,436.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7105781	96" Dozer Blade, 6-Way..... (Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)		\$10,629.00


Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Utility Blade.....	Align and secure guide rod.....	0.25
Dozer Blade.....	Adjust shoes.....	0.50
Attachment Control Kit.....		See Page 1

Drop Hammer

Bobcat Loader Attachment



Quick Specs

Overall Weight.....	1925 lbs
Weight of Hammer.....	1140 lbs
Height (Hammer fully raised).....	74"
Length.....	29"
Hammer Stroke.....	38"
Impact Energy Rating.....	3600 ft.-lbs
Required Flow.....	13 – 22 gpm
Stroke Rate per Minute.....	20"
Maximum Concrete Thickness.....	14-18
Minimum Concrete Thickness.....	5"

Part Number	Description	Attachment	SLP in US \$
(S175, S185, S205)(S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850)(S62, S64, S66, S76, S86) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (A770)			
7137810	Drop Hammer.....		\$13,170.00

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Drop Hammer.....	None.....	-

Drum Mulcher

Bobcat Loader Attachment



Quick Specs

	<u>50" 2SPD STD</u>	<u>50" 2SPD DCR</u>	<u>61" 1SPD STD</u>
Operating Weight.....	2350lbs.	2514 lbs.	2500 lbs.
Operating Weight with Front Gate.....	2465 lbs.	2629 lbs.	2636 lbs.
Cutting Width.....	50"	50"	61.1"
Overall Width.....	64.6"	64.6"	75.8"
Length.....	43.3"	43.3"	43.3"
Height.....	61.9"	61.9"	61.9"
Max Hydraulic Flow.....	45 gpm	45 gpm	40 gpm
Max Hydraulic Pressure.....	4000 psi	4000 psi	4000 psi
Drum Speed (RPM).....	1900-2000	2200-2300	1700-1800
Number of Teeth.....	24	20	30
Tree Diameter:			
Continuous Use.....	4 - 5"	4 - 5"	4 - 5"
Intermittent Removal.....	7 - 9"	7 - 9"	7 - 9"
Occasional Removal.....	10 - 12"	10 - 12"	10 - 12"
	<u>61" 2SPD STD</u>	<u>61" 2SPD DCR</u>	<u>72" 2SPD STD</u>
Operating Weight.....	2525 lbs.	2819 lbs.	3140 lbs.
Operating Weight with Front Gate.....	2685 lbs.	2954 lbs.	3290 lbs.
Cutting Width.....	61.1"	61.1"	72.3"
Overall Width.....	75.8"	75.8"	86.9"
Length.....	43.3"	43.3"	43.3"
Height.....	61.9"	61.9"	61.9"
Max Hydraulic Flow.....	45gpm	45 gpm	45 gpm
Max Hydraulic Pressure.....	4000 psi	4000 psi	4000 psi
Drum Speed (RPM).....	1900-2000	2200-2300	1900-2000
Number of Teeth.....	30	24	36
Tree Diameter:			
Continuous Use.....	4 - 5"	4 - 5"	4 - 5"
Intermittent Removal.....	7 - 9"	7 - 9"	7 - 9"
Occasional Removal.....	10 - 12"	10 - 12"	10 - 12"

Part Number	Description	Attachment	SLP in US \$
(S750H, S770H, S850H) (S86H) (A770H) (T740H, T750H, T770H, T870H) (T76H) (T86H)			
M7055	Loader Drum Mulcher, 50" 2-Speed.....		\$37,994.00
	(For all M-Series Loaders (S750H, S770H, S850H, A770H, T740H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit) (Mulcher ships with Standard Drum unless DCR option is selected)		
M7055-R01-C01	Depth Control Rotor (DCR) Drum.....		\$4,741.00
	(Not approved with T76H)		
(S86, T86)			
M7055-R03-C02	LDR Drum Mulcher 50" 2SPD Super Flow.....		\$1,382.00
	(The loader must be equipped with super flow)		
(S750H, S770H, S850H) (A770H) (T740H, T750H, T770H, T870H)			
M7056	Loader Drum Mulcher, 61" 1-Speed.....		\$34,569.00
	(For all M-Series Loaders (S750H, S770H, S850H, A770H, T740H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit) (Standard Drum Only)		
M7056-A01-C01	Front Gate.....		\$3,033.00
	(Factory installed)		
(S750H*, S770H*, S850H) (S86H) (A770H*) (T740H, T750H*, T770H*, T870H) (T86H)			
M7057	Loader Drum Mulcher, 61" 2-Speed.....		\$40,894.00
	(For all M-Series Loaders (S750H, S770H, S850H, A770H, T740H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit) (Mulcher ships with Standard Drum unless DCR option is selected) (* See Notes under DCR Drum Option)		
M7057-R01-C01	Depth Control Rotor (DCR) Drum.....		\$4,957.00
	(Not approved with S750H, S770H, A770H) (T740H, T750H, T770H must be equipped with 400 Pound Counterweight Kit (p/n 7129252))		
M7057-A01-C01	Front Gate.....		\$3,033.00
	(Factory installed)		
(S86 SuF) (T86 SuF)			
M7057-R03-C02	LDR Drum Mulcher 61" 2SPD Super Flow.....		\$1,444.00
	The loader must be equipped with super flow		
(S850H) (T750H, T770H, T870H) (T86)			
M7058	Loader Drum Mulcher, 72" 2-Speed		\$43,888.00
	(For all M-Series Loaders (S850H, T750H, T770H, T870H) must also order Forestry Applications Kit and Engine Compartment Seal Kit) (T750H and T770H must be equipped with 400 Pound Counterweight Kit (p/n 7129252)) (Standard Drum Only)		
(S86 SuF) (T86 SuF)			
M7058-R03-C02	LDR Drum Mulcher 72" 2SPD Super Flow.....		\$1,595.00
	(The loader must be equipped with super flow)		

Part Number	Description	SLP in US \$
7131810	Forestry Applications Kit, K-Series..... (Kit is required to operate Forestry Cutter and provides operator & machine protection. Not compatible with rear auxiliary hydraulics.) (Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Debris Screen for Radiator, Muffler Guard, Lift Cylinder Debris Shields, Top and Rear Windows (1/4 in. polycarbonate), Cab Bulb Seal and Door Threshold and Seal (Estimated install time 6.5 hours))	\$7,907.00
7230523	Tier 3 and iT4 Forestry Applications Kit, M-Series..... (Kit is required to operate Forestry Cutter and provides operator & machine protection. Must also order Engine Compartment Seal Kit. Not compatible with rear auxiliary hydraulics.) (Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours))	\$12,507.00
7257723	Tier 4 Forestry Applications Kit, M-Series..... (Kit is required to operate Forestry Cutter and provides operator & machine protection. Must also order Engine Compartment Seal Kit. Not compatible with rear auxiliary hydraulics.) (Kit includes: Forestry Door (3/4 in. laminated polycarbonate), Front and Rear Light Guards, Hydraulic Quick Coupler Guard, Fire Extinguisher, Level II FOPS, Muffler Guard, Top and Rear Windows, Polycarbonate Side Windows (Estimated install time 6.5 hours))	\$12,507.00
(T76) 7485082	Forestry Kit T 7# Standard Cab..... (Kit is required to operate Drum Mulcher and provides operator & machine protection) (Kit includes: exhaust debris guard, polycarbonate side and rear windows, forestry door (3/4 in. laminated polycarbonate), level II FOPS, front and rear light guards, heavy duty spring, tailgate guard and fire extinguisher (estimated intall time 8 hours)) (Coupler guard must be ordered seperatly)	\$12,078.00
(T76) 7485083	Forestry Kit T 7# Clear Side Cab..... (Kit is required to operate Drum Mulcher and provides operator & machine protection. Clear side cab is required) (Kit includes: exhaust debris guard, polycarbonate rear windows, polycarbonate sliding side window, forestry door (3/4 in. laminated polycarbonate), level II FOPS, heavy duty spring, front and rear light guards, tailgate guard and fire extinguisher (estimated install time 7 hours)) (Coupler guard must be ordered seperatly)	\$10,582.00
(T86, S86) 7485084	R-Series Forestry Kit T/S 8# Standard Cab..... (Kit is required to operate Drum Mulcher and provides operator & machine protection) (Kit includes: exhaust debris guard, polycarbonate side and rear windows, forestry door (3/4 in. laminated polycarbonate), level II FOPS, front and rear light guards, heavy duty spring, tailgate guard and fire extinguisher (estimated intall time 8 hours)) (Coupler guard must be ordered seperatly)	\$12,078.00
(T86, S86) 7485085	R-Series Forestry Kit T/S 8# Clear Side Cab..... (Kit is required to operate Drum Mulcher and provides operator & machine protection. Clear side cab is required) (Kit includes: exhaust debris guard, polycarbonate rear windows, polycarbonate sliding side window, forestry door (3/4 in. laminated polycarbonate), level II FOPS, heavy duty spring, front and rear light guards, tailgate guard and fire extinguisher (estimated install time 7 hours)) (Coupler guard must be ordered seperatly)	\$10,582.00

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
7416906	Front Gate, 50" (Produces finer mulch) (Estimated install time 1.5 hours)	\$2,320.00
7416761	Front Gate, 61" (Produces finer mulch) (Estimated install time 1.5 hours)	\$2,604.00
7416944	Front Gate, 72" (Produces finer mulch) (Estimated install time 1.5 hours)	\$3,168.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	SLP in US \$


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

(S750, S770) (A770) (T740, T750, T770)		Discontinued	
7309976	Engine Compartment Seal Kit (Required when using M-Series 700 platform machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)		
7196560	Forestry Wiper Kit (Estimated install time 2 hours)		\$ ____
(S850) (T870)			
7179952	Engine Compartment Seal Kit (Required when using M-Series 800 platform machines with forestry cutters) (Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots) (Estimated install time 2 hours)	Parts	\$ ____
7126319	Cooling Upgrade Kit (K-Series loader serial numbers must be equipped with the cooling system upgrade kit p/n 7126319 - order from Bobcat Parts: A300 s/n 539911675 & below; T300 s/n 532015066 & below; T250 s/n 531812826 & below; S300 s/n 531115051 & below) (All S330 loaders are equipped with the upgraded cooling system)	Parts	\$ ____
7155443	Door Wiring Harness Kit (For loaders A300 s/n 530750000 and A5GW19999 and below; S300 531150000 and A5GP19999 and below; S330 A020500000 and A5HA10999 and below; T250 5318500000 and A5GS19999 and below; T300 5320500000 and A5GU19999 and below; and T320 A7MP60000 and below)	Parts	\$ ____
7422814	R-Series 5-Coupler Guard "Super Flow" (Compatible with R-Series Loaders with Super Flow only) (Use 3/4 couplers with Super Flow coupler block)	Parts	\$ ____
7360697	R-Series Standard Coupler Guard (Compatible with R-Series Loaders with Standard/High flow only) (Use 1/2 couplers with Standard/High Flow coupler block)	Parts	\$ ____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Drum Mulcher, 50", 60", 70"	None.....	-
Cooling Upgrade Kit.....		5.00
Forestry Applications Kit.....		6.50
Front Gate Kit.....		1.50

Dumping Hopper
Bobcat Loader Attachment



Quick Specs

	<u>Model 10</u>	<u>Model 25</u>
Operating Weight.....	665 lbs	1190 lbs
Height.....	40"	40"
Length.....	83"	83"
Width.....	36"	84"
Capacity - Struck.....	25.7 cu. ft.	67.5 cu. ft.
Capacity - Heaped.....	29.7 cu. ft.	87.9 cu. ft.

Part Number	Description	Attachment	SLP in US \$
(MT120) (S70, S100) (S450, S510, S530, S550, S570, S590) (S62, S64, S66) (T110) (T450) (L23, L28) 6727275	Model 10 Dumping Hopper..... (Includes 8.5 x 12 Bobcat Heavy Duty Tire) (Tire is not installed on Dumping Hopper.) (For S100 and T110 must also order Mounting Frame P/N 6729483)		\$4,510.00
(S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) T870)(S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T62, T64, T66, T76, T86) 6717597	Model 25 Dumping Hopper..... (Includes 8.5 x 12 Bobcat Heavy Duty Tires) (Tires are not installed on Dumping Hopper.)		\$6,976.00

Dealer Installed Accessories - Order From Parts

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.


6729483	Mounting Frame Bracket..... (Must be ordered when using the Model 10 Dumping Hopper with the S100 and T110)	Parts	\$_____
---------	--	-------	---------

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Dumping Hopper on S100/T110.....	Install Mounting Frame.....	0.25
Dumping Hopper.....	Install Tires.....	0.50

Flail Cutter
Bobcat Loader Attachment



Quick Specs


Operating Weight.....	1,640 lbs
Cutting Width.....	78"
Cutting Height.....	1.5" – 3"
Overall Width.....	91"
Flow.....	17 – 40 gpm
Hammers.....	21
Cutting Capacity.....	Brush material up to 3" in diameter
Blade Tip Speed.....	8200 ft./min. @ 2000 RPM 9000 ft./min. @ 2200 RPM

Part Number	Description	Attachment	SLP in US \$
(S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850, S850H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870, T870H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)			
7101894	FC200 Flail Cutter.....		\$17,579.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Flail Cutter.....	None.....	-

Forks, Utility
Bobcat Loader Attachment



Quick Specs

	<u>36"</u>	<u>54"</u>	<u>60"</u>	<u>66"</u>	<u>72"</u>	<u>80"</u>
Operating Weight.....	200 lbs	280 lbs	304 lbs	330 lbs	356 lbs	388 lbs
# of Teeth Shipped.....	5	7	8	9	10	11
Max # of Teeth.....	9	13	15	17	19	21


Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
6727904	36" Utility fork, with 5 Teeth..... (Use with Farm/Utility grapple P/N 6728117) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).		\$1,315.00
(S70, S100, S130) (S450) (T110, T140) (T450) (L23, L28, L35)			
6727888	54" Utility fork, with 7 Teeth..... (Use with Farm/Utility grapple P/N 6728117) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).		\$1,534.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62) (T140) (T450, T550, T590, T595) (T62) (L35)			
6725178	60" Utility fork, with 8 Teeth..... (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).		\$1,703.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66) (T140 T180, T190) (T450, T550, T590, T595) (T62) (L35)			
6725179	66" Utility fork, with 9 Teeth..... (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).		\$1,994.00
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
6725180	72" Utility fork, with 10 Teeth..... (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).		\$2,099.00
(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
7107243	80" Utility fork, with 11 Teeth..... (Use with Farm/Utility grapple P/N 7176977) (Additional Forks (p/n 6717622) may be ordered through Bobcat Parts. Must also order nut (p/n 6717624).		\$2,445.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Utility Forks.....	None.....	-

Grader

Bobcat Loader Attachment



Quick Specs

	<u>84"</u>	<u>96"</u>	<u>108"</u>
Operating Weight.....	1375 lbs	2788 lbs	2861 lbs
Width of Moldboard.....	84"	96"	108"
Width of Moldboard Fully Angled.....	76.1"	83.3"	93.7"
Moldboard Angle (Right or Left).....	± 25°	± 30°	± 30°
Blade Offset (Right or Left).....	± 12"(manual)	± 13"(hydraulic)	± 13"(hydraulic)
Bolster Oscillation.....	± 25°	± 12°	± 12°
Moldboard Cutting Edge (reversible).....	½" x 6"	5/8" x 6"	5/8" x 6"
Cylinders.....	3	5	5

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)			
6906480	Grader, 84"		\$13,909.00
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)			
(S740, S750, S770, S850) (S86) (A770) (T650, T740, T750, T770, T870) (T76, T86)			
7160005	Grader, 96"		\$22,653.00
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)			
(S740, S750, S770, S850) (S86) (A770) (T740, T750, T770, T870) (T86)			
7182060	Grader, 108"		\$24,451.00
(Loader must be equipped with an Attachment Control Kit – See Page 1 or 2) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit P/N 7164095 is required – See Page 1)			
7177684	End-Wing Kit.....		\$719.00
(Converts graders 96" and 108" into box blade for finish grading only) (Not compatible with the Sonic Tracer)			

Part Number	Description	SLP in US \$
7436330	Trimble Laser Receiver, LR410..... Includes 1 LR410 reciever and case. (Must order 2 for use with laser kit) (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)	\$2,451.00
7436128	Trimble LR410 Mount Kit- 84" Grader..... (For 84" Grader) (Approved for use on Graders S/N 648001631 & above, started production April 2009) (Must also order two LR410 laser receivers, p/n 7436330)((Includes 2 receiver poles, 2 wiring harnesses, and 1 jumper harness. Jumper to be attached to the left side of	\$1,477.00
7436129	Trimble LR410 Laser Reciever Mount Kit-96" & 106" Grader..... (For 96" and 108" Grader) (Must also order two LR410 laser receivers, p/n 7436330)((Includes 2 receiver poles, 2 wiring harnesses, and 1 jumper harness. Jumper to be attached to the left side of grader.)	\$1,579.00
7164094	Trimble BLR2 Laser Mounting Kit- 84" Grader..... (For 84" Grader) (For use with only Trimble BLR2 receivers) (Approved for use on Graders S/N 648001631 & above, started production April 2009) (Includes 2 receiver poles and wiring harnesses)	\$1,477.00
7177685	Trimble BLR2 Laser Mounting Kit- 96"/108" Grader..... (For 96" and 108" Grader) (For use with only Trimble BLR2 receivers)(Includes 2 receiver poles and wiring harnesses)	\$1,579.00
7522613	Topcon Laser Receiver, LS-B200W..... Includes 1 LS-B200W receiver and case. (Must order 2 with HD Box Blase) (Order 1 reciever for Std. Box Blade & one 7513989 Harness for Topcon Receiver (harness ordered through Parts)). (May also need a laser transmitter and tripod—unless customer has this equipment) (The laser receivers will work with most rotating laser transmitters)	\$2,830.00
7514701	Topcon Laser Mounting Kit- 96"/108" Grader..... (For 96" and 108" Grader) (For use with only Topcon LS-B200W receivers)(Includes 2 receiver poles and wiring harnesses)	\$1,335.00
7514700	Topcon Laser Mounting Kit- 84" Grader..... (For 84" Grader) (For use with only Topcon LS-B200W receivers) (Includes 2 receiver poles and wiring harnesses)	\$1,364.00
7531738	Topcon Transmitter, Dual Slope..... Works with either Topcon or Trimble receivers	\$3,802.00
7531739	Topcon Elevating Tripod..... Works with either Topcon or Trimble transmitters	\$708.00
7211624	Sonic Tracer and Slope Sensor Mounting Kit..... (For 96" and 108" Grader) (Must also order Sonic Tracer and Slope Sensor Package, p/n 7023454) (Includes mounting brackets, hardware and wiring harnesses for sonic tracer and slope sensors) (Not compatible with the end-wing kit)	\$2,859.00
7023454	Sonic Tracer & Slope Sensor Package..... (Approved for 96" and 108" Grader) (Must also order Sonic Tracer and Slope Mounting Kit, p/n 7211624) (Includes ST400 Sonic Tracer, AS400 Slope Sensor (qty 2) and RS400 Rotation Sensor) (Use where laser transmitters won't work because of obstructions or where grader must follow predetermined slopes and land contours)	\$15,254.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	
<i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i>		
7120544	Laser harness, valve..... (Needed for Graders, S/N 648000987 & below)	\$_____
7117444	Laser Harness mount..... (Needed for Graders, S/N 648000987 & below)	\$_____
7122476	Laser Mounting Kit (must also order 2 receivers)..... (Must also order two laser receivers, p/n 6679014) (Approved for use on 84" Graders S/N 648000101 & thru 648001630) (Approved for use only on BICS loaders) (Includes two receiver poles and wiring harnesses) (Graders S/N 648000987 & below require p/n 7120544 and p/n 7117444)	\$_____


Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Grader, 84.....	Assemble cylinder to moldboard.....	0.25
Grader, 108	Assemble moldboard to frame.....	1.00
Attachment Control Kit.....		0.25
Laser Control System (Grader 84" S/N 648000988 & above, and Grader 96" & 108").....		0.50
Sonic Tracer & Slope Sensor System.....		2.50
End-Wing Kit (Grader 96" & 108" only).....		0.50

Grader
Bobcat Loader Attachment

Parts Needed to Equip Bobcat Graders and Boxblades with Guidance Systems							
	Trimble 2D Laser Guiding	Topcon 2D Laser Guiding	3D Dual GPS	3D Single GPS	3D UTS	Sonic & Slope	SITECH dealer needed for setup
Box Blade	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not	Not Compatible
Box Blade w/Laser	Quantity: 1-LR410 Laser Receiver - 7436330, 1-7426875 Harness, 1 - 7426835 Jumper Harness	Quantity: 1-LS-B200W Laser Receiver - 7522613, 1- 7513989 Harness	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
84" Grader	Laser Mounting Kit - 7436128, LR410 Laser Receivers - 7436330 (Qty: 2)	Laser Mounting Kit - 7514700 , LS-B200W Laser Receivers - 7522613 (Qty: 2)	Not Compatible	Not Compatible	Not Compatible	Not Compatible	Not Compatible
96" & 108" HD Grader	Laser Mounting Kit - 7436129, LR410 Laser Receivers -7436330 (Qty: 2)	Laser Mounting Kit - 7514701, LS-B200W Laser Receivers - 7522613 (Qty: 2)	Consult SITECH dealer for Earthworks components	Consult SITECH dealer for Earthworks components	Consult SITECH dealer for Earthworks components	Sonic Tracer & Slope Sensor Package - 7023454 Sonic Tracer & Slope Mounting Kit - 7211624	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D UTS)
HD Box Blade	Laser Mounting Kit - 7436108, LR410 Laser Receivers - 7436330 (Qty:2)	Laser Mounting Kit - 7514689, LS-B200W Laser Receivers- 7522613 (Qty:2)	Earthworks coming soon	Earthworks coming soon	Earthworks coming soon	Not Compatible	Yes for 3D Grading system System's (3D Single GPS, 3D Dual GPS and 3D UTS)
Tripod	PN 6688806. Needed for all Laser guided systems if customer does not have a tripod	PN 7531739. Needed for all Laser guided systems if customer does not have a tripod					
Laser Transmitter Dual Slope	PN 7275232. Needed for all Laser guided systems if customer does not have a transmitter	PN 7531738. Needed for all Laser guided systems if customer does not have a transmitter					

Grapple, Brush
Bobcat Loader Attachment




Quick Specs

	<u>BG36</u>	<u>BG42</u>
Operating Weight.....	226	230
Grapple Width.....	36"	42"
# of Lower Tines.....	6	6


Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(MT85, MT100, MT120) (S70) (L23, L28)			
46960805	36" Brush Grapple.....		\$1,927.00
	(Includes 90 degree couplers)		
46960806	42" Brush Grapple.....		\$2,093.00
	(Includes 90 degree couplers)		

Grapple, Farm/Utility
Bobcat Loader Attachment



Grapple with Bucket



Grapple with Forks

Quick Specs

	<u>32" Utility</u>	<u>32"</u>	<u>55" Util C/I</u>	<u>55" Util GP</u>
Operating Weight.....	157 lbs	157 lbs	243 lbs	180 lbs
Grapple Width.....	32"	32"	55"	55"
# of Grapple Tines.....	3	3	4	4

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
6728117	Grapple, 32" Utility..... (Fits Current 36", 48" & 54" Utility Forks and 36" & 44" Utility Buckets)		\$1,897.00
7125370	Grapple, 32"..... (Fits Current 36" – 50" General Purpose buckets) (If bucket is equipped with a 6 hole step, must order a replacement 4 hole step, P/N 7103163)		\$1,879.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
7176977	Grapple, 55" Utility – C/I..... (Fits 62", 68", 74" and 80" Roundback Low Profile and Construction/Industrial Buckets and 60", 66", 72", and 80" Utility Forks) (Will not fit Heavy Duty Construction/Industrial Buckets)		\$2,329.00
(S130, S150, S160, S175, S185) (S510, S530, S550, S570) (S62, S64)			
7176783	Grapple, 55" Utility - GP..... (Fits 62", 68" and 74" General Purpose buckets)		\$2,300.00

Note: It is required that a port relief is installed for use with the Farm & Utility Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual.
Order the following from Bobcat Parts.


- 6684646 - Port relief (4000 psi) – for M-Series loaders, S450/T450 and larger
- 6684645 - Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574 - Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Destination Charge/Fuel Surcharge


Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Utility Grapple.....	Assemble grapple and bolt to utility bucket or fork.....	2.50

Grapple, Industrial
Bobcat Loader Attachment



Industrial Bucket Grapple



Industrial Fork Grapple

Quick Specs

	<u>36" Bkt.</u>	<u>48" Bkt.</u>	<u>62" Bkt.</u>	<u>68" Bkt.</u>	<u>66" Fork</u>
Operating Weight.....	364 lbs	446 lbs	884 lbs	922 lbs	937 lbs
Overall Grapple Width.....	36.0"	48.0"	62"	68"	66.9"
# of Teeth - Factory.....	N/A	N/A	N/A	N/A	7
# of Teeth - Possible.....	N/A	N/A	N/A	N/A	13
	<u>74" Bkt.</u>	<u>78" Fork</u>	<u>80" Bkt.</u>	<u>86" Bkt.</u>	<u>86" Fork</u>
Operating Weight.....	960 lbs	1218 lbs	1101 lbs	1302 lbs	1293 lbs
Overall Grapple Width.....	74"	80.1"	80"	86"	86.1"
# of Teeth - Factory.....	N/A	8	N/A	N/A	9
# of Teeth - Possible.....	N/A	15	N/A	N/A	17

Part Number	Description	Attachment	SLP in US \$
(MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
7493574	36" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included)		\$2,761.00
(MT120) (S100) (T110) (L23,L28)			
7493572	48" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included)		\$3,032.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64) (L35)			
7483067	62" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included) (Coupler kit P/N 46954772 required for L35)		\$4,934.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76) (L35)			
7488273	66" Industrial Fork Grapple..... (Coupler kit P/N 46954772 required for L35)		\$5,930.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76) (L35)			
7483069	68" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included) (Coupler kit P/N 46954772 required for L35)		\$5,132.00
(S630, S650, S740, S750, S770)(S76, S86)(A770)(T180, T190)(T550, T590, T595, T630, T650)(T62, T64, T66, T76) (L35)			
7488345	74" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included) (Coupler kit P/N 46954772 required for L35)		\$5,530.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7166624	78" Industrial Fork Grapple, with 8 teeth.....		\$7,119.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7481680	80" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included)		\$6,123.00
(S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7480861	86" Industrial Fork Grapple.....		\$7,806.00
(S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7481105	86" Industrial Bucket Grapple..... (Bolt-On Cutting Edge included)		\$6,500.00

Note: It is required that a port relief be installed for use with the Industrial Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual.
Order the following from Bobcat Parts.

- 6684646

-

Port relief (4000 psi) – for R-Series and M-Series loaders, S450/T450 and larger
- 6684645

-

Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574

-

Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6706294	Additional Fork Tooth (Must also order 1 Roll Pin per Tooth)	Parts	\$ ____
6706313	Roll Pin (Holds tooth in place)	Parts	\$ ____
7493658	Bolt-on Side Plate Kit Medium Frame (Fits 62", 68", and 74" Industrial Bucket Grapples)	Parts	\$ ____
7493657	Bolt-on Side Plate Kit Large Frame (Fits 80" and 86" Industrial Bucket Grapples)	Parts	\$ ____
46954772	L35 Coupler Kit (Straight coupler kit required for use on L35)	Parts	\$ ____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Industrial Grapple.....	Install port relief & restrictor on loader.....	0.75

Grapple, Root
Bobcat Loader Attachment



Quick Specs

	<u>36"</u>	<u>48"</u>	<u>66"</u>	<u>72"</u>	<u>80"</u>	<u>86"</u>
Operating Weight.....	316 lbs	395 lbs	999 lbs	1049 lbs	1164 lbs	1181 lbs
Height (closed).....	29.8"	29.8"	34.4"	34.4"	34.4"	34.4"
Height (open).....	42.9"	42.9"	51.7"	51.7"	51.7"	51.7"
Length.....	31.9"	31.9"	42.1"	42.1"	42.1"	42.1"
Width.....	36"	48"	67.1"	73.1"	80.4"	86.4"
Teeth.....	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Maximum Tooth Opening.....	28.3"	28.3"	36.8"	36.8"	36.8"	36.8"

Part Number	Description	Attachment	SLP in US \$
(MT55, MT85, MT100, MT120) (S70) (L23, L28) 7493347	36" Root Grapple.....		\$2,842.00
(MT85, MT100, MT120) (S100) (T110) (L23, L28) (S450)(T450) 7493345	48" Root Grapple.....		\$3,511.00
(L35) (S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595) (S62, S64, S66, S76, S86) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66) 7493610	66" Root Grapple..... (Coupler kit P/N 46954772 required for L35)		\$5,143.00
(L35) (S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86) 7488431	72" Root Grapple..... (Coupler kit P/N 46954772 required for L35)		\$5,525.00
(S175, S185, S205) (S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T180, T190) (T630, T650, T740, T750, T770, T870) (T76, T86) 7483226	80" Root Grapple.....		\$6,118.00
(S650, S740, S770, S850)(A770)(S76, S86) (T650, T740, T770, T870) (T76, T86) 7483227	86" Root Grapple.....		\$6,575.00

Note: It is required that a port relief be installed for use with the Root Grapples except when used on a 463, S70, S100, T110 or MT. Installation instructions are included in the Operation Manual.
Order the following from Bobcat Parts.

- 6684646 - Port relief (4000 psi) – for R-Series and M-Series loaders, S450/T450 and larger
- 6684645 - Port relief (3500 psi) – for G-Series through K-Series loaders with one-piece control valves (started April 2004)
- 6678574 - Port relief (3500 psi) – for F-Series & G-Series loaders until April 2004

Dealer Installed Accessories - Order From Parts

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.


46954772	L35 Coupler Kit..... (Straight coupler kit required for use on L35)	Parts	\$_____
----------	--	-------	---------

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Root Grapple.....	None.....	-

Log Grapple
Bobcat Loader Attachment



Quick Specs

Weight.....

Grapple opening.....

Tree pusher.....

Rope bollard.....

Rotation.....

335 lbs.

56"

11"

2.85"

Manual

Part Number	Description	Attachment	SLP in US \$
(MT85, MT100, MT120) (L23, L28) 7401254	Log Grapple..... (Must order SAL hose extention for use on L23 and L28)		\$4,132.00


Dealer Installed Accessories - Order From Parts	
Part Number	Description
<u>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</u>	
7440224	SAL Hose Extention Kit..... Parts \$_____

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Log Grapple.....	None.....	-

Landplane
Bobcat Loader Attachment



Quick Specs

	<u>48"</u>	<u>72"</u>	<u>78"</u>	<u>86"</u>
Operating Weight.....	390 lbs	680 lbs	700 lbs.	830 lbs
Length.....	46.6"	51.5"	51.5"	51.6"
Width.....	48"	73"	79"	86"
Height.....	20.6"	20.9"	20.9"	20.8"
Working Depth-Scarifier.....	3"	3.5"	3.5"	3.5"
Cutting Edge.....	0.5" x 4"	0.5" x 6"	0.5" x 6"	0.5" x 6"

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70, S100) (T110) (L23, L28) 6907173	48" Landplane..... (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)		\$1,758.00
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770), (S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76) 6906150	72" Landplane..... (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)		\$3,084.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)(T7X) 6906115	78" Landplane..... (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)		\$3,377.00
(S630, S650, S740, S750, S850) (S62, S64, S66, S76, S86) (T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) 7488435	86" Landplane..... (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)		\$3,793.00

Dealer Installed Accessories - Order From Parts

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.


7533168	Hydraulic Scarifier Kit..... (Only available for 86" Landplane)	Parts	\$_____
---------	--	-------	---------

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Landplane.....	None.....	-

Landscape Rake
Bobcat Loader Attachment



Quick Specs

	<u>5B</u>	<u>6B</u>
Operating Weight.....	1109 lbs	1237 lbs
Working Width.....	60"	72"
Overall Width.....	66.6"	78.6"
# of Tooth Bars.....	12	12
# of Teeth (total).....	384	456
Bucket Capacity.....	12.1 cu. ft.	14.3 cu. ft.


Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T140, T180, T190)(T450, T550, T590, T595, T630, T650)(T62, T64, T66, T76)(L35)			
6709107	5B Landscape Rake.....		\$11,273.00
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)			
6710630	6B Landscape Rake.....		\$11,819.00

Note: Also order Inline Restrictor P/N 6631698 and Adapter P/N 1312113 from Bobcat Parts when installing a Landscape Rake on a 40 series loader.

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Landscape Rake.....	Install dump restrictor on loader..... (One of each shipped with rake)	2.00

Mower
Bobcat Loader Attachment



Quick Specs

	72" Mower	90" Mower
Operating Weight.....	880 lbs	990 lbs
Cutting Width.....	71.5"	89.5"
Overall Width.....	76"	94"
Overall Length.....	68"	75"
Cutting Height Range..... (adjustable in ½ inch increments)	2"—5.5"	2"—5.5"
Flow Range.....	15—22 gpm	15—22 gpm
Number of Blades.....	3	3
Shut-off Travel.....	8.5"	8.5"
Blade Tip Speeds.....	11,251 ft/min @ 15 GPM 15,002 ft/min @ 20 GPM 16,502 ft/min @ 22 GPM	11,026 ft/min @ 15 GPM 14,702 ft/min @ 20 GPM 16,172 ft/min @ 22 GPM
	Rear Discharge	Rear Discharge

Part Number	Description	Attachment	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205)(S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)(S62, S64, S66, S76, S86) (A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T750, T770) (T62, T64, T66, T76) (L35)			
7144850	72" Mower.....		\$7,871.00
(S150, S160, S175, S185, S205)(S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7143993	90" Mower.....		\$8,612.00
Part Number	Description	Dealer Installed Accessories - Order From Parts	


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

7144843	Mulch Kit for 72" Mower.....	Parts	\$ ____
7144008	Mulch Kit for 90" Mower.....	Parts	\$ ____
7144844	Side Discharge Kit for 72" Mower.....	Parts	\$ ____
7144009	Side Discharge Kit for 90" Mower.....	Parts	\$ ____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Side Discharge Kit.....	<u>Install kit on mower.....</u>	0.50

Packer Wheel Bobcat Loader Attachment
--



Quick Specs

Operating Weight.....	386 lbs
Width.....	11"
Length.....	40.5"
Wheel Assembly.....	2
Wheel Diameter.....	30"
Compaction Depth.....	36.7"
Sheepfoot (hollow tube).....	18 (9 per wheel)


Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850),(S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)(T7X) 7129927	Packer Wheel.....		\$3,060.00
	(Must also order loader x-change mounting frame p/n 7141800)		

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
7141800	Loader X-Change Mounting Frame.....		\$1,730.00


Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Packer Wheel.....	None.....	-

Pallet Forks, Standard
Bobcat Loader Attachment



Standard Pallet Fork Teeth and Frame



Bale Forks and Frame

Quick Specs

<u>Frames</u>	<u>Frame Weight</u>	<u>Capacity</u>	<u>Width</u>	<u>Height</u>
MT/S70.....	86 lbs	1,400 lbs	36.4"	34.4"
Standard Duty.....	122 lbs	2,500 lbs	45.1"	34.3"
Heavy Duty	153lbs	4,000 lbs	45.1"	34.3"
Severe Duty.....	229 lbs	6,000 lbs	51.5"	34.3"/43.2"

<u>Teeth</u>	<u>Weight Set 2</u>	<u>Length</u>	<u>Width</u>	<u>Height</u>
MT/S70.....	147 lbs	36"	4"	21"
Standard Duty.....	150 lbs	42"	4"	21"
Heavy Duty	164-184 lbs	42"/48"	4"	21"
Severe Duty.....	215-238 lbs	42"/48"	4"	21"
Bale Fork.....	119 lbs	43.8"	1.4"	21"

Part Number	Description	Attachment	SLP in US \$
(MT55, MT85, MT100, MT120) (S70) (L23, L28)			
46941455	Pallet Frame Mini Bobtach.....		\$508.00
7276448	Pallet Fork Frame CII, MT85, MT100, MT120.....		\$622.00
6540184	36" Pallet Fork Teeth, Set of 2.....		\$439.00

Pallet Forks

A new ordering method will be required for bundles of buckets and pallet forks. Instead of ordering a different part number for a bundled product, you will simply use the single part number and the 'Change Quantity' box in OSS to order the quantity that meets the requirement for a bundle discount. The OSS order system will help step you through it and alert you if the product you are ordering can be bundled, what quantity needs to be ordered to get the discount, and what the discounted price will be.

Pallet Frames

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (T7X) (L23, L28, L35)		
7297499	2.5K Standard Duty Pallet Fork Frame, Less Teeth.....	\$523.00
(Quantity discounts will be given on invoice to PN 7297499 when ordered in multiples of 10)		
7294305	4K Heavy Duty Pallet Fork Frame, Less Teeth.....	\$635.00
(Quantity discounts will be given on invoice to PN 7294305 when ordered in multiples of 10)		
46907101	6K Severe Duty Pallet Fork Frame, Less Teeth.....	\$1,014.00
(Quantity discounts will be given on invoice to PN 46907101 when ordered in multiples of 10)		

Pallet Teeth

7308798	42", 2.5K Standard Duty Pallet Fork Teeth, Set of 2.....	\$406.00
(Quantity discounts will be given on invoice to PN 7308798 when ordered in multiples of 10 pairs)		
6540183	42", 4K Heavy Duty Pallet Fork Teeth, Set of 2.....	\$460.00
(Quantity discounts will be given on invoice to PN 6540183 when ordered in multiples of 10 pairs)		
6540182	48", 4K Heavy Duty Pallet Fork Teeth, Set of 2.....	\$470.00
(Quantity discounts will be given on invoice to PN 6540182 when ordered in multiples of 10 pairs)		
46907123	42", 6K Severe Duty Pallet Fork Teeth, Set of 2.....	\$621.00
(Quantity discounts will be given on invoice to PN 46907123 when ordered in multiples of 10 pairs)		
46907125	48", 6K Severe Duty Pallet Fork Teeth, Set of 2.....	\$700.00
(Quantity discounts will be given on invoice to PN 46907125 when ordered in multiples of 10 pairs)		

Bale Forks

(Standard Duty, Heavy Duty, Severe Duty)		
6815781	Bale Forks, Set of 2.....	\$1,039.00


Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

(Standard Duty, Heavy Duty, Severe Duty)
7306978 Brick-Guard Center..... Parts \$____
(Quantity orders only on PN 7306978 in multiples of 5 only) (Compatible with Standard, Heavy and Severe Duty Frames)

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Pallet Fork Frame.....	Install forks on frame.....	0.25
Brick-Guards.....	Install forks on frame.....	0.10

Pallet Forks, Hydraulic
Bobcat Loader Attachment



Quick Specs


Ship Weight (Frame & Forks)..... 565 lbs
Fork Width..... 4"

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35)			
6905425	48" Hydraulic Pallet Fork..... (Includes back frame and 2 hydraulically adjustable 48" teeth)		\$3,912.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Hydraulic Pallet Fork.....	None.....	-

Planer
Bobcat Loader Attachment



Quick Specs

	<u>14" Std. Flow</u>	<u>18" HF</u>	<u>24" HF</u>	<u>24" SuF</u>	<u>40" HF/SuF</u>	<u>48" SuF</u>
Operating Weight.....	1521 lbs.	1852 lbs.	2205 lbs.	2204 lbs.	2300 lbs.	2524 lbs.
Operating Weight w/Water Kit (Empty).....	1632 lbs.	1984 lbs.	2160 lbs.	n/a	n/a	n/a
Drum Width.....	14"	18"	24"	24"	40"	47.2"
Drum Diameter.....	15"	15.9"	15.9"	15.9"	14.3"	14.3"
Cutting Depth-Flat Planing.....	0 – 6"	0 – 7"	0 – 7"	0-6"	0 – 5"	0-5"
Sideshift.....	25.6"	25.6"	25.6"	25.6"	25.6"	25.6"
Hydraulic Oscillation.....	± 8°	± 8°	± 8°	± 8°	± 8°	± 8°
Maximum Cutting Angle.....	± 8°	± 8°	± 8°	± 8°	± 8°	± 8°

* All Ship Standard with Fast Cut Drums (Smooth Cut and Other Specialty Drums available through Parts)

Part Number	Description	Attachment	SLP in US \$
(S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T450, T550, T590, T595, T630, T650, T740H, T750, T770) (T62, T64, T66, T76, T86)			
7478385	14" Planer, Standard Flow..... (Fast Cut Drum) (Includes manual depth adjust, hydraulic sideshift and hoses) (Attachment Control Kit is not required)		\$14,463.00
7478387	14" Planer, Standard Flow w/ integrated water kit..... (Fast Cut Drum) (Includes manual depth adjust, hydraulic sideshift and hoses) (42g water kit) (Attachment Control Kit is not required)(Loader must be equipped with Water Kit Cab Harness)		\$16,425.00
(S550H, S570H, S590H, S595H, S630H, S650H, S740 H, S750H, S770H, S850H)(S62H, S64H, S66H, S76H, S86H) (A770H)(T550H, T590H, T595H, T630H, T650H, T740H T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)			
7478389	18" Planer, High Flow..... (Fast Cut Drum) (Includes hydraulic: depth, oscillation, and side shift control, hoses, and oscillating float) (Loader must be equipped with an Attachment Control Kit)		\$22,449.00
7478391	18" Planer, High Flow w/ integrated water kit..... (Fast Cut Drum) (Includes hydraulic: depth, oscillation, and side shift control, hoses, and oscillating float) (42g water kit) (Loader must be equipped with an Attachment Control Kit) (Loader must be equipped with Water Kit Cab Harness)		\$24,637.00
(S550H, S570H, S590H, S595H, S630H, S650H, S740 H, S750H, S770H, S850H)(S62H, S64H, S66H, S76H, S86H) (A770H)(T550H, T590H, T595H, T630H, T650H, T740H T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H)			
7478393	24" Planer, High Flow..... (Fast Cut Drum) (Includes hydraulic: depth, oscillation, and side shift control, hoses, and oscillating float) (Loader must be equipped with an Attachment Control Kit)		\$25,869.00
7478395	24" Planer, High Flow w/ integrated water kit..... (Fast Cut Drum) (Includes hydraulic: depth, oscillation, and side shift control, hoses, and oscillating float) (42g water kit) (Loader must be equipped with an Attachment Control Kit) (Loader must be equipped with Water Kit Cab Harness)		\$28,392.00

(S750H, S770H, S850H) (S86H, S86 SuF) (A770H) (T750H, T770H, T870H) (T86H, T86 SuF)
6726632 **40" Planer, High Flow**..... **\$38,251.00**
(Includes hydraulic depth adjust, 40" General Purpose (Fast Cut) drum, hydraulic sideshift, hydraulic oscillation & 1/2" couplers and hoses)
(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)


(S86 SuF) (T86 SuF)(S86, T86, S76, T76) (T870, S850, A770, S770, T770, S650, T650, S630)
7430052 **24" Planer, Super Flow**..... **\$31,432.00**
(Includes hydraulic depth adjust, 24" General Purpose (Fast Cut) drum, hydraulic sideshift, hydraulic oscillation & 3/4" couplers and hoses) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

Super Flow planer can be run in High Flow on S86, T86, S76, T76, S850, T870, A770, S770, T770, S650, T650, and S630 equipped with High Flow. Ships with 3/4” SUF Couplers, Dealer will need to install 1/2” Couplers for use with non SUF Coupler blocks.

(S86 SuF) (T86 SuF)
7430053 **48" Planer, Super Flow**..... **\$41,653.00**
(Includes hydraulic depth adjust, 48" General Purpose (Fast Cut) drum, hydraulic sideshift, hydraulic oscillation & 3/4" couplers and hoses) (Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 1)

Dealer Installed Accessories - Order From Parts		
Part Number	Description	SLP in US \$
<i>Dealer Installed Drums for 14" – 24" Planers.</i> <i>Not for use with Super Flow Planers</i>		
7481838	Smooth Cut 14PSL.....	PARTS
7338345	Smooth Cut 18PSL & 18PSLW.....	PARTS
7307801	Smooth Cut Drum 24PSL & 24PSLW.....	PARTS
7481836	Slot Cut Drum 18PSL, 18PSLW, 24PSL, 24PSLW.....	PARTS
7244907	Planer Guide Rod Kit (For ALL Current Production Planers (Standard, High, & Super Flow)	PARTS
7532575	Planer Water Nozzle Kit 18..... (For 18PSL used with Loader Mounted Water Kits) (Not required with integrated water kit)	PARTS
7532577	Planer Water Nozzle Kit 24..... (For 24PSL & 24PSL XF used with Loader Mounted Water KIts) (Not required with integrated water kit)	PARTS
7440548	Water Kit Cab Harness..... Adds Rocker Switch to Loader Cab for Operating Integrated Attachment Water Kit	PARTS

Rock Bucket
Bobcat Loader Attachment



Quick Specs


	<u>62"</u>	<u>68"</u>	<u>74"</u>	<u>82"</u>
Operating Weight.....	600 lbs	650 lbs	699 lbs	771 lbs
Overall Width.....	61.9"	68.0"	74.0"	81.2"
Overall Height.....	20.9"	20.9"	20.9"	20.9"
Overall Length (Bucket Lip or Bottom of Bucket).....	47.1"	47.1"	47.1"	47.1"
Tine Spacing.....	3"	3"	3"	3"
Number of Tines.....	17	19	21	23

Part Number	Description	Attachment	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76) (L35) 7185941	62" Rock Bucket.....		\$2,583.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76) 7185943	68" Rock Bucket.....		\$2,700.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T66, T76, T86)(T7X) 7185945	74" Rock Bucket.....		\$2,821.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)(T7X) 7185947	82" Rock Bucket.....		\$3,121.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Rock Bucket.....		-

Scarifier
Bobcat Loader Attachment



Quick Specs


Ship Weight..... 350 lbs
of Teeth..... 5 (7 without depth guides)
Maximum Dig Depth..... Approx. 6"

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86)(A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
6563526	Front Scarifier..... (Includes 2 Depth Guides and 5 Teeth)		\$2,115.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Front Scarifier.....	Install teeth.....	0.50

Scraper Bobcat Loader Attachment



Quick Specs


Operating Weight..... 172 lbs
Height..... 19"
Width..... 45"
Length..... 55"
Disk Diameter..... 22"

Part Number	Description	Attachment	SLP in US \$
6675211	Scraper.....		\$1,654.00

Destination Charge/Fuel Surcharge Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Scrapers.....	None.....	-

Seeder Bobcat Loader Attachment
--



Quick Specs

Weight (empty)..... 1,300 lbs
Weight (full)..... 1,425 lbs
Height..... 44.0"
Overall Width..... 88.0"
Working Width..... 72.0"
Length..... 43.0"
Hopper Capacity..... 4.0 bushels

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (L35)			
7167712	Seeder, 72", 3PT Mounting..... (Must also order Bob-Tach adapter)		\$9,832.00


Part Number	Description	Factory Installed Options	SLP in US \$
7167758	Bob-Tach Adapter..... (Allows Seeder to mount on Bob-Tach equipped machines)		\$1,045.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
7167759	Bob-Tach Adapter..... (Allows Seeder to mount on Bob-Tach equipped machines)		\$919.00
7362520	Counterweight Kit..... (Required for L35)		PARTS

Destination Charge/Fuel Surcharge Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Seeder.....	None.....	-

Silt Fence Installer
Bobcat Loader Attachment



Quick Specs

	<u>Bob-Tach Rigid Frame</u>	<u>3-PT Rigid Frame</u>	<u>78" Side Shift Bob-Tach</u>	<u>78" Side Shift 3-PT</u>
Operating Weight.....	775 lbs	760 lbs	1100 lbs	1100 lbs
Height.....	72"	72"	72"	72"
Width.....	46.25"	48"	78"	78"
Length.....	73"	71"	79"	83"

Part Number	Description	Attachment	SLP in US \$
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7137320	Silt Fence Installer..... (Must also order mounting frame)		\$6,936.00

Part Number	Description	Factory Installed Options	SLP in US \$
7137333	Loader Rigid Mounting Frame.....		\$1,822.00
7139171	3-Point Rigid Mounting Frame.....		\$1,676.00
46906819	78" Side Shift 3-PT Mounting Frame.....		\$3,564.00
46906242	78" Side Shift Bob-Tach Mounting Frame.....		\$4,585.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
7137759	Hydraulic Top Link..... (Recommended for use on tractor with 3-point)		\$494.00


Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Silt Fence Installer.....	None.....	-
Mounting Frame.....	None.....	-
Adapter.....	None.....	-

Snow Blade

Bobcat Loader Attachment



Quick Specs

	<u>54"</u>	<u>60"</u>	<u>72"</u>	<u>84"</u>
Operating Weight.....	310 lbs	580 lbs	590 lbs	620 lbs
Width.....	54"	60"	72"	84"
Height.....	21.9"	28"	28"	28"
Working Width (Fully Angled).....	46.8"	52"	63"	73"
Steel Cutting Edge.....	.38" x 4"	.375" x 6"	.375" x 6"	.375" x 6"
Cylinders.....	1	2	2	2
Trip Springs.....	2	4	4	4
Optional Rubber Cutting Edge.....	#N/A	#N/A	#N/A	#N/A
	<u>96"</u>	<u>86" HD</u>	<u>96" HD</u>	<u>108" HD</u>
Operating Weight.....	660 lbs	809 lbs	96"	108"
Width.....	96"	86"	28.4"	28.4"
Height.....	28"	28.4"	83"	93"
Working Width (Fully Angled).....	83"	75"	.5" x 6"	.5" x 6"
Steel Cutting Edge.....	.375" x 6"	.5" x 6"	1	1
Cylinders.....	2	1	4	4
Trip Springs.....	4	4	1" x 6"	1" x 6"
Optional Rubber Cutting Edge.....	#N/A	#N/A	#N/A	#N/A

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100) (S70) (L23, L28) 7196165	54" Utility Blade (with hydraulic angle)..... (To be used as either a Snow Blade or a Dozer Blade)		\$2,562.00
(MT120) (S100, S130, S150, S160) (T110) (S450, S510, S530, S550, S570, S590, S595) (T450) (L23, L28, L35) 6906107	60" Snow Blade (with hydraulic angle).....		\$3,721.00
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T110) (T450) (L35) 6905156	72" Snow Blade (with hydraulic angle).....		\$3,895.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T450) 6716836	84" Snow Blade (with hydraulic angle).....		\$4,155.00
(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)(S62, S64, S66, S76, S86) (A770) (T450) 6716838	96" Snow Blade (with hydraulic angle).....		\$4,504.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76, T86) 7207861	86" Snow Blade – Heavy Duty (with hydraulic angle).....		\$5,583.00
(S130, S150, S160, S175, S185, S205)(S530, S550, S570, S590, S595, S630, S650, S740, S750, S770)(S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86) 7207862	96" Snow Blade – Heavy Duty (with hydraulic angle).....		\$5,916.00
(S150, S160, S175, S185, S205)(S630, S650, S740, S750, S770, S850)(S76, S86)(A770) (T180, T190) (T630, T650, T740, T750, T770, T870) (T76, T86) 7207863	108" Snow Blade – Heavy Duty (with hydraulic angle).....		\$6,346.00

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
6716834	End Wing Kit..... (Converts 84" & 96" Snow Blades in to Snow Pushers) (Not for use on 60" or 72" Snow Blades) (Not for use on Heavy Duty Snow Blades) (Ship Weight 95 lbs.)	\$694.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	
<i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i>		
7199966	Rubber Wear Edge Kit, 54"	Parts \$ ____
6906117	Rubber Wear Edge Kit, 60"	Parts \$ ____
6905158	Rubber Wear Edge Kit, 72"	Parts \$ ____
6905400	Rubber Wear Edge Kit, 84"	Parts \$ ____
6905401	Rubber Wear Edge Kit, 96"	Parts \$ ____
7169614	Rubber Wear Edge Kit, 86" HD.....	Parts \$ ____
7169615	Rubber Wear Edge Kit, 96" HD.....	Parts \$ ____
7169616	Rubber Wear Edge Kit, 108" HD.....	Parts \$ ____

Dealer Installed Accessories - Order From Parts		
Part Number	Description	
<i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i>		
7195435	Replacement Cutting Edge, 54"*	Parts \$ ____
6905995	Replacement Cutting Edge, 60"*	Parts \$ ____
6905155	Replacement Cutting Edge, 72"*	Parts \$ ____
6673634	Replacement Cutting Edge, 84"*	Parts \$ ____
6673606	Replacement Cutting Edge, 96"*	Parts \$ ____
7135661	Replacement Cutting Edge, 86" HD*.....	Parts \$ ____
7161165	Replacement Cutting Edge, 96" HD*.....	Parts \$ ____
7160646	Replacement Cutting Edge, 108" HD*.....	Parts \$ ____


* Additional hardware for replacement cutting edges is needed.

Certain applications may cause premature wear of the Rubber Wear Edge.

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Utility Blade.....	Adjust shoes & install blade edge indicators.....	0.25
Snow Blade.....	Adjust shoes & install blade edge indicators.....	0.25
End Wing Kit.....	Install wings.....	0.25
End Wing Kit.....	Bolt on edge.....	0.50

Snow Pusher
Bobcat Loader Attachment



Quick Specs


	<u>94"</u>	<u>120"</u>
Operating Weight.....	1122 lbs	1256 lbs
Overall Width.....	102"	128"
Working Width.....	94.6"	121"
Length.....	56.2"	56.2"
Height.....	37.8"	37.8"
Cutting Edge.....	1.5" x 8" Rubber	1.5" x 8" Rubber
Skid Shoes.....	.75" x 5" AR400	.75" x 5" AR400
Color.....	Orange	Orange
<i>Float</i>		
Vertical.....	2.3"	2.3"
Tilt.....	12 degrees	12 degrees
Oscillation.....	+/- 4.5 degrees	+/- 4.5 degrees

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850), (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (T7X) 7113767	94" Snow Pusher.....		\$4,640.00
(S205)(S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86) (T7X) 7116164	120" Snow Pusher.....		\$5,106.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Snow Pusher.....	None.....	-

Snow Pusher Pro
Bobcat Loader Attachment



Quick Specs

	<u>72"</u>	<u>96"</u>
Operating Weight.....	1272 lbs	1473 lbs
Overall Width.....	80"	104"
Working Width.....	72"	96"
Length (includes interface).....	70.7"	75.8"
Height.....	40"	40"
Cutting Edge (High Carbon Steel).....	5/8" x 6"	5/8" x 6"
Skid Shoes (Poly).....	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"
Number of Trip Springs.....	4	4
Color.....	Orange	Orange
Float		
Tilt.....	35 degrees	35 degrees
Oscillation.....	+/- 6 degrees	+/- 6 degrees
	<u>108"</u>	<u>120"</u>
Operating Weight.....	1529 lbs	1589 lbs
Overall Width.....	116"	128"
Working Width.....	108"	120"
Length (includes interface).....	75.8"	75.8"
Height.....	40"	40"
Cutting Edge (High Carbon Steel).....	5/8" x 6"	5/8" x 6"
Skid Shoes (Poly).....	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"
Number of Trip Springs.....	4	4
Color.....	Orange	Orange
Float		
Tilt.....	35 degrees	35 degrees
Oscillation.....	+/- 6 degrees	+/- 6 degrees



Part Number	Description	Attachment	SLP in US \$
(S450*, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140) (T450*, T550, T590, T595) (T62, T64, T66) (L23*, L28*, L35)			
7406869	72" Snow Pusher Pro.....		\$10,258.00
(S150, S160, S175, S185, S205) (S510*, S530*, S550*, S570*, S590*, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T550*, T590*, T595, T630, T650, T740, T770, T870) (T62, T64, T66, T76, T86)			
7385513	96" Snow Pusher Pro.....		\$10,846.00
(S175, S185, S205) (S590*, S595, S630, S650, S740, S750, S770, S850) (S64, S66, S76, S86) (A770) (T140, T180, T190) (T590*, T595 T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7385514	108" Snow Pusher Pro.....		\$11,023.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T180, T190) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7385515	120" Snow Pusher Pro.....		\$11,200.00
*Weight kit recommended			

Part Number	Description	Dealer Installed Accessories - Order From Parts	
7396909	72" Steel Cutting Edge..... (Includes hardware)	Parts	\$____
7396911	96" Steel Cutting Edge..... (Includes hardware)	Parts	\$____
7396912	108" Steel Cutting Edge..... (Includes hardware)	Parts	\$____
7396910	60" Steel Cutting Edge **USE 2 for 120" Cutting Edge**..... (Includes hardware)	Parts	\$____
7396913	72" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396914	96" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396915	108" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396916	120" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396917	Curb Guard Kit..... (Includes hardware)	Parts	\$____
7396918	Backdrag Kit..... (Includes hardware)	Parts	\$____
7396919	Poly Skid Kit..... (Includes hardware)	Parts	\$____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Snow Pusher Pro.....	None.....	-

Snow V-Blade
Bobcat Loader Attachment



Blade in "V" Configuration

Blade in "Scoop" Configuration

Blade in "Angled" Configuration

Quick Specs

	<u>60"</u>	<u>72"</u>	<u>84"</u>	<u>96"</u>	<u>108"</u>
Operating Weight.....	660 lbs	738 lbs	779 lbs	824 lbs	868 lbs
Operating Weight with Oscillating kit.....	N/A	972 lbs	1013 lbs	1058 lbs	1102 lbs
Width:					
V-Configuration.....	54"	64.5"	75"	85.5"	96"
Scoop-Configuration.....	53"	63"	74"	84"	95"
30° Angle-Configuration.....	54"	64"	75"	85"	95"
Straight-Configuration.....	62"	74"	86"	98"	110"
Height with Blade Extension.....	28.5"	32.8"	32.8"	32.8"	32.8"
Length.....	40"	47.3"	47.3"	47.3"	47.3"
Oscillation (with flotation kit).....	N/A	+/- 10	+/- 10	+/- 10	+/- 10

Part Number	Description	Attachment	SLP in US \$
(S100) (S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64) (T110, T140) (T450) (L23, L28, L35) 7104861	60" Snow V-Blade.....		\$6,388.00
	(Loader must be equipped with an Attachment Control Kit – see Page 1) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 7196479) is required – See Page 1) (Blade is equipped with fingertip 7-Pin Control. Adjustable blade width from 53-60 inches.)		
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66) (L35) 6958576	72" Snow V-Blade.....		\$6,714.00
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 7196479) is required – See Page 1)		
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86) 6958577	84" Snow V-Blade.....		\$7,037.00
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 7196479) is required – See Page 1)		
(S175, S185, S205) (S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86) 6958578	96" Snow V-Blade.....		\$7,360.00
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 7196479) is required – See Page 1)		
(S630, S650, S740, S750, S770) (S76, S86) (A770) (T630, T650, T740, T750, T770) (T76, T86) 6958579	108" Snow V-Blade.....		\$7,682.00
	(Loader must be equipped with an Attachment Control Kit) (When used on loaders equipped with a 14-Pin Attachment Control Kit a 14-Pin Attachment T-Harness Kit (P/N 7196479) is required – See Page 1)		


Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
7102603	Blade Flotation Kit..... (Allows blade to oscillate +/- 10 degrees, includes pin to lock in place at 0 degrees) (Approved for use with 72", 84", 96" and 108" Snow V-Blades) (The frame flotation mounts between the existing frame and blade and will extend the overall blade length eight-inches from the Bob-Tach.) (Shipping weight 254 lbs.) (Estimated install time 1.5 hrs)	\$1,041.00

Dealer Installed Accessories - Order From Parts		
Part Number	Description	
<i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i>		
6958664	60" Rubber Cutting Edge Kit..... (Includes hardware)	Parts \$_____
6958665	72" Rubber Cutting Edge Kit..... (Includes hardware)	Parts \$_____
6958666	84" Rubber Cutting Edge Kit..... (Includes hardware)	Parts \$_____
6958667	96" Rubber Cutting Edge Kit..... (Includes hardware)	Parts \$_____
6958668	108" Rubber Cutting Edge Kit..... (Includes hardware)	Parts \$_____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Snow V-Blade.....	None.....	-
Flotation Kit (dealer installed).....	Install oscillating kit.....	1.50

Snowblower
Bobcat Loader Attachment



Quick Specs

	<u>SB26 x 36"</u>	<u>SB26 x 48"</u>	<u>SB26 x 56"</u>	<u>SB32 x 60"</u>	<u>SB32 x 68"</u>
Chute Rotation.....	270°	270°	270°	270°	270°
Deflector Control.....	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance.....	Up to 25'	Up to 25'	Up to 25'	Up to 40'	Up to 40'
Flow Range.....	8-12 GPM	8-12 GPM	8-12 GPM	13-31 GPM	13-31 GPM
Fan Diameter.....	15"	15"	15"	19.5"	19.5"
Auger Diameter.....	14"	14"	14"	20"	20"
Length.....	36"	48"	56"	61.5"	69.5"
Width.....	38.5"	38.5"	38.5"	45"	45"
Intake Height.....	26.5"	26.5"	26.5"	33"	33"
Max Pressure.....	3000 psi	3000 psi	3000 psi	3400 psi	3400 psi
Operating Weight.....	620 lbs	672 lbs	700 lbs	920 lbs	941 lbs

	<u>SB32 x 74"</u>	<u>SB32 x 80"</u>	<u>SB32 x 86"</u>	<u>SB36 x 86"</u>	<u>SB36 x 96"</u>
Chute Rotation.....	270°	270°	270°	270°	270°
Deflector Control.....	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Throw Distance.....	Up to 40'	Up to 40'	Up to 40'	Up to 50'	Up to 50'
Flow Range.....	13-31 GPM	13-31 GPM	13-31 GPM	36-45 GPM	36-45 GPM
Fan Diameter.....	19.5"	19.5"	19.5"	24"	24"
Auger Diameter.....	20"	20"	20"	24"	24"
Length.....	75.5"	81.5"	87"	87.5"	97.5"
Width.....	45"	45"	45"	51"	51"
Intake Height.....	33"	33"	33"	37"	37"
Max Pressure.....	3400 psi	3400 psi	3400 psi	4000 psi	4000 psi
Operating Weight.....	981 lbs	1016 lbs	1041 lbs	1457 lbs	1530 lbs

SB26 Hydraulic Motor Packages

Must order a Hydraulic Motor Package with the SB26 Snowblower Models
For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations

OMPX 50cc Motor Package..... 8-12 gpm

SB32 Hydraulic Motor Packages

Must order a Hydraulic Motor Package with the SB32 Snowblower Models
For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations

80cc Motor Package..... 13-18 gpm
130cc Motor Package..... 22-28 gpm
160cc Motor Package..... 28-31 gpm

SB36 Hydraulic Motor Packages

Must order this Hydraulic Motor Package with the SB36 Snowblower Models
For current loaders only – match hydraulic flow of older loaders with snowblower flow recommendations

OMPX 195cc Motor Package..... 36-45 gpm

Part Number	Description	SB26 Snowblower	SLP in US \$
-------------	-------------	-----------------	--------------

Must order a hydraulic motor package with the SB26 Snowblowers
Loader must be equipped with a 14-pin Attachment Control Kit
Loader must be equipped with Case Drain

(MT85, MT100, MT120) (S70)		
M7052	SB26 x 36"	\$5,970.00
M7052-R01-C01	OMPX 50cc Motor Package.....	\$801.00
(MT85, MT100, MT120) (L23, L28) (S70)		
M7053	SB26 x 48"	\$6,337.00
M7053-R01-C01	OMPX 50cc Motor Package..... (L23, L28 Hose extensions are required. Order Qty. 2 P/N 7415238)	\$801.00
(MT85, MT100, MT120) (L23, L28)		
M7054	SB26 x 56"	\$6,714.00
M7054-R01-C01	OMPX 50cc Motor Package..... (L23, L28 Hose extensions are required. Order Qty. 2 P/N 7415238)	\$801.00

Part Number	Description	SB32 Snowblower	SLP in US \$
-------------	-------------	-----------------	--------------

Must order a hydraulic motor package with the SB32 Snowblowers

(S450) (T450) (L35)		
M7046	SB32 x 60" Snowblower	\$7,318.00
M7046-R01-C01	80cc Motor Package..... (S450, T450) (L35)	\$1,094.00
M7046-R01-C03	130cc Motor Package..... (L35H)	\$1,147.00
(S450, S550, S550H, S570, S570H, S590, S590H, S595) (S62, S62H, S64, S64H, S66, S66H) (T450, T550, T550H, T590, T590H, T595, T595H) (T62, T62H, T64, T64H, T66, T66H) (L35)		
M7047	SB32 x 68" Snowblower	\$7,498.00
M7047-R01-C01	80cc Motor Package..... (S450, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66) (L35)	\$1,094.00
M7047-R01-C03	130cc Motor Package..... (S550H, S570H, S590H) (S62H, S64H, S66H) (T550H, T590H) (T62H, T64H, T66H) (L35H)	\$1,147.00
M7047-R01-C04	160cc Motor Package..... (S630H, S650H) (S76H) (T630H) (T76H)	\$1,178.00
(S450, S550, S550H, S570, S570H, S590, S590H, S595, S630, S630H, S650, S650H, S740, S750, S770)(S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T740) T62, T62H, T64,T64H, T66, T66H, T76, T76H) (L35)		
M7045	SB32 x 74" Snowblower	\$7,784.00
M7045-R01-C01	80cc Motor Package..... (S450, S550, S570, S590, S595) (S62, S64, S66) (T450, T550, T590, T595) (T62, T64, T66) (L35)	\$1,094.00
M7045-R01-C03	130cc Motor Package..... (S510H, S530H, S550H, S570H, S590H, S595H, S630, S650, S740, S750, S770,) (S62H, S64H, S66H) (A770) (S76) (T550H, T590H, T595H, T630, T650, T740, T750, T770, T870) (T62H, T64H, T66H) (T76) (L35H)	\$1,147.00
M7045-R01-C04	160cc Motor Package..... (S630H, S650H) (S76H) (T630H) (T76H)	\$1,178.00
(S550, S550H, S570, S570H, S590, S590H, S595, S630, S630H, S650, S650H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86) (A770) (T550, T550H, T590, T590H, T595, T595H, T630H, T740H, T770) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86)		
M7048	SB32 x 80" Snowblower	\$8,006.00
M7048-R01-C01	80cc Motor Package..... (S550, S570, S590 S595) (S62, S64, S66) (T550, T590 T595) (T62, T64, T66)	\$1,094.00
M7048-R01-C03	130cc Motor Package..... (S550H, S570H, S590H, S630, S650, S740, S750, S770, S850) (S62H, S66H, S76) (S86) (A770) (T550H, T590H, T630, T740, T770) (T62H, T64H, T66H, T76, T86)	\$1,147.00
M7048-R01-C04	160cc Motor Package..... (S630H, S650H) (S76H) (T630H, T740H) (T76H)	\$1,178.00
(S595, S630, S630H, S650, S650H, S740, S750, S770, S850)(S76, S76H, S86) (A770) (T595, T595H, T630, T630H, T740, T740H, T770, T870) (T76, T76H, T86)		
M7049	SB32 x 86" Snowblower	\$8,916.00
M7049-R01-C01	80cc Motor Package..... (S595) (T595)	\$1,067.00
M7049-R01-C03	130cc Motor Package..... (S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T740, T770, T870) (T76, T86)	\$1,147.00
M7049-R01-C04	160cc Motor Package..... (S630H, S650H) (S76H) (T595H, T630H, T740H) (T76H)	\$1,178.00

Part Number	Description	SB36 Snowblower	SLP in US \$
-------------	-------------	-----------------	--------------


Must order 195cc Motor Package with the SB36 Snowblowers

(S770H) (A770H) (T770H, T870H) (S86H/SuF) (T86H/SuF)		
M7059	SB36 x 86" Snowblower.....	\$11,186.00
M7059-R01-C01	OMPX 195cc Motor Package.....	\$2,426.00
(S770H) (A770H) (T770H, T870H) (S86H/SuF) (T86H/SuF)		
M7060	SB36 x 96" Snowblower.....	\$11,789.00
M7060-R01-C01	OMPX 195cc Motor Package.....	\$2,426.00

Destination Charge/Fuel Surcharge		
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.		

Attachment	Assembly Required	Installation Time (Hours)
Snowblower.....	None.....	-

Sod Layer
Bobcat Loader Attachment



Quick Specs

Operating Weight.....	596 lbs
Length.....	49.1"
Width (maximum overall).....	73.0"
Height.....	31.0"
Sod Roll Widths.....	24.0" – 48.0"
Maximum Diameter Sod Roll.....	50.0"
Arm Cylinders (2).....	2.0" X 1.0" X 18.5" Stroke
Relief Valve Setting.....	400 psi

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205)(S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850, (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770,T870) (T62, T64, T66, T76, T86)			
6906783	Sod Layer.....		\$5,577.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Sod Layer.....	None.....	-

Soil and Asphalt Spreader
Bobcat Loader Attachment



Quick Specs

	<u>SAS200</u>
Standard Width.....	74.8"
Optional Width.....	77"
Ashault Thickness.....	0"-4"
Side Shift.....	Hydraulic
Weight.....	1488 lbs.
Ave. working speed (ft/min).....	165-396
Min. required hydraulic flow.....	12 GPM
Transverse Tilt.....	5°


Part Number	Description	Attachment	SLP in US \$
(S450, S740, S770, S850) (S62, S64, S66, S76, S86) (T450, T740, T770, T870) (T62, T64, T66, T76, T86) 7396290	Soil and Asphalt Spreader.....		\$15,561.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
7403712	Side Wing Kit.....		\$815.00
7415330	Control Panel Kit.....		\$742.00

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Soil and Asphalt Spreader.....	None.....	-

Soil Conditioner Bobcat Loader Attachment



84-in

Quick Specs	
-------------	--


	<u>48-in Man.</u>	<u>72-in Man.</u>	<u>72-in Hyd.</u>
Overall Length.....	57.9"	67.9"	67.9"
Overall Width.....	60.6"	86.2"	86.2"
Working Width – Fully Angled.....	46.0"	65.0"	65.0"
Degree of Angle Left or Right.....	25°	25°	25°
Number of Teeth.....	81	121	121
Operating Weight.....	636 lbs.	1110 lbs.	1110 lbs.
Hydraulic Requirements.....	10-18 gpm	13-37 gpm	13-37 gpm
Tires.....	Pneumatic	Pneumatic	Foam-Filled
Float or Lock Position.....	Lock	Both	Both
Depth Adjustment.....	Manual	Manual	Hydraulic
Angle Adjustment.....	Manual	Manual	Hydraulic
	<u>72-in HF</u>	<u>84-in Hyd.</u>	<u>84-in HF</u>
Overall Length.....	67.9"	67.9"	67.9"
Overall Width.....	86.2"	98.2"	98.2"
Working Width – Fully Angled.....	65.0"	76.0"	76.0"
Degree of Angle Left or Right.....	25°	25°	25°
Number of Teeth.....	121	141	141
Operating Weight.....	1110 lbs.	1268 lbs.	1268 lbs.
Hydraulic Requirements.....	25-37 gpm	18-37 gpm	30-37 gpm
Tires.....	Foam-Filled	Foam-Filled	Foam-Filled
Float or Lock Position.....	Both	Both	Both
Depth Adjustment.....	Hydraulic	Hydraulic	Hydraulic
Angle Adjustment.....	Hydraulic	Hydraulic	Hydraulic

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70, S100) (T110) (L23, L28) 6958310	48" Soil Conditioner, Manual Angle.....		\$9,642.00
(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (S62, S62H, S64, S64H,S66, S66H, S76, S76H, S86H) (A770, A770H) (T140, T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H,T595, T595H, T630, T630H, T650, T650H, T740H, T770, T770H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H) (L35) 6906513	72" Soil Conditioner, Manual Angle.....		\$11,837.00
7135945	72" Soil Conditioner, Hydraulic Angle and Depth..... (Loader must be equipped with an Attachment Control Kit)		\$13,541.00
(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H) (T62H, T64H, T66H, T76H, T86H) 7135944	72" Soil Conditioner, High Flow Hydraulic Angle and Depth..... (Loader must be equipped with an Attachment Control Kit)		\$14,008.00
(S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H, S850) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86H) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H, T870) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H) 7135946	84" Soil Conditioner, Hydraulic Angle and depth..... (Loader must be equipped with an Attachment Control Kit)		\$14,319.00
(S630H, S650H, S740H, S750H, S770H, S850H)(S76H) (A770H)(T630H, T650H, T740H, T750H, T770H, T870H) (S86) (T76H, T86H) 7135947	84" Soil Conditioner, High Flow Hydraulic Angle and Depth..... (Loader must be equipped with an Attachment Control Kit)		\$15,220.00

Destination Charge/Fuel Surcharge		
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.		

Attachment	Assembly Required	Installation Time (Hours)
Soil Conditioner – manual angle.....	Adjust Bolster.....	0.25
Soil Conditioner – hydraulic angle.....	None.....	-
Attachment Control Kit.....		See Page 1

HS8 Spreader Bobcat Loader Attachment
--



Quick Specs

Operating Weight with Loader Mount (empty).....	387 lbs
Height.....	40.9"
Width.....	54.4"
<i>Hopper Capacity</i>	
Top of Hopper.....	9.6 Cu. ft.
Bottom of Grate.....	7.6 Cu. ft.
Spreading Pattern.....	18.4 @ 1500 RPM
	22.6 @ 2000 RPM
	28.4 @ 2500 RPM
Speed Control.....	Dial control
Motor.....	Hydraulic
Spinner Wheel.....	18" diameter
Maximum Hydraulic Flow.....	22 GPM

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7157284	HS8 Spreader		\$5,027.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

		<u>HS8 Spreader</u>		
7157412	Sidewalk Kit – HS8.....		Parts	\$____
	(Limits spread pattern to the width of a 29" or 37" dependant mounting location used)			

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

HS8 Spreader.....	None.....	-
-------------------	-----------	---

Stabilizer

Bobcat Loader Attachment



Quick Specs

Ship Weight..... 260 lbs

Increase your auger, backhoe or tree spade performance in a wide range of jobs with a set of frame-mounted rear stabilizers. Improves performance by transferring weight of the loader to the auger, backhoe or tree spade where it’s needed for better digging capability. Rear stabilizers also assist in leveling the loader on uneven terrain. Rear stabilizers are available for most Bobcat loaders and can be quickly mounted and removed.

Note: Installation of Rear Stabilizers requires Rear Auxiliary Hydraulics. For Rear Auxiliary Hydraulics, refer to the Dealer Installed sections of the Loader price pages.

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450*, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T66, T76, T86)			
6811449	Quick-Tach Rear Stabilizer Kit.....	Parts	\$_____
	(Must also order mounting kit) (Loader must be equipped with Rear Auxiliary Hydraulic Kit) (Intended for use with 607, 709, 8709, 811 and 8811 Backhoes, Augers and Tree Spades) (Rear Stabilizers NOT compatible with Bob-Tach Mounted Backhoe P/N 6906767)		
*Must order the counter weight kit - axle P/N 7204315 when mounting rear stabilizers on S450.			

Dealer Installed Accessories - Order From Sales & Parts		
Part Number	Description	SLP in US \$
(S510, S530, S550, S570, S590, S595, S630, S650) (T450, T550, T590, T595, T630, T650)		
7152508	Mounting Kit.....	Parts \$_____
(Approved for use with M-Series Loaders to mount Quick-Tach Stabilizer and Quick-Tach Water Kit) (Ship weight 120 lbs.)		
(S740, S750, S770, S850) (A770) (T740, T750, T770)		
7152512	Mounting Kit.....	Parts \$_____
(Approved for use with M-Series Loaders to mount Quick-Tach Stabilizer and Quick-Tach Water Kit) (Ship weight 90 lbs.)		
(T870 torsion suspension SN B47C11001 & up)		
7342130	Mounting Kit.....	Parts \$_____
(Approved for T870 loaders with torsion suspension to mount QT Stabilizer and QT Water Kit) (Ship weight 90 lbs.)		
(S62, S64, S66) (T62, T64, T66)		
7415849	Mounting Kit.....	Parts \$_____
(Approved for 6X R-Series loaders to mount QT Stabilizer and QT Water Kit) (Ship weight 80 lbs.)		
(S76) (T76)		
7393164	Mounting Kit.....	Parts \$_____
(Approved for 7X R-Series loaders to mount QT Stabilizer and QT Water Kit) (Ship weight 97 lbs.)		
(S86) (T86)		
7453977	T8x/S8x Mounting Kit.....	Parts \$_____
(Approved for 8X R-Series loaders to mount QT Stabilizer) (Ship weight 97 lbs.)		
(S150, S160, S175, S185, S205, S220, S250, S300, S330) (A300) (T180, T190, T250, T300, T320)		
6811455	Counterweight Kit, 300 lb.....	Parts \$_____
(Attaches to Rear Stabilizer and Mounting Kit.)		

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Rear Stabilizers.....	Install stabilizer mount and attach stabilizers.....	2.50
Counterweight Kits.....	Install counterweights.....	0.50
Street Pad Kit.....	Install street pads.....	0.25

Steel Tracks

Bobcat Loader Attachment



Attachment						
Part Number	Tire Size	# of Pads	Machine width with tracks	Wheel Spacers (incl.)	Ship Wgt.	SLP in US \$

Complete Track Package

Each part number includes a set of tracks, web binder, hardware, and if required, wheel spacers and lift arm stops.

(S175, S185)						
7111882	10.00-16.5	34	69"	none	920	Parts \$____
Note: Tracks will not work with 773, S175, S185 with 60" offset rims.						
(S510, S530, S550, S570)						
7222581	10.00-16.5	34	72"	2"	913	Parts \$____
Note: Order p/n 7233132 if loader is equipped with 31-12-16.5 tires.						
(S510, S530, S550, S570, S590, S595)						
7233132	31-12-16.5	34	76"	none	963	Parts \$____
Note: Requires rims to be reversed for proper spacing. Flange nuts included for securing the rim. Order p/n 7222581 if loader is equipped with 10-16.5 tires. Bucket will be narrower than the 76" over the track width.						
(S630, S650)						
7178955	12.00-16.5	38	79"	2"	1197	Parts \$____
(S740, S750, S770)						
7191754	12.00-16.5	38	79"	2"	1201	Parts \$____
(S850)						
7191757	14.00-17.5	42	86"	2"	1366	Parts \$____

Note on use of poly fill tires and other non-pneumatic tires with steel tracks

Only pneumatic tires and tires with Superflex formula poly fill manufactured by Arnco are permitted for use inside steel tracks. Bobcat factory poly-filled tires meet this requirement. All other tires including Bobcat Solid Tires (Twin Flex, Smooth Flex, Smooth Solid, etc.) are considered non-approved. The use of non-approved tires will void the loader and track warranties. For more information, see service letter #5010 dated 15 July 2002.

Part Number	Description	Dealer Installed Accessories - Order From Sales
-------------	-------------	---

Replacement Track Sets

Each part number includes a set of tracks and web binder.
Additional hardware, wheel spacers and lift-arm stops are not included.

(S150, S160, S175, S185)		
7111882	Tracks.....	Parts \$____
(Fits 10.0-16.5 tires) (Ship Weight 918 lbs.)		
(S590, S595)		
7233132	Tracks.....	Parts \$____
(Fits 31-12x16.5 tires) (Ship Weight 963 lbs.) (Includes flange nuts) (Rims must be reversed for proper spacing)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Replacement Parts

The following are common parts required to service steel tracks.

7111988	11.5" Welded Pad (1" Bars).....	Parts	\$_____
7111989	11.5" Welded Pad Kit (1" Bars)..... (Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)	Parts	\$_____
7111858	13.25" Pad.....	Parts	\$_____
7111862	13.25" Pad Kit..... (Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)	Parts	\$_____
7111860	14.75" Pad.....	Parts	\$_____
7111863	14.75" Pad Kit..... (Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)	Parts	\$_____
7111861	16.00" Pad.....	Parts	\$_____
7111864	16.00" Pad Kit..... (Includes Pad, 2 Links, 4 Nuts, 4 Bolts, 4 Bushings)	Parts	\$_____
7111857	Link (1 ¼" Holes).....	Parts	\$_____
6679215	Bushing (1 ¼" Outside Diameter).....	Parts	\$_____
6679216	Carriage Bolt (½" x 1 7/8" GR5).....	Parts	\$_____
6679217	Nut (½" NF GR5 Center Lock).....	Parts	\$_____
6679059	Web Binder.....	Parts	\$_____
6679060	Web Binder Strap.....	Parts	\$_____

Wheel Spacer Parts

6679231	Stud, 9/16" x 2.12"	Parts	\$_____
6679233	Nut, 9/16" x 90°.....	Parts	\$_____
6679234	Reach Nut.....	Parts	\$_____
(753, 763, 773, S175, S185, 853)			
6679237	1 ½" Wheel Spacer Kit (9/16 Studs & Nuts)..... (Includes 4 wheel spacers, nuts and bolts)	Parts	\$_____
6679238	1 ½" Wheel Spacer Ring (9/16 Studs & Nuts).....	Parts	\$_____
(S220, S250, 873) (S510, S530, S550, S570)			
6679239	2" Wheel Spacer Kit (9/16 Studs & Nuts)..... (Includes 4 wheel spacers, nuts and bolts)	Parts	\$_____
6679240	2" Wheel Spacer Ring (9/16 Studs & Nuts).....	Parts	\$_____
6679241	1 ½" Wheel Spacer Kit (With Reach Nuts)..... (Includes 4 wheel spacers, nuts and bolts)	Parts	\$_____
6679242	1 ½" Wheel Spacer Ring (Without Reach Nuts).....	Parts	\$_____

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

Re-Build Kits Without Links
Includes nuts, bolts and bushings
Refer to track packages to see how many pads are required.


7111868.....	30 PADS/MACHINE.....	Parts	\$ ____
7111869.....	32 PADS/MACHINE.....	Parts	\$ ____
7111870.....	34 PADS/MACHINE.....	Parts	\$ ____
7111871.....	38 PADS/MACHINE.....	Parts	\$ ____
7111872.....	40 PADS/MACHINE.....	Parts	\$ ____
7111873.....	42 PADS/MACHINE.....	Parts	\$ ____

Re-Build Kits Without Links
Includes nuts, bolts and bushings
Refer to track packages to see how many pads are required.

7111874.....	30 PADS/MACHINE.....	Parts	\$ ____
7111875.....	32 PADS/MACHINE.....	Parts	\$ ____
7111876.....	34 PADS/MACHINE.....	Parts	\$ ____
7111877.....	38 PADS/MACHINE.....	Parts	\$ ____
7111878.....	40 PADS/MACHINE.....	Parts	\$ ____
7111879.....	42 PADS/MACHINE.....	Parts	\$ ____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Stump Bucket Bobcat Loader Attachment
--



Quick Specs


Operating Weight.....	354 lbs.
Overall Width.....	45.6 in.
Length.....	63.6 in.
Height.....	21.5 in.
Cutting Edge.....	12 in.
SD Teeth.....	3

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------


46973486	Stump Bucket.....		\$1,988.00
----------	-------------------	--	------------

—

Stump Grinder
Bobcat Loader Attachment



SG30 Stump Grinder



SG60 and SGX60 Stump Grinder

Quick Specs

	<u>SG30</u>	<u>SG60</u>	<u>SGX60</u>
Operating Weight.....	460 lbs	980 lbs	995 lbs
Flow Range.....	10-14 gpm	17-32 gpm*	25-40 gpm*
Overall Length.....	46.3"	45"	45"
Overall Transport Length.....	39.5"	65.8"	65.8"
Overall Height.....	33.5"	59.4"	59.4"
Wheel Diameter.....	18"	27"	27"
Number of Teeth.....	16	32	32
Grinder Reach @ Ground Level.....	46.3"	74"	74"
Maximum Cutting Height.....	11"	32"	32"
Maximum Cutting Depth.....	11"	15"	15"
Maximum Cutting Arc.....	90°	80°	80°

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28) 7100641	SG30 Stump Grinder.....		\$7,382.00
	(Loader must be equipped with a 14-Pin Attachment Control Kit – See Page 3-6)		
(S160, S160H, S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S750, S770, S850) (S62, S62H, S64, S64H, S66, S66H, S76H, S86H) (A770) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T750, T770, T870) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H) (L35) 6808034	SG60 Stump Grinder.....		\$13,002.00
	*Not approved for use with 37 GPM High Flow Loaders (Loader must be equipped with an Attachment Control Kit – See Page 3-6) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 6)		
(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870H) (T62H, T64H, T66H, T76H, T86H) 7112201	SGX60 Stump Grinder.....		\$13,456.00
	(Loader must be equipped with an Attachment Control Kit – See Page 3-6) (When used on loaders equipped with a 14-Pin Attachment Control Kit, a 14-Pin Attachment T-Harness Kit is required – See Page 6)		

Dealer Installed Accessories - Order From Parts		
Part Number	Description	

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.


6732873	Harness for F-Series loaders..... (Used on SG60 with F-Series Loaders to increase grinding wheel power when swing is engaged)	Parts	\$_____
---------	--	-------	---------

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	------------------------------

Stump Grinder.....	None.....	-
Attachment Control Kit.....		See Page 3-6

Sweeper
Bobcat Loader Attachment



Quick Specs

	<u>44"</u>	<u>54"</u>	<u>60"</u>
Operating Weight.....	573 lbs	654 lbs	888 lbs
Sweep Width.....	44"	54"	60"
Overall Attachment Width.....	49.9"	59.7"	65.7
Bucket Capacity.....	3.0 cu. ft.	3.7 cu. ft.	8.7 cu. Ft.
Broom Diameter.....	24"	24"	26.3"
Bristle Sections (Included).....	21	26	30
Bristle Material.....	Replaceable Polypropylene sections (steel sections available)		
Cutting Edge (Repl. Steel).....	5/8" x 6"	5/8" x 6"	5/8" x 6"
Broom RPM @ 12 GPM.....	182	182	258
Hydraulic Flow Range.....	9.5-19.0 GPM	9.5-19.0 GPM	16.0-23.0 GPM
Travel.....	Frwd/Rev	Frwd/Rev	Frwd/Rev
	<u>72"</u>	<u>84"</u>	
Operating Weight.....	1004 lbs	1122 lbs	
Sweep Width.....	72"	84"	
Overall Attachment Width.....	77.7"	89.7"	
Bucket Capacity.....	10.4 cu. ft.	12.2 cu. ft.	
Broom Diameter.....	26.3"	26.3"	
Bristle Sections (Included).....	36	42	
Bristle Material.....	Replaceable Polypropylene sections (steel sections available)		
Cutting Edge (Repl. Steel).....	5/8" x 6"	5/8" x 6"	
Broom RPM @ 12 GPM.....	258	258	
Hydraulic Flow Range.....	16.0-23.0 GPM	16.0-23.0 GPM	
Travel.....	Frwd/Rev	Frwd/Rev	

Part Number	Description	Attachment	SLP in US \$
(MT55, MT85, MT100, MT120) (S70) (L23, L28)			
7418344	44" Sweeper.....		\$5,784.00
(MT100, MT120) (S100, S130) (T110) (S450) (T450) (L23, L28, L35)			
7418340	54" Sweeper.....		\$6,311.00
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66) (L35)			
7418328	60" Sweeper.....		\$6,850.00
(S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (A770) (T180, T190) (T550, T590, T595, T630, T650) (T62, T64, T66, T76)			
7405171	72" Sweeper.....		\$7,570.00
(S630, S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770) (T76,T86)			
7418178	84" Sweeper.....		\$8,473.00

Dealer Installed Accessories - Order From Sales & Parts		
Part Number	Description	SLP in US \$
7419388	Gutter Brush..... (Add-on to the 60", 72", and 84" Sweepers) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 150 lbs.)	\$2,845.00
46954872	Sweeper Mounted Water Kit..... For current (2021+) 60", 72" & 84" models only. Tank, electrical components*, pump, filter, hoses, and nozzles included. 35 gal. capacity.* Need to order Water Kit Cab Harness p/n 7440548.	Parts \$____
6714219	Gutter Brush- Previous Models..... (Add-on to previous 60" and 72" Sweeper) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 145 lbs.)	Parts \$____
7122418	Gutter Brush- Previous Models..... (Add-on to the previous 84" Sweeper) (Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve) (Estimated install time 2 hours) (Ship Weight 145 lbs.)	Parts \$____
7147900	Wheel Kit, for previous 84" Sweeper..... (Add-on for previous 84" Sweeper) (Not Recommended for use with the 7122418 Gutter Brush) (Limits surface damage due to scrapes and scratches) (Includes hardware, two wheels and gas springs) (Estimated install time 1 hours)	Parts \$____
7440548	Water Kit Cab Harness..... Adds Rocker Switch to Loader Cab for Operating Integrated Attachment Water Kit	Parts \$____

Dealer Installed Accessories - Order From Parts		
Part Number	Description	
<i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i>		
7421316	Bolt-On Cutting Edge, 44"..... (Hardware not included) (Estimated install time 1.5 hours)	Parts \$____
7418392	Bolt-On Cutting Edge, 54"..... (Hardware not included) (Estimated install time 1.5 hours)	Parts \$____
7328134	Bolt-On Cutting Edge, 60"..... (Hardware not included) (Estimated install time 1.5 hours)	Parts \$____
7405199	Bolt-On Cutting Edge, 72"..... (Hardware not included) (Estimated install time 1.5 hours)	Parts \$____
7418224	Bolt-On Cutting Edge, 84"..... (Hardware not included) (Estimated install time 1.5 hours)	Parts \$____

Water Kit
Note: Water Kits are available for use with the Sweeper attachments – see Water Kit page for details.

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Gutter Brush.....		2.00
Sweeper Mounted Water Kit.....		2.50

Three-Point Hitch Adapter
Bobcat Loader Attachment




Quick Specs

Operating Weight..... 272 lbs
Mounting Frame..... Mounts to category "I and II" Three-Point Hitch Implements that meet the ASAE standard for quick hitch.
Overall Width..... 46"

Part Number	Description	Attachment	SLP in US \$
(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S72, S76, S86)(A770) (T110, T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T72, T76, T86) 7110394	Three-Point Hitch Adapter, Category "I and II"		\$1,346.00
(Quick-tach connection to Three-Point Hitch implements to convert to Bob-Tach™) (Includes 2" receiver for moving trailers)			

Attachment	Assembly Required	Installation Time (Hours)
Three-Point Adapter.....	Three-Point Adapter.....	-

Tiller
Bobcat Loader Attachment



Quick Specs

	<u>40"</u>	<u>62"</u>	<u>76"</u>
Operating Weight.....	475 lbs	660 lbs	749 lbs
Working Width.....	40.6"	62.1"	75.4"
Overall Width.....	48"	73.1"	86.8"
Tines.....	24	36	44
Working Depth.....	6" maximum	6" maximum	6" maximum
Tine Rotation.....	Bi-rotational	Bi-rotational	Bi-rotational
Drive.....	Direct Drive	Direct Drive	Direct Drive
Travel Direction.....	Forward/Reverse	Forward/Reverse	Forward/Reverse
Flow Range.....	9-18 GPM	17-40 GPM	17-40 GPM
Skid Shoe.....	Optional	Optional	Optional

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70, S100) (T110) (L23, L28)			
7196028	40" Rotary Tiller.....		\$5,760.00
(S130, S150, S160, S160H, S175, S185, S185H, S205, S205H) (S450, S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H)(S62, S62H, S64, S64H, S66, S66H, S76, S76H) (T140, T180, T180H, T190, T190H) (T450, T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86) (L35)			
7104371	62" Rotary Tiller.....		\$6,672.00
(S160, S160H, S175, S185, S185H, S205, S205H) (S510, S530, S550, S550H, S570, S570H, S590, S590H, S595, S595H, S630, S630H, S650, S650H, S740, S740H, S750, S750H, S770, S770H) (S62, S62H, S64, S64H, S66, S66H, S76, S76H, S86H) (A770, A770H) (T180, T180H, T190, T190H) (T550, T550H, T590, T590H, T595, T595H, T630, T630H, T650, T650H, T740, T740H, T750, T750H, T770, T770H) (T62, T62H, T64, T64H, T66, T66H, T76, T76H, T86H) (L35)			
7102125	76" Rotary Tiller.....		\$7,875.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

7280548	Tiller Skid Shoes for all models..... (0.5 hour assembly time)	Parts	\$_____
---------	---	-------	---------

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Tiller.....	None.....	-
Tiller Skid Shoe.....	Bolt to tiller.....	0.50

Tilt Tatch Bobcat Loader Attachment
--



Quick Specs

Operating Weight.....	320 lbs
Height.....	20.4"
Width.....	48"
Length.....	4.3"
Oscillation.....	± 15°
Cylinders.....	1


Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66) (L35)			
7101600	Tilt-Tatch..... (Interface between the Loader’s Bob-Tach and non hydraulic attachments)		\$3,493.00
Note: Use of Tilt-Tatch will reduce Operating Capacity and Tip Load by approximately 20%. See the Tilt-Tatch Operators Manual for New Load Ratings.			
Note: Tilt-Tatch can be used with non-hydraulic attachments only.			

Dealer Installed Accessories - Order From Parts	
Part Number	Description
<u>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</u>	
7101857	Tilt-Tatch Rebuild Kit..... (The bolt-on rebuild kit allows customers with high usage or excessive wear applications to replace high wear items without the use of a cutting torch and welder.)
	Parts \$_____

Destination Charge/Fuel Surcharge Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Tilt-Tatch.....	None.....	-

Tree Spade
Bobcat Loader Attachment



Quick Specs

		32"	36"	44"
		Cone 30°	Cone 30°	Cone 30°
Spande Weight	Cone 30°	1590 lbs.	1640 lbs.	2150 lbs.
	Modified 25°	1525 lbs.	1580 lbs.	2145 lbs.
Width	Cone 30°	91.8 in.	95.6 in.	85.1 in.
	Modified 25°	76.0 in.	79.8 in.	77.7 in.
Height	Cone 30°	64.2 in.	64.2 in.	64.2 in.
	Modified 25°	58.7 in.	58.7 in.	66.6 in.
Length	Cone 30°	83.3 in.	87.5 in.	85.1 in.
	Modified 25°	74.2 in.	78.4 in.	78.5 in.
Max Digging Depth	Cone 30°	31.2 in.	32.9 in.	33.3 in.
	Modified 25°	25.9 in.	29.4 in.	31.0 in.
Bottom Opening Radius	Cone 30°	0.8 in.	2.2 in.	5.6 in.
	Modified 25°	5.6 in.	6.2 in.	9.4 in.

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

Convertible Tree Spades

Convertible Tree Spades can be equipped with either a pendant style (rocker switch) control panel or a 7-pin ACD control kit. Convertible Tree Spades for competitor loaders G-series and older require pendant control to be ordered and installed. 44” Tree Spade requires pendant control kit p/n 7152664 for competitive loaders G-series and older.

(S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86)(A770) (T180, T190)(T550, T590, T595, T630, T650, T740, T750, T770, T870)(T62, T64, T66, T76, T86)			
7149485	32" Convertible Tree Spade, Cone.....		\$17,906.00
7149442	32" Convertible Tree Spade, Modified.....		\$17,906.00
(S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S62, S64, S66, S76, S86)(A770) (T180, T190) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T76, T86)			
7149488	36" Convertible Tree Spade, Cone.....		\$18,772.00
7149445	36" Convertible Tree Spade, Modified.....		\$18,772.00
(S740, S750, S770, S850) (S86) (A770) (T650, T740, T750, T770, T870) (T76, T86)			
7149491	44" Convertible Tree Spade, Cone.....		\$25,666.00
7149306	44" Convertible Tree Spade, Modified.....		\$25,666.00

*Competitive loaders G-series and older require/must also order pendant control kit P/N 7152664


Note: Rear Stabilizers are required and counterweights are recommended when using the tree spade.
See Stabilizer price page for more information.

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
(All Loader Series)		
7152662	ACD Conversion Kit, 7-Pin.....	\$476.00
7152663	Pendant Control Kit, 3-Blade..... (For 24" through 36" Convertible Tree Spades) (No additional Control Kits needed.)	\$957.00
7152664	Pendant Control Kit, 4-Blade..... (For 44" Convertible Tree Spades) (No additional Control Kits needed.) (Will operate 4-Blade convertible Tree Spades)	\$1,079.00
(S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)		
6811449	Quick-Tach Rear Stabilizer Kit..... (Must also order mounting kit – see Rear Stabilizer price page for more information)	Parts \$_____

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Tree Spade.....	None.....	-
Pendant Control, 3-Blade & 4-Blade.....	Install Pendant Control.....	0.25
ACD Conversion Kit, 7-Pin.....	Install Conversion Kit.....	0.25

Trench Compactor Bobcat Loader Attachment
--



Quick Specs

Operating Weight.....	1400 lbs
Height.....	59"
Length.....	57"
Width.....	48"

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76, S86) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770) (T62, T64, T66, T76, T86)			
6905277	Trench Compactor.....		\$13,517.00
	(Comes standard with a 4 ½" Pad and compacts trenches up to 8" wide) (Wheel-type vibratory compactor)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---


For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6905338	8" Wide Pad Kit.....	Parts	\$_____
	(Compacts Trenches up to 12" Wide) (Qty. 12) (Ship Weight 160 lbs.)		

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Trench Compactor.....	None.....	-

Trencher
Bobcat Loader Attachment



Quick Specs

	<u>LT112</u>	<u>LT113</u>	<u>LT213</u>	<u>LT313 3' depth</u>
Operating Weight (without teeth).....	613 lbs	638 lbs	725 lbs	955 lbs
Flow Range.....	9-15 gpm	9-15 gpm	11-18 gpm	15-23 gpm
Maximum Operating Pressure.....	3000 psi	3000 psi	3300 psi	3300 psi
Frame Width (std. equipment).....	36"	36"	56"	56"
Trenching Widths Available.....	4" to 8"	4" to 8"	4" to 8"	6" to 12"
Side Shift Travel.....	16.1"	16.1"	23.1"	23.1"
Auger Diameter.....	12" *	12"	12"	14"
Auger Clearance.....	13.8-15.8"	13.8-15.8"	13.8-15.8"	24-27"
Dig Depth @ 60 degrees.....	2'	3'	3'	3'
Overall Length.....	60.7"	74"	74"	79.5"
Standard Boom Length.....	#N/A	#N/A	#N/A	#N/A
	<u>LT313 4' depth</u>	<u>LT414 4' depth</u>	<u>LT414 5' depth</u>	<u>LT405</u>
Operating Weight (without teeth).....	980 lbs	1181 lbs	26-40 gpm	26-40 gpm
Flow Range.....	15-23 gpm	26-40 gpm	3300 psi	3300 psi
Maximum Operating Pressure.....	3300 psi	3300 psi	56.25"	65"
Frame Width (std. equipment).....	56"	56.25"	6" to 8"	6" to 12"
Trenching Widths Available.....	6" to 12"	6" to 12"	21.8"	26"
Side Shift Travel.....	23.1"	21.8"	12 to 14.25"	12" *
Auger Diameter.....	14"	12 to 14.25"	23.4-26.4"	19"
Auger Clearance.....	24-27"	23.4-26.4"	62"	4'-5'
Dig Depth @ 60 degrees.....	4'	50"	104"	105"
Overall Length.....	89.5"	90"	79"	63"
Standard Boom Length.....	#N/A	#N/A	#N/A	#N/A
	Single Removable Auger	Tapered Removable Auger	* Dual Augers	

Part Number	Description	LT112 Trencher Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
M7011	LT112 Trencher.....		\$5,553.00
	(Includes mounting frame, hoses, couplers, 2' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)		
	2' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)		
M7011-R01-C01	2' x 4" Cup Teeth, Double Standard Pattern.....		\$796.00
M7011-R01-C02	2' x 4" Cup Teeth, Single Standard pattern.....		\$653.00
M7011-R01-C03	2' x 4" Cup & Carbide Teeth, Double Standard pattern.....		\$1,426.00
M7011-R01-C05	2' x 4" Shark/Cup Teeth in Double Standard Pattern.....		\$967.00
M7011-R01-C06	2' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,217.00

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
<u>LT112 Chain Configuration Accessories (Replacement Chain - Dealer Installed)</u> <u>Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)</u>		
6959315	2' x 4" Cup Teeth, Single Standard Pattern..... (Ship Weight 76 lbs.)	\$717.00
6959323	2' x 4" Cup Teeth, Double Standard Pattern..... (Ship Weight 85 lbs.)	\$901.00
6959333	2' x 4" Cup & Carbide Teeth, Double Standard Pattern..... (Ship Weight 91 lbs.)	\$1,703.00
7209862	2' x 4" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$993.00
7209863	2' x 6" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$1,101.00
6959317	3' x 4" Cup Teeth, Single Standard Pattern..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)	\$853.00
6959335	3' x 6" Cup Teeth, Single Standard Pattern..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)	\$901.00
6959321	3' x 4" Cup Teeth, Double Standard Pattern..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	\$954.00
6959319	3' x 4" Cup & Carbide Teeth, Double Standard Pattern..... (Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	\$1,853.00
Dealer Installed Accessories - Order From Parts		
Part Number	Description	

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6959248	Boom Guide Assembly..... (Needed for 3' dig depth) (Also required (2) ¾" bolts # 84G3712 additional 1' chain, and additional teeth or order 3' chain configuration from LT112 accessories)	Parts	\$_____
6705531	Carbide Tooth Kit..... (Ship Weight 16 lbs.)	Parts	\$_____
6701918	Cup Tooth Kit..... (Ship Weight 13 lbs.)	Parts	\$_____
6959302	Double Standard Chain..... (No teeth attached)	Parts	\$_____
6959301	Double Standard Chain – 16P..... (For additional 1' dig depth)	Parts	\$_____
7110909	Spacer Kit, 6"..... (Used with cup teeth for 6" width) (Ship weight 2 lbs.)	Parts	\$_____
7110910	Spacer Kit, 8"..... (Used with cup teeth for 8" width) (Ship weight 11 lbs.)	Parts	\$_____
6806974	Trench Cleaner Adapter, 6"..... (Used with Trench Cleaner Kit) (Ship Weight 3 lbs.)	Parts	\$_____
6806975	Trench Cleaner Adapter, 8"..... (Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)	Parts	\$_____

Part Number	Description	LT113 Trencher Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (S70) (L23, L28)			
M7014	LT113 Trencher.....		\$5,791.00
	(Includes mounting frame, hoses, couplers, 3' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)		
	3' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)		
M7014-R01-C01	3' x 4" Cup Teeth, Double Standard Pattern.....		\$717.00
M7014-R01-C02	3' x 4" Cup Teeth, Single Standard Pattern.....		\$630.00
M7014-R01-C03	3' x 4" Cup & Carbide Teeth, Double Standard Pattern.....		\$1,468.00
M7014-R01-C04	3' x 6" Cup Teeth, Single Standard Pattern.....		\$672.00
M7014-R01-C06	3' x 4" Shark/Cup Teeth in Double Standard Pattern.....		\$1,181.00
M7014-R01-C07	3' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,475.00
M7040	Trencher LT113 CII, MT85, MT100, MT120.....		\$5,791.00
	(Includes mounting frame, hoses, couplers, 3' depth, manual sideshift, 4" trench cleaner) (Can only order one factory installed chain option per trencher model)		
	3' Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)		
M7040-R01-C01	3' x 4" Cup Teeth, Double Standard Pattern.....		\$717.00
M7040-R01-C02	3' x 4" Cup Teeth, Single Standard Pattern.....		\$630.00
M7040-R01-C03	3' x 4" Cup & Carbide Teeth, Double Standard Pattern.....		\$1,468.00
M7040-R01-C04	3' x 6" Cup Teeth, Single Standard Pattern.....		\$672.00
M7040-R01-C06	3' x 4" Shark/Cup Teeth in Double Standard Pattern.....		\$1,181.00
M7040-R01-C07	3' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,475.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<u>LT113 Chain Configuration Accessories (Replacement Chain - Dealer Installed)</u> Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)			
6959317	3' x 4" Cup Teeth, Single Standard Pattern.....		\$853.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)		
6959335	3' x 6" Cup Teeth, Single Standard Pattern.....		\$901.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)		
6959321	3' x 4" Cup Teeth, Double Standard Pattern.....		\$954.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)		
6959319	3' x 4" Cup & Carbide Teeth, Double Standard Pattern.....		\$1,853.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)		
7209864	3' x 4" Shark Tooth/Cup Teeth, Double Standard Pattern.....		\$1,249.00
7209865	3' x 6" Shark Tooth/Cup Teeth, Double Standard Pattern.....		\$1,458.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6705531	Carbide Tooth Kit (Ship Weight 16 lbs.)	Parts	\$_____
6701918	Cup Tooth Kit (Ship Weight 13 lbs.)	Parts	\$_____
7110909	Spacer Kit, 6" (Used with cup teeth for 6" width) (Ship weight 2 lbs.)	Parts	\$_____
7110910	Spacer Kit, 8" (Used with cup teeth for 8" width) (Ship weight 11 lbs.)	Parts	\$_____
6806974	Trench Cleaner Adapter, 6" (Used with Trench Cleaner Kit) (Ship Weight 3 lbs.)	Parts	\$_____
6806975	Trench Cleaner Adapter, 8" (Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)	Parts	\$_____

Part Number	Description	LT213 Trencher Attachment	SLP in US \$
(S100, S130) (T110, T140) (S450) (T450) (L35)			
M7013	LT213 Trencher.....		\$5,825.00
	(Includes 3' depth, manual sideshift, and 4" trench cleaner) (Can only order one factory installed chain option per trencher model)		
	<i>Chain Options are 1.654" Double Standard (DS) Anti-Back Flex (ABF)</i>		
M7013-R01-C01	3' x 4" Cup Teeth, Double Standard Pattern.....		\$717.00
M7013-R01-C02	3' x 4" Cup Teeth, Single Standard Pattern.....		\$630.00
M7013-R01-C03	3' x 4" Cup & Carbide Teeth, Double Standard Pattern.....		\$1,468.00
M7013-R01-C04	3' x 6" Cup Teeth, Single Standard Pattern.....		\$672.00
M7013-R01-C06	3' x 4" Shark/Cup Teeth in Double Standard Pattern.....		\$1,181.00
M7013-R01-C07	3' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,373.00
Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$

LT213 Chain Configuration Accessories (Replacement Chain - Dealer Installed)
Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)

6959317	3' x 4" Cup Teeth, Single Standard Pattern.....	\$853.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 100 lbs.)	
6959335	3' x 6" Cup Teeth, Single Standard Pattern.....	\$901.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 113 lbs.)	
6959321	3' x 4" Cup Teeth, Double Standard Pattern.....	\$954.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	
6959319	3' x 4" Cup & Carbide Teeth, Double Standard Pattern.....	\$1,853.00
	(Must also order Boom Guide Assembly p/n 6959248) (Ship Weight 115 lbs.)	
7209864	3' x 4" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$1,249.00
7209865	3' x 6" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$1,458.00
7274348	Hydraulic Side Shift Kit.....	\$1,173.00
	(Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install time)	

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6705531	Carbide Tooth Kit.....	Parts	\$____
	(Ship Weight 16 lbs.)		
6701918	Cup Tooth Kit.....	Parts	\$____
	(Ship Weight 13 lbs.)		
6959303	Double Standard Chain.....	Parts	\$____
	(No teeth attached) (Ship Weight 64 lbs.)		
7110909	Spacer Kit, 6".....	Parts	\$____
	(Used with cup teeth for 6" width) (Ship weight 2 lbs.)		
7110910	Spacer Kit, 8".....	Parts	\$____
	(Used with cup teeth for 8" width) (Ship weight 11 lbs.)		
6806974	Trench Cleaner Adapter, 6".....	Parts	\$____
	(Used with Trench Cleaner Kit) (Ship Weight 3 lbs.)		
6806975	Trench Cleaner Adapter, 8".....	Parts	\$____
	(Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)		

Part Number	Description	LT313 Trencher Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770) (S62, S64, S66, S76) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650) (T62, T64, T66, T76) (L35)			
M7015	LT313 Trencher.....		\$7,029.00
	(Includes 3' depth, manual sideshift, 6" trench cleaner) (Can only order one factory installed chain option per trencher model)		
	<i>All chains are 2.0" Double Standard (DS) Anti-Back Flex (ABF)</i>		
M7015-R01-C13	No Chain Option.....		n/c
M7015-R01-C02	3' x 6" Cup Teeth in Single Standard Pattern.....		\$889.00
M7015-R01-C05	3' x 8" Cup Teeth in Single Standard Pattern.....		\$938.00
M7015-R01-C01	3' x 6" Cup Teeth in Double Standard Pattern.....		\$1,475.00
M7015-R01-C04	3' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,489.00
M7015-R01-C03	3' x 6" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,412.00
M7015-R01-C06	3' x 8" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,470.00
M7015-R01-C14	3' x 8" Shark/Cup Teeth in Double Standard Pattern.....		\$1,798.00
	<i>The LT313 is assembled as a 4' dig depth when ordering the 4' chain option (Boom Guide included with 4' factory installed chain)</i>		
M7015-R01-C08	4' x 6" Cup Teeth in Single Standard Pattern.....		\$1,097.00
M7015-R01-C11	4' x 8" Cup Teeth in Single Standard Pattern.....		\$1,231.00
M7015-R01-C07	4' x 6" Cup Teeth in Double Standard Pattern.....		\$1,353.00
M7015-R01-C10	4' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,748.00
M7015-R01-C09	4' x 6" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,706.00
M7015-R01-C12	4' x 8" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,892.00
M7015-R01-C15	4' x 8" Shark/Cup Teeth in Double Standard Pattern.....		\$1,982.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
<i><u>LT313 Chain Configuration Accessories (Replacement Chain - Dealer Installed)</u></i> <i>Chains are 1.654" Double Standard (DS) Anti-Back Flex (ABF)</i>			
6970056	3' x 6" Cup Teeth in Single Standard Pattern.....		\$1,039.00
	(Ship Weight 143 lbs.)		
6970057	3' x 8" Cup Teeth in Single Standard Pattern.....		\$1,039.00
	(Ship Weight 151 lbs.)		
6959240	3' x 6" Cup Teeth in Double Standard Pattern.....		\$1,703.00
	(Ship Weight 195 lbs.)		
6970058	3' x 6" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,806.00
	(Ship Weight 228 lbs.)		
7100638	3' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern.....		\$1,770.00
	(Ship Weight 153 lbs.)		
6970059	3' x 8" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,805.00
	(Ship Weight 236 lbs.)		
7209866	3' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern.....		\$1,546.00
6808242	4' x 6" Cup Teeth in Single Standard Pattern.....		\$1,265.00
	(Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)		
6808243	4' x 8" Cup Teeth in Single Standard Pattern.....		\$1,248.00
	(Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)		
6959238	4' x 6" Cup Teeth in Double Standard Pattern.....		\$1,752.00
	(Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)		
7100628	4' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern.....		\$2,132.00
	(Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)		
6808244	4' x 6" Cup & Carbide Teeth in Double Standard Pattern.....		\$3,110.00
	(Must also order Boom Guide Assembly) (Ship Weight 268 lbs.)		
6808245	4' x 8" Cup & Carbide Teeth in Double Standard Pattern.....		\$3,162.00
	(Must also order Boom Guide Assembly) (Ship Weight 278 lbs.)		
7209867	4' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern.....		\$1,985.00
7274348	Hydraulic Side Shift Kit.....		\$1,173.00
	(Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install time)		

Part Number	Dealer Installed Accessories - Order From Parts	
	Description	

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.

6811684	Boom Guide Assembly..... (Needed for 4' dig depth) (Must also order (2) ¾" bolts # 84G3712 and additional 1' chain from Bobcat Parts)	Parts	\$_____
6809387	Carbide Tooth Kit..... (Ship Weight –160 lbs.)	Parts	\$_____
6807925	Cup Tooth Kit..... (Ship Weight 24 lbs.)	Parts	\$_____
6675594	Double Standard Chain – 4'..... (No teeth) (Ship Weight 147 lbs.)	Parts	\$_____
6970072	Double Standard Chain – 10P.....	Parts	\$_____
7110911	Spacer Kit..... (Used with Cup Teeth for 8" width) (Ship Weight 12 lbs.) (Single Pattern Chain requires 1 Spacer Kit. Double Pattern Chain requires 2 Kits.)	Parts	\$_____
7110912	Spacer Kit..... (Used with Cup Teeth for 10" width) (Ship Weight 26 lbs.) (Single Pattern Chain requires 1 Spacer Kit. Double Pattern Chain requires 2 Kits.)	Parts	\$_____
7110913	Spacer Kit..... (Used with Cup Teeth for 12" width) (Ship Weight 36 lbs.) (Single Pattern Chain requires 1 Spacer Kit. Double Pattern Chain requires 2 Kits.)	Parts	\$_____
6809324	Spacer Kit..... (Used with Cup/Carbide Teeth for 8" widths) (Ship Weight 25 lbs.) (Single Pattern Chain requires 1 Spacer Kit. Double Pattern Chain requires 2 Kits.)	Parts	\$_____
6806975	Trench Cleaner Adapter, 8"..... (Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)	Parts	\$_____
6806976	Trench Cleaner Adapter, 10"..... (Used with Trench Cleaner Kit) (Ship Weight 7 lbs.)	Parts	\$_____
6806977	Trench Cleaner Adapter, 12"..... (Used with Trench Cleaner Kit) (Ship Weight 8 lbs.)	Parts	\$_____

Part Number	Description	LT414 Trencher Attachment	SLP in US \$
-------------	-------------	---------------------------	--------------

(S160H, S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (S62H, S64H, S66H, S76H, S86H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H) (T62H, T64H, T66H, T76H, T86)

4' Depth

(S630H, S650H, S740H, S750H, S770H) (S76H, S86) (A770H) (T630H, T650H, T740H, T750H, T770H) (T76H, T86H)

5' Depth

M7016 LT414 Trencher..... \$10,484.00

(Includes 4' or 5' depth, hydraulic sideshift, and 6" trench cleaner) (Can only order one factory installed chain option per trencher model) (Loader must be equipped with High Flow auxiliary hydraulics)

Chains are 2.0" Single Standard (SS) or Double Standard (DS) Anti-Back Flex (ABF)

M7016-R01-C13	No Chain Option.....	n/c
M7016-R01-C08	4' x 6" Cup Teeth, Single Standard Pattern.....	\$1,131.00
M7016-R01-C07	4' x 6" Cup Teeth, Double Standard Pattern.....	\$1,302.00
M7016-R01-C09	4' x 6" Cup & Carbide Teeth, Double Standard Pattern.....	\$2,706.00
M7016-R01-C10	4' x 6" Shark/Cup Teeth in Double Standard Pattern.....	\$2,240.00
M7016-R01-C11	4' x 8" Cup Teeth, Single Standard Pattern.....	\$1,225.00
M7016-R01-C12	4' x 8" Cup & Carbide Teeth in Double Standard Pattern.....	\$2,813.00
M7016-R01-C14	4' x 8" Shark/Cup Teeth in Double Standard Pattern.....	\$2,077.00
M7016-R01-C04	5' x 6" Cup Teeth, Single Standard Pattern.....	\$1,346.00
M7016-R01-C01	5' x 6" Cup Teeth, Double Standard Pattern.....	\$1,540.00
M7016-R01-C03	5' x 6" Cup & Carbide Teeth, Double Standard Pattern.....	\$3,204.00
M7016-R01-C02	5' x 6" Shark/Cup Teeth in Double Standard Pattern.....	\$2,556.00
M7016-R01-C06	5' x 8" Cup Teeth, Single Standard Pattern.....	\$1,404.00
M7016-R01-C05	5' x 8" Cup & Carbide Teeth in Double Standard Pattern.....	\$3,507.00

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

LT414 Chain Configuration Accessories (Replacement Chain - Dealer Installed)
Chains are 2.0" Single Standard (SS) or Double Standard (DS) Anti-Back Flex (ABF)

6808242	4' x 6" Cup Teeth in Single Standard Pattern..... (Ship Weight 168 lbs.)	\$1,265.00
6808243	4' x 8" Cup Teeth in Single Standard Pattern..... (Ship Weight 178 lbs.)	\$1,248.00
6959238	4' x 6" Cup Teeth in Double Standard Pattern..... (Ship Weight 178 lbs.)	\$1,752.00
7100628	4' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern..... (Ship Weight 168 lbs.)	\$2,132.00
6808244	4' x 6" Cup & Carbide Teeth in Double Standard Pattern..... (Ship Weight 268 lbs.)	\$3,110.00
6808245	4' x 8" Cup & Carbide Teeth in Double Standard Pattern..... (Ship Weight 278 lbs.)	\$3,162.00
7209867	4' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$1,985.00
7109030	5' x 6" Cup Teeth in Single Standard Pattern..... (Ship Weight 155 lbs.)	\$1,138.00
7109028	5' x 8" Cup Teeth in Single Standard Pattern..... (Ship Weight 164 lbs.)	\$1,167.00
7109031	5' x 6" Cup Teeth in Double Standard Pattern..... (Ship Weight 182 lbs.)	\$1,407.00
7109029	5' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern..... (Ship Weight 175 lbs.)	\$2,725.00
7109022	5' x 6" Cup & Carbide Teeth in Double Standard Pattern..... (Ship Weight 274 lbs.)	\$3,943.00
7109041	5' x 8" Cup & Carbide Teeth in Double Standard Pattern..... (Ship Weight 292 lbs.)	\$3,507.00

Dealer Installed Accessories - Order From Parts			
Part Number	Description		
<i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i>			
6811684	Boom Guide Assembly.....	Parts	\$_____
	(Needed for 5' dig depth) (Must also order (2) ¾" bolts # 84G3712 and additional 1' chain from Bobcat Parts)		
6809387	Carbide Tooth Kit.....	Parts	\$_____
	(Ship Weight –160 lbs.)		
6807925	Cup Tooth Kit.....	Parts	\$_____
	(Ship Weight 24 lbs.)		
6675594	Double Standard Chain – 4'.....	Parts	\$_____
	(No teeth) (Ship Weight 147 lbs.)		
7108604	Double Standard Chain – 84P.....	Parts	\$_____
7110911	Spacer Kit.....	Parts	\$_____
	(Used with Cup Teeth for 8" width) (Ship Weight 12 lbs.)		
7110912	Spacer Kit.....	Parts	\$_____
	(Used with Cup Teeth for 10" width) (Ship Weight 26 lbs.)		
7110913	Spacer Kit.....	Parts	\$_____
	(Used with Cup/Carbide Teeth for 12" widths) (Ship Weight 36 lbs.)		
6806975	Trench Cleaner Adapter, 8".....	Parts	\$_____
	(Used with Trench Cleaner Kit) (Ship Weight 5 lbs.)		
6806976	Trench Cleaner Adapter, 10".....	Parts	\$_____
	(Used with Trench Cleaner Kit) (Ship Weight 7 lbs.)		
6806977	Trench Cleaner Adapter, 12".....	Parts	\$_____
	(Used with Trench Cleaner Kit) (Ship Weight 8 lbs.)		

Part Number	Description	LT405 Trencher Attachment	SLP in US \$
(S185H, S205H) (S550H, S570H, S590H, S595H, S630H, S650H, S740H, S750H, S770H) (S62H, S64H, S66H, S76H) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H) (T62H, T64H, T66H, T76H)			
6906100	LT405 Trencher.....		\$15,343.00
	(Includes 3' – 4' adjustable boom setup at 4', double standard ABF chain, Hydraulic Sideshift, 6" trench cleaner, hoses and couplers) (Includes 4' X 6' Cup teeth in Double Standard Pattern)		

LT405 Chain, Tooth and Spacer Configurations

<u>Width</u>	<u>Depth</u>	<u>Kits Needed for Single Standard Pattern</u>
6"	3', 4', 5'	1 Cup Tooth Kit
6" Carbide	3', 4', 5'	1 Carbide Tooth Kit
8" or 12"	3' or 4'	1 Cup Tooth Kit, 1 Spacer Kit

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.


6705673	Boom Guide Assembly.....	Parts	\$____
	(Needed for 5' dig depth) (Ship Weight 48 lbs.)		
6705668	Cup Tooth Kit.....	Parts	\$____
	(Ship Weight 75 lbs.)		
6705670	Carbide Tooth Kit, side mount.....	Parts	\$____
	(Ship Weight 105 lbs.)		
Piece Parts	Dual 29" Replacement Auger Set.....	Parts	PIECE
	(Ship Weight 146 lbs.)		
7431074	Converts 6", 4' Chain to 6", 5'.....	Parts	\$____
	(Teeth for 6" on 1' of chain)		
7431075	Converts 6", 4' Chain to 8", 4'.....	Parts	\$____
	(Teeth to convert standard 6" to 8", no chain)		
7431076	Converts 6", 4' Chain to 8", 5'.....	Parts	\$____
	(Teeth to convert 4' standard 6" to 8", PLUS 1' of chain with 8" teeth)		
7431077	Bare Trencher Chain, 98PL.....	Parts	\$____
7431078	Bare Trencher Chain, 14PL.....	Parts	\$____
7435781	Converts 8", 4' Chain to 8", 5'.....	Parts	\$____
	(Teeth to convert 8" 4' chain to 8" 5' on additional 1' of chain)		
7435782	Converts 6", 5' Chain to 8", 5'.....	Parts	\$____
	(Convert 6" 5' to 8" 5', no chain)		
6705669	Spacer Kit.....	Parts	\$____
	(Ship Weight 138 lbs.)		
6573592	Trench Cleaner Adapter, 8".....	Parts	\$____
	(Ship Weight 5 lbs.)		
6573589	Trench Cleaner Adapter, 12".....	Parts	\$____
	(Ship Weight 10 lbs.)		

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
LT112.....	None.....	-
LT113.....	None.....	-
LT213.....	None.....	-
LT313.....	None.....	-
LT414.....	None.....	-
LT405.....	Install teeth.....	1.50
Chain Guide Kit.....	Install chain guide for 5' depth.....	0.50
Side Shift Kit for LT213 & LT313	Install cylinder.....	1.50

Utility Frame
Bobcat Loader Attachment



Quick Specs

	<u>S100 - S650</u>	<u>S630 - T870</u>
Ship Weight.....	46 lbs	60 lbs
Overall Width.....	45.2"	45.2"
Overall Height.....	19.0"	19.0"

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------


For current Attachment pricing, reference Quote and Order or Dealer Parts Department.

(S100, S130, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595, S630, S650) (S62, S64, S66, S76) (T110, T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)			
6731114	Bob –Tach Utility Frame..... (To convert Attachments to Bob-Tach Mount, weld to flat surface)	Parts	\$_____
(S630, S650, S740, S750, S770, S850)(S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)(T7X)			
6731112	Bob –Tach Utility Frame..... (To convert Attachments to Bob-Tach Mount, weld to flat surface)	Parts	\$_____

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Utility Frame.....	None.....	-

Vibratory Plow
Bobcat Loader Attachment



Quick Specs

Operating Weight.....	520 lbs
Overall Width.....	36.0"
Overall Height.....	31.1"
Overall Length.....	36.6"
Hydraulic Flow Range.....	10-14 gpm

Part Number	Description	Attachment	SLP in US \$
(MT50, MT52, MT55, MT85, MT100, MT120) (L23, L28)			
7100484	VP12 Vibratory Plow.....		\$12,319.00
	(Includes blade mounting pins) (Must also order blade)		
7100491	3/8" Blade, 6-12" depth with 1" Clevis.....		\$358.00
	(0.375 inches thick) (The blade is used to pull the cable pull, pipe pull, or bullet option) (Recommended for soft/loose soils only)		
7100493	3/8" Blade, 12-18" depth with 1" Clevis.....		\$380.00
	(0.375 inches thick) (The blade is used to pull the cable pull, pipe pull, or bullet option) (Recommended for soft/loose soils only)		
7100495	1/2" Chute Blade, 6-12" depth.....		\$595.00
	(0.5 inches thick) (The blade with chute is used for laying cables. Feed the cable through the opening in the top of the chute and out the bottom of the blade. The cable can be either positioned on the ground next to where it will be buried or a spool of cable can be put on the reel mount) (Recommended for soft/loose soils only)		
7100497	1/2" Chute Blade, 12-18" depth.....		\$640.00
	(0.5 inches thick) (The blade with chute is used for laying cables. Feed the cable through the opening in the top of the chute and out the bottom of the blade. The cable can be either positioned on the ground next to where it will be buried or a spool of cable can be put on the reel mount) (Recommended for soft/loose soils only)		


Part Number	Description	Dealer Installed Accessories - Order From Parts	
<u><i>For current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.</i></u>			
7100498	Cable Pull Kit, 1.00-1.24" Diameter..... (Includes 20 in. grip length, 1 rotating eye) (When using, compress the cable shield and insert the cable inside the shield fully as the cable shield stretches, it becomes snug around the cable)	Parts	\$_____
7102515	Cable Pull Kit, 1.25-1.49" Diameter..... (Includes 20 in. grip length, 1 rotating eye) (When using, compress the cable shield and insert the cable inside the shield fully as the cable shield stretches, it becomes snug around the cable)	Parts	\$_____
7100499	Pipe Pull Kit, 1.00-1.50" Pipe..... (0.375 Inches) (When used, insert the plastic pipe over the tapered sleeve. By hand, Thread the tapered sleeve into the pipe)	Parts	\$_____
7100501	Cable Reel Mount Kit..... (Accepts up to 12" diameter reel) (Use with Chute Blades, Used to hold one or two cable Spools to feed the cable into the chute blade)	Parts	\$_____

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Vibratory Plow.....	None.....	-

Vibratory Roller
Bobcat Loader Attachment



Quick Specs

	<u>48"</u>	<u>73"</u>	<u>80"</u>
Operating Weight (Padded/Smooth).....	1778 lbs./1788 lbs.	2189 lbs./2208 lbs.	2320 lbs.
Drum Width.....	48"	73"	80"
Overall Width.....	60.5"	79.0"	86.0"
Drum Offset.....	9" to right	Centered	Centered
Covers Right Side Tires on.....	66" wide loaders	72" wide loaders	80" wide loaders
Drum Diameter (Padded/Smooth).....	25.4"/26.0"	25.4"/26.0"	26.0"
Number of Pads (Padded Drum).....	78	102	0
Drum Oscillation.....	± 12°	± 7.5°	± 7.5°
Dynamic Force.....	10519 lbs. @ 17 gpm 14244 lbs. @ 20 gpm	9905 lbs. @ 20 gpm 14263 lbs. @ 24 gpm	
Frequency.....	2448 vpm @ 17 gpm 2879 vpm @ 20 gpm	2401 vpm @ 20 gpm 2882 vpm @ 24 gpm	

Part Number	Description	Attachment	SLP in US \$
(S130*, S150, S160, S175, S185, S205) (S450, S510, S530, S550, S570, S590, S595) (S62, S64, S66) (T140, T180, T190) (T450, T550, T590, T595) (T62, T64, T66)			
7165403	48" Vibratory Roller with Padded Drum.....		\$12,427.00
7165404	48" Vibratory Roller with Smooth Drum.....		\$12,427.00
(S205) (S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (S64, S66, S76, S86) (A770) (T550, T590, T595, T630, T650, T740, T750, T770, T870) (T62, T64, T66, T76, T86)			
7165401	73" Vibratory Roller with Padded Drum.....		\$14,601.00
7165402	73" Vibratory Roller with Smooth Drum.....		\$14,203.00
(S650, S740, S750, S770, S850) (S76, S86) (A770) (T630, T650, T740, T750, T770, T870) (T76, T86)			
7165400	80" Vibratory Roller with Smooth Drum.....		\$15,673.00

Part Number	Description	Dealer Installed Accessories - Order From Sales
-------------	-------------	---

Water Kit


Note: Water Kits are available for use with the Vibratory Roller attachments – see Water Kit page for details.

Destination Charge/Fuel Surcharge
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Vibratory Roller.....	None.....	-

Water Kit

Bobcat Loader Attachment



Quick Specs

Operating Weight (Empty)..... 165 lbs

Operating Weight (Full)..... 474 lbs

Tank Capacity (Each Tank)..... 14 gal

Flow Rate per Nozzle..... 0.28 gpm maximum

Part Number	Description	Attachment	SLP in US \$
(S130, S150, S160, S175, S185, S205) (S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850) (A770) (T140, T180, T190) (T450, T550, T590, T595, T630, T650, T740, T750, T770, T870)			
6813816	K/M Series Quick-Tach Water Kit.....		Parts \$____
(Must also order mounting kit and Nozzle Kit P/N 7113709 or 7113092)			
(S62, S64, S66, S76, S86) (T62, T64, T66, T76, T86)			
7434036	R-Series Quick-Tach Water Kit.....		Parts \$____
(Must also order mounting kit and Nozzle Kit P/N 7113709 or 7113092)			


Part Number	Description	SLP in US \$
Dealer Installed Accessories - Order From Sales & Parts		
7113709	Nozzle Kit.....	Parts \$____
(Includes 4 nozzles) (This kit is used with all Water Kits and may be used on Angle Brooms, Sweepers, 14" to 20" Planers only, and Vibratory Rollers) (Ship Weight 5 lbs.)		
7532577	Planer Water Nozzle Kit 24.....	Parts \$____
(For 24PSL & 24PSL XF used with Loader Mounted Water KIts) (Not required with integrated water kit)		
7113092	Nozzle Kit for 40" Planer.....	Parts \$____
(Includes 4 nozzles) (This kit is used with all Water Kits and 40" Planers only) (Ship Weight 5 lbs.)		
7532579	Nozzle Kit for 48" Planer.....	Parts \$____
(Includes 5 nozzles) (This kit is used with all Water Kits and 48" Planers only) (Ship Weight 5 lbs.)		
7362487	Nozzle Kit; NB Breakers (NB150, NB160, NB170, NB180).....	Parts \$____
(Includes nozzles, and required hardware) (This kit is used with NB breakers only) (Ship Weight 7 lbs.)		
(S510, S530, S550, S570, S590, S595, S630, S650) (T550, T590, T595, T630, T650)		
7152508	Mounting Kit.....	\$____
(Approved for use with M-Series Loaders to mount Quick-Tach Stabilizer and Quick-Tach Water Kit) (Ship weight 120 lbs.)		
(S740, S750, S770, S850) (A770) (T750, T770, T870)		
7152512	Mounting Kit.....	\$____
(Approved for use with M-Series Loaders to mount Quick-Tach Stabilizer and Quick-Tach Water Kit) (Ship weight 90 lbs.)		
(S62, S64, S66)(T62, T64, T66)		
7415849	Mounting Kit.....	Parts \$____
(Approved for 6X R-Series loaders to mount QT Stabilizer and QT Water Kit) (Ship weight 80 lbs.)		
(S76) (T76)		
7393164	Mounting Kit.....	Parts \$____
(Approved for 7X R-Series loaders to mount QT Stabilizer and QT Water Kit) (Ship weight 97 lbs.)		
(S86) (T86)		
7456031	Mounting Kit.....	Parts \$____
(Approved for 8X R-Series loaders to mount QT Water Kit) (Ship weight 97 lbs.)		

Destination Charge/Fuel Surcharge

Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Water Kit.....	Install water kit mounts, toggle switch and plumbing.....	3.00
Nozzle Kit.....	Install nozzles, hoses and clamps.....	1.00

Wheel Saw
Bobcat Loader Attachment



Quick Specs

	<u>WS18</u>	<u>WS24</u>
Overall Width.....	68.5"	68.5"
Overall Length.....	74.8"	83.9"
Overall Height.....	65.0"	76.0"
Weight (less Wheel and Trench Cleaner).....	1567 lbs	1865 lbs
Hydraulic Side Shift.....	25.6"	25.6"
Hydraulic Flow Required.....	25-40 GPM	25-40 GPM
Trenching Depth.....	6.0 – 18.0"	8.0 – 24.0"

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

18" Wheel Saw with 3" Wheel

(Must order the two part numbers listed below—18" Wheel Saw and 3" Wheel)
(Must also order Attachment Control Kit—See Page 1)

(S185H, S205H)(S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850, S850H)(S76H, S86) (A770H)(T180H, T190H)(T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H) (T62H, T64H, T66H, T76H, T86)			
6729537	WS18 Wheel Saw.....		\$21,673.00
6729544	3" Wheel.....		\$6,159.00
	(Weight 650 lbs. Wheel Width 3.13")		

Note: There is no Trench Cleaner available with the 3" Wheel.

18" Wheel Saw with 6" Wheel and 6" Trench Cleaner

(Must order the three part numbers listed below—18" Wheel Saw, 6" Wheel and 6" Trench Cleaner)
(Must also order Attachment Control Kit—See Page 1)

(S185H, S205H) (S590H, S595H, S630H, S650H, S740H, S750H, S770H, S850, S850H) (S86) (A770H) (T180H, T190H) (T550H, T590H, T595H, T630H, T650H, T740H, T750H, T770H, T870, T870H) (T62H, T64H, T66H, T76H, T86)			
6729537	WS18 Wheel Saw.....		\$21,673.00
6729546	6" Wheel.....		\$6,623.00
	(Weight 395 lbs., Wheel Width 6.25")		
6729550	6" Trench Cleaner.....		\$2,243.00
	(Weight 95 lbs.)		

24" Wheel Saw with 8" Wheel and 8" Trench Cleaner

(Must order the three part numbers listed below—24" Wheel Saw, 8" Wheel and 8" Trench Cleaner)
(Must also order Attachment Control Kit—See Page 1)

(S650H, S740H, S750H, S770H, S850, S850H) (S76H, S86) (A770H) (T650H, T740H, T750H, T770H, T870, T870H) (T76H, T86)

6729566	WS24 Wheel Saw.....	Discontinued
6729573	6" Wheel..... (Weight 585 lbs., Wheel Width 6.25")	Discontinued
6729577	6" Trench Cleaner..... (Weight 130 lbs.)	Discontinued

24" Wheel Saw with 8" Wheel and 8" Trench Cleaner

(Must order the three part numbers listed below—24" Wheel Saw, 8" Wheel and 8" Trench Cleaner)
(Must also order Attachment Control Kit—See Page 1)

(S650H, S740H, S750H, S770H, S850, S850H) (S76H, S86) (A770H) (T650H, T740H, T750H, T770H, T870, T870H) (T76H, T86)

6729566	WS24 Wheel Saw.....	Discontinued
6729575	8" Wheel..... (Weight 618 lbs., Wheel Width 7.88")	Discontinued
6729579	8" Trench Cleaner..... (Weight 148 lbs.)	Discontinued

Destination Charge/Fuel Surcharge	
Refer to Quote and Order or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.	

Attachment	Assembly Required	Installation Time (Hours)
Wheel Saw.....	None.....	-

Allied Attachments

Ordering Instructions for Allied Attachments
--

Ordering Information: All orders for Allied Attachments and requests for warranty, service or parts must be placed with the following companies.

Part Number	Description	Allied Attachment
-------------	-------------	-------------------

Demolition Shear*

(853, 863)	Model MSD 7 Shear, non-rotating..... (Ship Weight 1,000 lbs.)	\$_____
(853H, 863H)	MODEL MSD 7R SHEAR, 360° ROTATION..... (Ship Weight 1,135 lbs.)	\$_____

Note: When installing shear on 843H, order P/N 6703319 from Bobcat Parts.
When installing shear on 843 or 853 Series, contact LaBounty Manufacturing Inc.

*A Bobcat Special Applications Kit must be used when using the LaBounty Shear.

LaBounty Manufacturing Inc.
P.O. Box B
State Rd. 2
Two Harbors, MN 55616-0502
(218) 834-2123

Solid Tires

(450, 453)	6.50 X 10 SOLID TIRE.....	\$_____
------------	---------------------------	---------

Mitchell Industrial Tire Co. (MITCO)
P.O. Box 71839
1400 E. 40th Street
Chattanooga, TN 37407
(615) 698-4283 or
(800) 251-7226

Allied Attachments

Part Number	Description	Allied Attachment (Cont'd)
-------------	-------------	----------------------------

(1600 Buckets)	Dirt, Dirt With Teeth, Utility, Fertilizer Buckets.....	\$ _____
(2000 Buckets)	Fertilizer Buckets.....	\$ _____
(2400 Buckets)	C/I, C/I With Teeth, Light Material, Fertilizer Buckets.....	\$ _____
(974, 975, 980 with Bob-Tach)	Pallet Forks.....	\$ _____
(974, 975, 980 with Bob-Tach Buckets)	Dirt, Dirt With Teeth, Utility, Light Material Buckets.....	\$ _____
(980 Pin-On Buckets)	Dirt, Dirt With Teeth, Barge, Light Material Buckets.....	\$ _____
(Backhoe Buckets)	907 Trenching Bucket (12" – 24").....	\$ _____
	909, 911, 911B Trenching Buckets (12" – 36").....	\$ _____
	913, 914B Trenching Buckets (12" – 36").....	\$ _____
(450, 453)	Utility Blade.....	\$ _____
(450 & 453 Bob-Tach Style and Pin-On Style Buckets)	Dirt, Dirt with teeth, and Utility Buckets.....	\$ _____
(943/953 Attachments)	Dirt, Dirt with teeth, Utility, Fertilizer, Light Mat. Buckets.....	\$ _____
	Pallet Forks.....	\$ _____
	Industrial Grapples.....	\$ _____

Ray-Mac
P.O. Box 457
Gwinner, ND 58040-0457
(701) 678-2452 or
(800) 542-4416

Obsolete Grouser Attachments

Please contact Grouser Products directly for tracks for these model(s). 800-747-6182

(Steel Tracks)	33 x 15.5 x 16.5 Replacement Tracks.....	\$ _____
	14 – 17.5 Track Kit w/wheel spacer.....	\$ _____
	10 x 16.5 Track Kit (873, S220, S250, S300).....	\$ _____
	10 x 16.5 Track Kit w/boom stop (S130).....	\$ _____
	10 x 16.5 Replacement Tracks (S130, 753).....	\$ _____
	12 x 16.5 Replacement Tracks (873, 883, S250, S300).....	\$ _____
	33 x 15.5 x 16.5 Track Kit w/wheel spacer (S220, S250, S300).....	\$ _____
	12 x 16.5 Track Kit.....	\$ _____
	100 X 165 Track Kit.....	\$ _____
	12 X 16.5 Track Kit (205).....	\$ _____