

BOBCAT COMPANY PRICE PAGES

NA LOADERS - COMPACT TRACK LOADERS



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check DealerNET Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.
- For the most current Dealer Installed Accessories pricing, reference Quote and Order or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
1/1/2020	New Year Pricing
12/11/2020	Introduction T450 T4 V2 M3-Series
1/25/2021	Bobcat Packages & P27 Added to M2-Series
2/23/2021	Addition of T450 Packages C10/P10 Standard Controls, C20/P10 Standard Controls, C20/P10 SJC
3/12/2021	Addition of T450 Packages C19/P26 Standard Controls
5/24/2021	Telematics removed
6/1/2021	Mid-Year Pricing
7/21/2021	SCPA Controls Discontinued
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has adjusted the SLP
1/20/2022	Loader Radio Remote Control PN updated
10/5/2022	Release T650 M3-Series
1/1/2023	Bobcat Company has adjusted the SLP of power units
6/29/2023	Restructure of Packages, Package Selection, and SLP Changes
7/1/2023	Telematics Restored
12/21/2023	T650 Price Increase and High Flow Option Added, T740 Pages Added
4/30/2024	Cab Plus Package Added to T650, T740, and T770
7/1/2024	Effective Monday, July 1, 2024 Bobcat Company has adjusted the SLP
7/8/2024	Standard Equipment and Packaged Descriptions Updated
8/22/2024	Updated dealer installed radio kit part number
10/14/2024	Updated Deluxe package for T740/T770 to include factory installed radio
1/1/2025	Effective Wednesday, January 1, 2025 Bobcat Company has adjusted SLP
1/1/2026	Effective Thursday, January 1, 2026 Bobcat Company has adjusted SLP

- *Certain Specification(s) are based on engineering calculations and are not actual measurements.
- *Specification(s) are provided for comparison purposes only and are subject to change without notice.
- *Specifications(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

T450 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader



Standard Equipment

55 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS™)
Controls: Hand and Foot (Manual)
Cylinder Cushioning - Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights.
Lift Arm Support
Lift Path: Radial

Lights, Front & Rear
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear
Windows, Parking Brake, Seat Bar, & Seat Belt
- Roll Over Protective Structure (ROPS) meets
SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets
SAE-J1043 & ISO 3449, Level I; (Level
II is available through Bobcat Parts)
Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 3 Rollers
Tracks: Rubber, 11.8" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T450
Rated Operating Capacity - 35% of Tipping Load.....	1,490 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	2,120 lbs.
Tipping Load.....	4,257 lbs.
Engine Model.....	2.4L V2 Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	55
Hydraulic Pump Capacity – Standard Flow.....	16.7 GPM
Travel Speed.....	7.0 MPH
Operating Weight.....	6,424 lbs.
Shipping Weight.....	5,728 lbs.
Cab Height.....	77.8"
Width (w/out Attachment).....	55.0"
Length (w/out Attachment).....	98.4"
Ground Contact Length.....	50.2"
Reach at Maximum Height.....	23.5"
Height to Hinge Pin.....	109.5"

T450 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0209-P11-C01	Base Package.....		\$61,892
	Includes: Open Cab, Manual Bob-Tach, and Oval Display		
M0209-P11-C04	Versatility Package.....		\$65,747
	Includes: Open Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, Two Speed, and Single Direction Bucket Positioning		
M0209-P11-C05	Cab Package.....		\$65,952
	Includes: Enclosed HVAC Cab, Manual Bob-Tach, and Oval Display		
M0209-P11-C08	Comfort Package.....		\$69,805
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, Two Speed, and Single Direction Bucket Positioning		

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Controls

M0209-R01-C04	Selectable Joystick Control (SJC).....		\$854
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		

T450 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
-------------	-------------	--------------

Part numbers for kits in this section are current as of December 2020 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories - Enclosures, Doors, Windows

7279636	Cab Enclosure Door Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install Time: 3.5 hrs.	\$ _____
7186723	FOPS Window Kit..... Est. Install Time: 10 min.	\$ _____
7404470	Sliding Side Lexan Windows Kit..... Includes 2 Sliding Side Lexan Windows. Est. Install Time: 1 hr.	\$ _____
7400224	Sliding Side Windows Kit Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install Time: 1 hr.	\$ _____
7128395	Special Applications Polycarbonate Door Kit..... Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install Time: 3 hrs.	\$ _____
7214673	Special Applications Polycarbonate Rear Window Kit..... Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install Time: 0.5 hr.	\$ _____

Cab Accessories - Heat and Air Conditioning

7348329	Air Conditioning Kit (T450)..... Loader must be equipped with Cab Enclosure with Heater. Est. Install Time: 8 hrs.	\$ _____
7128484	Heater Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install Time: 5 hrs. to install heater and plumbing kit.	\$ _____
7401901	Heater Plumbing Kit (T450)..... Est. Install Time: 5 hrs.	\$ _____
7200657	Lower Air Duct Kit..... Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install Time: 1-3 hrs. (depends on loader model and s/n)	\$ _____

T450 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories - Other

7167395	Cup Holder Kit.....		\$ _____
	Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install Time: 1 hr.		
7227849	Cab Seals Kit (T450).....		\$ _____
	Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install Time: 2.5 hrs.		
7170782	Deluxe Cab Gas Spring Kit.....		\$ _____
	3rd gas spring for enclosed cab. Est. Install Time: 1 hr.		
7156253	Deluxe Headliner Kit.....		\$ _____
	Includes headliner with light and rear corner cab trim. Est. Install Time: 1 hr.		
7358172	Deluxe Heater / Air Conditioning Headliner Kit.....		\$ _____
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install Time: 1 hr.		
7238900	HEPA Filter Kit.....		\$ _____
	Est. Install Time: 0.5 hr.		
7240148	Intermittent Wiper Kit.....		\$ _____
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install Time: 1 hr.		
7234899	Rear Window External Removal Kit.....		\$ _____
	Recommended for use with Loader Radio Remote Control kit. Est. Install Time: 1 hr.		
7225133	Rear Wiper Kit.....		\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install Time: 4 hrs.		
7172897	Reseal Plugs Kit.....		\$ _____
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		
7172903	White Decal Kit (Cab Top).....		\$ _____
	Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install Time: 0.5 hr.		

Counterweight Kits

7129250	Counterweight Kit, 200 lbs.....		\$ _____
	Includes (4) 50 pound weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		

T450 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7229102	7-Pin Attachment Control Kit (T450).....	\$ _____
	7-Pin Attachment Control	
6733136	14-Pin Attachment Control Kit	\$ _____
	0	
7169103	Cab Accessory Adapter Harness.....	\$ _____
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install Time: 0.5 hr.	
7128338	Four-Way Flasher / Turn Signal Kit.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	
<u>Electrical Accessories (continued)</u>		
7129299	Rotating Beacon Kit.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	
7129301	Strobe Light Kit, Amber.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	
<u>Engine Accessories</u>		
7328972	Engine Block Heater	\$ _____
	Est. Install Time: 0.25 hr.	
7337544	Air Intake Pre-Cleaner.....	\$ _____
	Est. Install Time: 1 hr.	
<u>Hydraulic Accessories</u>		
7388153	Hydraulic Bucket Positioning Kit (T450).....	\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install Time: 3 hrs.	
7249869	Rear Auxiliary Hydraulic Kit (T450).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install Time: 10 hrs.	
7187118	D-Ring Attachment Hose Guide.....	\$ _____
	Est. Install Time: 0.25 hr.	
<u>Instrumentation</u>		
7213928	Deluxe Instrument Panel with Keyless Start.....	\$ _____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install Time: 1 hr.	
7213929	Keyless Start Panel Kit.....	\$ _____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install Time: 1 hr.	

T450 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Lift Kits</u>		
7241506	Four-Point Lift Kit..... Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install Time: 2 hrs.	\$ _____
7244677	Single Point Lift Kit (T450)..... Est. Install Time: 3 hrs.	\$ _____
<u>Loader Guard Kits</u>		
7129293	FOPS Kit..... Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1 hr.	\$ _____
7174129	Front Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7239159	Rear Work Lights Guard Kit (T450)..... Est. Install Time: 0.5 hr.	\$ _____
7248293	Tilt Cylinder Shield Kit..... Est. Install Time: 0.5 hr.	\$ _____
7267397	Rear Bumper..... Includes hardware and rubber bumper. Est. Install Time: 1 hr.	\$ _____
<u>Rear Camera Kit</u>		
7329670	Rear View Camera Kit..... Includes camera, display and required parts for complete installation. Est. Install Time: 4 hrs.	\$ _____
<u>Radio</u>		
46899213	Bluetooth Radio Kit..... Includes AM/FM/Bluetooth Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Allows for bluetooth audio. Est. Install Time: 3 hrs.	\$ _____
6676108	Radio Headphones.....	\$ _____
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit..... Remote Operation from your iOS device. Includes wiring harness and MaxControl Remote Operation App on your iOS device. You will also need to order 6725946 Rear Window External Removal Kit	\$ _____
7441456	Loader Radio Remote Control Kit..... Allows an operator to start/stop the engine, operate the drive system, and control the lift, tilt, and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	\$ _____
6986516	Loader Radio Remote Operator Training Kit.....	\$ _____
<u>Reversing Fan Kits</u>		
7304960	Reversing Fan Kit (T450)..... Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	\$ _____

T450 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Ride Control Kits</u>		
7339906	Automatic Ride Control Kit (T450)..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install Time: 1.5 hrs.	\$ _____
<u>Seats & Seat Belts</u>		
7129303	Seat Belt Kit, 3" (Suspension Seat)..... For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install Time: 0.5 hr.	\$ _____
7128405	Seat Belt Kit, 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install Time: 0.5 hr.	\$ _____
7169480	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install Time: 0.5 hr.	\$ _____
7128524	Suspension Seat..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install Time: 1 hr.	\$ _____
7312807	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat. The seat is not compatible with M-Series loaders and select M2-Series loaders. See Dealer Parts Department for the correct M2-Series loader serial number breaks. Est. Install Time: 0.5 hr.	\$ _____
<u>Sound Reduction Kits</u>		
7389357	Deluxe Sound Kit for Standard Controls (T450)..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install Time: 1 hr.	\$ _____
7389358	Deluxe Sound Kit for SJC Controls (T450)..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install Time: 1 hr.	\$ _____
7389347	Sound Reduction Kit (T450)..... Includes foot pod insulating materials to reduce sound levels at the operator's ear and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install Time: 2 hrs.	\$ _____
<u>Telematics</u>		
7354101	Machine IQ Kit..... All components to be able to install Telematics on to machine with correct wiring harness. Will need to supply SIM card to active system. Est. Install Time: 1 hr.	\$ _____
9987580	Customer Machine IQ Health and Security Subscription - 1 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$200
9987581	Customer Machine IQ Health and Security Subscription - 2 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$400
9987582	Customer Machine IQ Health and Security Subscription - 3 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$600
9987583	Customer Machine IQ Health and Security Subscription - 4 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$800
9987584	Customer Machine IQ Health and Security Subscription - 5 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$1,000

T450 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
----------------	-------------	---	--------------

Other Accessories

7129307	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____
7128403	Security Locks Kit..... Est. Install Time: 0.5 hr.	\$ _____
7023550	Locking Fuel Cap Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____

T550 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader



Standard Equipment

68.0 HP Turbo Tier 4 V2 Diesel Engine
Auxiliary Hydraulics: Standard Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS™)
Controls: Hand and Foot (Manual)
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Radial

Lights, Front & Rear
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear
Windows, Parking Brake, Seat Bar, & Seat Belt
- Roll Over Protective Structure (ROPS) meets
SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets
SAE-J1043 & ISO 3449, Level I;
(Level II is available through Bobcat Parts)
Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	<u>T550</u>
Rated Operating Capacity - 35% of Tipping Load.....	1,995 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	2,850 lbs.
Tipping Load.....	5,700 lbs.
Engine Model.....	2.4L V2 Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	68
Hydraulic Pump Capacity – Standard Flow.....	17.1 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	26.7 GPM
Travel Speed.....	7.1 MPH
Operating Weight.....	7,557 lbs.
Shipping Weight.....	6,746 lbs.
Cab Height.....	77.8"
Width (w/out Attachment).....	67.0"
Length (w/out Attachment).....	104.6"
Ground Contact Length.....	54.1"
Reach at Maximum Height.....	17.0"
Height to Hinge Pin.....	114.5"

T550 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0677-P11-C01	Base Package.....		\$66,879
	Includes: Open Cab, Manual Bob-Tach, and Oval Display		
M0677-P11-C04	Versatility Package.....		\$71,018
	Includes: Open Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, Two Speed, and Single Direction Bucket Positioning		
M0677-P11-C05	Cab Package.....		\$70,939
	Includes: Enclosed HVAC Cab, Manual Bob-Tach, and Oval Display		
M0677-P11-C08	Comfort Package.....		\$75,077
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, Two Speed, and Single Direction Bucket Positioning		

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Controls

M0677-R01-C04	Selectable Joystick Control (SJC).....		\$854
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		

T595 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader



Standard Equipment

- 70.0 HP Turbo Tier 4 V2 Diesel Engine

Auxiliary Hydraulics: Variable Flow

Backup Alarm

Bob-Tach® Attachment Mounting System

Bobcat Interlock Control System (BICS™)

Controls: Hand and Foot (Manual)

Cylinder Cushioning – Lift, Tilt

Engine/Hydraulic Performance De-rate Protection

Glow Plugs (Automatically Activated)

Horn

Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights

Lift Arm Support

Lift Path: Vertical
- Lights, Front & Rear

Operator Cab

 - Includes: Adjustable Vinyl Suspension Seat, Top & Rear
 - Windows, Parking Brake, Seat Bar, & Seat Belt
 - Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Parking Brake – Spring Applied, Pressure Released (SAPR)

Solid Mounted Carriage with 4 Rollers

Tracks: Rubber, 12.6" Wide

Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	<u>T595</u>
Rated Operating Capacity - 35% of Tipping Load.....	2,100 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,000 lbs.
Tipping Load.....	6,000 lbs.
Engine Model.....	2.4L V2 Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	70
Hydraulic Pump Capacity – Standard Flow.....	17.1 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	26.7 GPM
Travel Speed.....	7.1 MPH
Travel Speed - Two-Speed (Optional).....	10.4 MPH
Operating Weight.....	7,822 lbs.
Shipping Weight.....	7,026 lbs.
Cab Height.....	77.8"
Width (w/out Attachment).....	67.0"
Length (w/out Attachment).....	104.6"
Ground Contact Length.....	54.1"
Reach at Maximum Height.....	34.9"
Height to Hinge Pin.....	119.0"

T595 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0679-P11-C01	Base Package.....		\$71,801
	Includes: Open Cab, Manual Bob-Tach, and Oval Display		
M0679-P11-C03	Versatility Package.....		\$75,939
	Includes: Open Cab, Power Bob-Tach, Oval Display, Two-Speed Travel, 7-Pin Attachment Control, and Single Direction Bucket Positioning		
M0679-P11-C05	Cab Package.....		\$75,861
	Includes: Enclosed HVAC Cab, Manual Bob-Tach, and Oval Display		
M0679-P11-C07	Comfort Package.....		\$79,999
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, Two-Speed Traved, 7-Pin Attachment Control, and Single Direction Bucket Positioning		

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Controls

M0679-R01-C04	Selectable Joystick Control (SJC).....		\$854
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		

Auxiliary Flow

M0679-R03-C03	High Flow Hydraulics.....		\$2,208
	ONLY AVAILABLE WITH COMFORT PACKAGE AND SJC		
	Provides 26.7 GPM and 3550 PSI for attachment operation.		

T550, T595 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
----------------	-------------	---	--------------

Part numbers for kits in this section are current as of August 2020 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories - Enclosures, Doors, Windows

7279636	Cab Enclosure Door Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install Time: 3.5 hrs.	\$ _____
7186723	FOPS Window Kit..... Est. Install Time: 10 min.	\$ _____
7400224	Sliding Side Windows Kit Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install Time: 1 hr.	\$ _____
7128395	Special Applications Polycarbonate Door Kit..... Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install Time: 3 hrs.	\$ _____
7214673	Special Applications Polycarbonate Rear Window Kit..... Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install Time: 0.5 hr.	\$ _____

Cab Accessories - Heating and Air Conditioning

7417863	Air Conditioning Kit..... Loader must be equipped with Cab Enclosure with Heater. Est. Install Time: 8 hrs.	\$ _____
7128484	Heater Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install Time: 5 hrs. to install heater and plumbing kit.	\$ _____
7376509	Heater Plumbing Kit (T550/T595)..... Est. Install Time: 5 hrs. to install heater and plumbing kit	\$ _____
7200657	Lower Air Duct Kit..... Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install Time: 1-3 hrs. (depends on loader model and s/n)	\$ _____

Cab Accessories - Other

	Cab Plus Package Added to..... See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install Time: 5 hrs.	\$ _____
--	---	----------

T550, T595 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories - Other (Continued)

7170782	Deluxe Cab Gas Spring Kit.....		\$ _____
	3rd gas spring for enclosed cab. Est. Install Time: 1 hr.		
7339677	Deluxe Headliner Kit.....		\$ _____
	Includes headliner with light and rear corner cab trim. Est. Install Time: 1 hr.		
7174171	Deluxe Heater / Air Conditioning Headliner Kit.....		\$ _____
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim.		
	Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install Time: 1 hr.		
7238900	HEPA Filter Kit.....		\$ _____
	Est. Install Time: 0.5 hr.		
7240148	Intermittent Wiper Kit.....		\$ _____
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install Time: 1 hr.		
6725946	Rear Window External Removal Kit.....		\$ _____
	Recommended for use with Loader Radio Remote Control kit. Est. Install Time: 1 hr.		
7225133	Rear Wiper Kit.....		\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required.		
	Wiper is activated by a switch on the rear wiper motor. Est. Install Time: 4 hrs.		
7172897	Reseal Plugs Kit.....		\$ _____
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		
7172903	White Decal Kit (Cab Top).....		\$ _____
	Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install Time: 0.5 hr.		

Counterweight Kits

7129250	Counterweight Kit, 200 lbs.....		\$ _____
	Includes (4) 50 pound weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		

T550, T595 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7128426	7-Pin Attachment Control Kit	\$ _____
	0	
6733136	14-Pin Attachment Control Kit	\$ _____
	0	
7169103	Cab Accessory Adapter Harness.....	\$ _____
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install Time: 0.5 hr.	
7128338	Four-Way Flasher / Turn Signal Kit.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	
7129299	Rotating Beacon Kit.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	
7129301	Strobe Light Kit, Amber.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	
7256348	Side Light Kit.....	\$ _____
	Includes two LED side lights. Est. Install Time: 0.5 hr.	
<u>Engine Accessories</u>		
7328972	Engine Block Heater	\$ _____
	Est. Install Time: 0.25 hr.	
<u>Hydraulic Accessories</u>		
7403305	Hydraulic Bucket Positioning Kit (T550).....	\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install Time: 3 hrs.	
7403307	Hydraulic Bucket Positioning Kit (T595).....	\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install Time: 3 hrs.	
7229294	Rear Auxiliary Hydraulic Kit (T550/T595).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install Time: 10 hrs.	
<u>Instrumentation</u>		
7213928	Deluxe Instrument Panel with Keyless Start.....	\$ _____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install Time: 1 hr.	
7213929	Keyless Start Panel Kit.....	\$ _____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install Time: 1 hr.	

T550, T595 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Lift Kits</u>		
7161980	Four-Point Lift Kit (T550)..... Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install Time: 2 hrs.	\$ _____
7161979	Four-Point Lift Kit (T595)..... Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install Time: 2 hrs.	\$ _____
7193579	Single Point Lift Kit..... Est. Install Time: 3 hrs.	\$ _____
<u>Loader Guard Kits</u>		
7246231	Engine Compartment Seal Kit (T550)..... Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
7233421	Engine Compartment Seal Kit (T595)..... Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
7129293	FOPS Kit..... Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1 hr.	\$ _____
7174128	Rear Work Lights Guard Kit (T550/T595/T650)..... Est. Install Time: 0.5 hr.	\$ _____
7174129	Front Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7250844	Coupler Guard Kit..... Est. Install Time: 5 min.	\$ _____
7244920	Muffler Guard Kit..... Est. Install Time: 0.25 hr.	\$ _____
7249240	Power Bob-tach Guard Kit..... Est. Install Time: 0.25 hr.	\$ _____
7203665	Rear Bumper Kit..... Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install Time: 1 hr.	\$ _____
7222173	Tilt Cylinder Shield Kit..... Est. Install Time: 0.5 hr.	\$ _____
<u>Power Bob-Tach Kits</u>		
7310206	Power Bob-Tach Kit (T550/T595)..... Est. Install Time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
7310205	Power Bob-Tach Plumbing Kit Est. Install Time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
<u>Radio</u>		
46899213	Bluetooth Radio Kit..... Includes AM/FM/Bluetooth Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Allows for bluetooth audio. Est. Install Time: 3 hrs.	\$ _____

T550, T595 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Rear Camera Kit</u>		
7329670	Rear View Camera Kit..... Includes camera, display and required parts for complete installation. Est. Install Time: 4 hrs.	\$ _____
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit..... Remote Operation from your iOS device. Includes wiring harness and MaxControl Remote Operation App on your iOS device. You will also need to order 6725946 Rear Window External Removal Kit	\$ _____
7441456	Loader Radio Remote Control Kit..... Allows an operator to start/stop the engine, operate the drive system, and control the lift, tilt, and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	\$ _____
6986516	Loader Radio Remote Operator Training Kit.....	\$ _____
<u>Reversing Fan Kits</u>		
7403199	Reversing Fan Kit (T550/T595)..... Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	\$ _____
<u>Ride Control Kits</u>		
7403285	Automatic Ride Control Kit (T550/T595)..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch located inside of cab. Est. Install Time: 4 hrs.	\$ _____
<u>Seats & Seat Belts</u>		
7129303	Seat Belt Kit, 3" (Suspension Seat)..... For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install Time: 0.5 hr.	\$ _____
7128405	Seat Belt Kit, 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install Time: 0.5 hr.	\$ _____
7169480	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install Time: 0.5 hr.	\$ _____
7128524	Suspension Seat..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install Time: 1 hr.	\$ _____
7183366	Suspension Seat, Air Ride..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install Time: 1 hr.	\$ _____
7312807	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat. The seat is not compatible with M-Series loaders and select M2-Series loaders. See Dealer Parts Department for the correct M2-Series loader serial number breaks. Est. Install Time: 0.5 hr.	\$ _____

T550, T595 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Sound Reduction Kits</u>		
7408322	Sound Reduction Kit (T550/T595)..... Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install Time: 2 hrs.	\$ _____
<u>Track Accessories</u>		
7241891	Undercarriage Debris Shield..... This kit adds a steel plate that attaches to the undercarriage and the main frame. Est. Install Time: 0.25 hr.	\$ _____
7322043	12.5" C-Pattern Track..... Set of C-Pattern Track	\$ _____
7322045	15.7" C-Pattern Track..... Set of C-Pattern Track	\$ _____
7159546	12.5" Winter Track..... Set of Winter Tracks	\$ _____
<u>Telematics</u>		
7354101	Machine IQ Kit..... All components to be able to install Telematics on to machine with correct wiring harness. Will need to supply SIM card to active system. Est. Install Time: 1 hr.	\$ _____
9987580	Customer Machine IQ Health and Security Subscription - 1 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$200
9987581	Customer Machine IQ Health and Security Subscription - 2 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$400
9987582	Customer Machine IQ Health and Security Subscription - 3 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$600
9987583	Customer Machine IQ Health and Security Subscription - 4 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$800
9987584	Customer Machine IQ Health and Security Subscription - 5 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$1,000
<u>Other Accessories</u>		
7243539	Air Deflector Kit..... Est. Install Time: 0.5 hr.	\$ _____
7129307	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____
7128403	Security Locks Kit..... Est. Install Time: 0.5 hr.	\$ _____

T650 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader



Standard Equipment

74.0 HP Turbo Tier 4 Diesel Engine
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS™)
Controls: Hand and Foot (Manual)
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Glow Plugs (Automatically Activated)
Horn
Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical

Lights, Front & Rear
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear
Windows, Parking Brake, Seat Bar, & Seat Belt
- Roll Over Protective Structure (ROPS) meets
SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets
SAE-J1043 & ISO 3449, Level I;
(Level II is available through Bobcat Parts)
Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 4 Rollers
Tracks: Rubber, 12.6" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	T650
Rated Operating Capacity - 35% of Tipping Load.....	2,570 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,670 lbs.
Tipping Load.....	7,343 lbs.
Engine Model.....	2.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	74
Hydraulic Pump Capacity – Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity – High Flow.....	30.5 GPM
Travel Speed.....	6.0 MPH
Travel Speed – 2 Speed.....	6.0/8.7 MPH
Operating Weight.....	9,113 lbs.
Shipping Weight.....	8,190 lbs.
Cab Height.....	81.3"
Width (w/out Attachment).....	72.9"
Length (w/out Attachment).....	108.4"
Ground Contact Length.....	57.7"
Reach at Maximum Height.....	36.0"
Height to Hinge Pin.....	124.0"

T650 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0233-P11-C01	Base Package.....		\$83,436
	Includes: Open Cab, Manual Bob-Tach, and Oval Display		
M0233-P11-C03	Versatility Package.....		\$85,222
	Includes: Open Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, and Single Direction Bucket Positioning		
M0233-P11-C15	Cab Plus Package.....		\$90,094
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, and 7-Pin Attachment Control		
M0233-P11-C07	Comfort Package.....		\$90,695
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, and Single Direction Bucket Positioning		

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Tracks

M0233-R09-C02	17.7" C-Pattern Track.....		\$1,785
	Compatible with Solid Mounted Carriages. Loader width is 78.0"		

Controls

M0233-R01-C04	Selectable Joystick Control (SJC).....		\$1,016
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		

Auxiliary Flow

M0233-R03-C03	High Flow Hydraulics.....		\$2,895
	ONLY AVAILABLE WITH CAB PLUS AND COMFORT PACKAGE		
	Provides 30.5 GPM and 3550 PSI for attachment operation.		

Performance

M0233-R21-C12	Two-Speed.....		\$2,353
	Includes 2-Speed motors and 3-Point Seat Belt		

T650 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Cab Accessories - Enclosures, Doors, Windows</u>		
7128393	Cab Enclosure Door Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install Time: 3.5 hrs.	\$ _____
7128342	Sliding Side Windows Kit..... Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install Time: 1 hr.	\$ _____
7182335	Polycarbonate Sliding Side Windows Kit Includes 2 Sliding Side Polycarbonate Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install Time: 1 hr.	\$ _____
7174127	Forestry Door Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 2 hrs.	\$ _____
7128395	Special Applications Polycarbonate Door Kit..... Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install Time: 3 hrs.	\$ _____
7214673	Special Applications Polycarbonate Rear Window Kit..... Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install Time: 0.5 hr.	\$ _____
<u>Cab Accessories - Heating and Air Conditioning</u>		
7238378	Air Conditioning Kit..... Loader must be equipped with Cab Enclosure with Heater. Est. Install Time: 8 hrs.	\$ _____
7128484	Heater Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install Time: 5 hrs. to install heater and plumbing kit.	\$ _____
7238377	Heater Plumbing Kit..... Est. Install Time: 5 hrs. to install heater and plumbing kit	\$ _____
7200657	Lower Air Duct Kit..... Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install Time: 1-3 hrs. (depends on loader model and s/n)	\$ _____
<u>Cab Accessories - Other</u>		
7169103	Cab Accessory Adapter Harness..... For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install Time: 0.5 hr.	\$ _____
7167395	Cup Holder Kit..... Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install Time: 1 hr.	\$ _____
7174903	Cab Seals Kit (T650/T770)..... Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install Time: 2.5 hrs.	\$ _____
7170782	Deluxe Cab Gas Spring Kit..... 3rd gas spring for enclosed cab. Est. Install Time: 1 hr.	\$ _____

T650 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Dealer Installed Accessories - Order From Parts		
Part Number	Description	SLP In US \$
7238900	HEPA Filter Kit..... Est. Install Time: 0.5 hr.	\$ _____
7240148	Intermittent Wiper Kit..... Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install Time: 1 hr.	\$ _____
6725946	Rear Window External Removal Kit.....	\$ _____
7225133	Rear Wiper Kit..... Recommended for use with Loader Radio Remote Control kit. Est. Install Time: 1 hr. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install Time: 4 hrs.	\$ _____
7172903	White Decal Kit (Cab Top)..... Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install Time: 0.5 hr.	\$ _____
<u>Counterweight Kits</u>		
7129251	Counterweight Kit, 300 lbs..... Includes (6) 50 lbs. weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
<u>Electrical Accessories</u>		
7128338	Four-Way Flasher / Turn Signal Kit..... Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	\$ _____
7129299	Rotating Beacon Kit..... Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	\$ _____
7129301	Strobe Light Kit, Amber..... Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.	\$ _____
7256348	Side Light Kit..... Includes two LED side lights. Est. Install Time: 0.5 hr.	\$ _____
<u>Engine Accessories</u>		
7328972	Engine Block Heater Est. Install Time: 0.25 hr.	\$ _____

T650 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Hydraulic Accessories</u>		
7128442	Hydraulic Bucket Positioning Kit..... Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install Time: 3 hrs.	\$ _____
7231436	Rear Auxiliary Hydraulic Kit..... Provides a flow of 8.5 GPM. Est. Install Time: 10 hrs.	\$ _____
7207408	Lift Cylinder Cushioning Piston..... Softens the contact between the lift arms and mainframe reducing noise. Must also order piston nut PN 6810540	\$ _____
7257869	Weighlog Scale Kit..... Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weigh log kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Install time: 4 hrs.	\$ _____
<u>Instrumentation</u>		
7213928	Deluxe Instrument Panel with Keyless Start..... Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install Time: 1 hr.	\$ _____
7213929	Keyless Start Panel Kit..... Allows operator to start the loader by entering a reprogrammable number code. Est. Install Time: 1 hr.	\$ _____
<u>Lift Kits</u>		
7156605	Four-Point Lift Kit (T650/T770)..... Cannot be used on loaders equipped with Backhoe Mounting Kit or Bob-Dock Mounting System	\$ _____
7226713	Single Point Lift Kit (T650/T770)..... Est. Install Time: 3 hrs.	\$ _____
<u>Loader Guard Kits</u>		
7209981	Engine Compartment Seal Kit..... Includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1.5 hrs.	\$ _____
7023550	Locking Fuel Cap Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____
7129293	FOPS Kit..... Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1 hr.	\$ _____
7174129	Front Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7174129	Front Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7244920	Muffler Guard Kit..... Est. Install Time: 0.25 hr.	\$ _____
7203665	Rear Bumper Kit..... Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install Time: 1 hr.	\$ _____

T650 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Loader Guard Kits (Continued)</u>		
7187059	Tilt Cylinder Shield Kit (T650/T770).....	\$ _____
	Est. Install Time: 0.5 hr.	
7249240	Power Bob-tach Guard Kit.....	\$ _____
	Est. Install Time: 0.25 hr.	
<u>Power Bob-Tach Kits</u>		
7310665	Power Bob-Tach Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install Time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	
7310663	Power Bob-Tach Plumbing Kit	\$ _____
	Est. Install Time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	
<u>Bob-Dock Kits</u>		
7359553	Bob-Dock Completion Kit.....	\$ _____
	This kit contains items needed to complete the Bob-Dock System	
<u>Radio</u>		
46899213	Bluetooth Radio Kit.....	\$ _____
	Includes AM/FM/Bluetooth Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Allows for bluetooth audio. Est. Install Time: 3 hrs.	
<u>Rear Camera Kit</u>		
7329670	Rear View Camera Kit.....	\$ _____
	Includes camera, display and required parts for complete installation. Est. Install Time: 4 hrs.	
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit.....	\$ _____
	Remote Operation from your iOS device. Includes wiring harness and MaxControl Remote Operation App on your iOS device. You will also need to order 6725946 Rear Window External	
7441456	Loader Radio Remote Control Kit.....	\$ _____
	Allows an operator to start/stop the engine, operate the drive system, and control the lift, tilt, and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	
<u>Reversing Fan Kits</u>		
7307657	Reversing Fan Kit.....	\$ _____
	Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	

T650 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
----------------	-------------	--------------

Ride Control Kits

7306400	Automatic Ride Control Kit..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside of cab. Est. Install Time: 4 hrs.	\$ _____
7128405	Seat Belt Kit, 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install Time: 0.5 hr.	\$ _____
7169480	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install Time: 0.5 hr.	\$ _____
7183366	Suspension Seat, Air Ride..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install Time: 1 hr.	\$ _____
7312807	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat. The seat is not compatible with M-Series loaders and select M2-Series loaders. See Dealer Parts Department for the correct M2-Series loader serial number breaks. Est. Install Time: 0.5 hr.	\$ _____

Sound Reduction Kits

7342408	Deluxe Sound Kit for Standard Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install Time: 1 hr.	\$ _____
7342409	Deluxe Sound Kit for SJC Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install Time: 1 hr.	\$ _____
7213438	Sound Reduction Kit..... Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install Time: 2 hrs.	\$ _____

Telematics

7354101	Machine IQ Kit..... All components to be able to install Telematics on to machine with correct wiring harness. Will need to supply SIM card to active system. Est. Install Time: 1 hr.	\$ _____
9987580	Customer Machine IQ Health and Security Subscription - 1 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$200
9987581	Customer Machine IQ Health and Security Subscription - 2 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$400
9987582	Customer Machine IQ Health and Security Subscription - 3 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$600
9987583	Customer Machine IQ Health and Security Subscription - 4 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$800
9987584	Customer Machine IQ Health and Security Subscription - 5 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$1,000

Part Number	Description	SLP In US \$
----------------	-------------	--------------

Other Accessories

7129307	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____
---------	--	----------

T740 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader



Standard Equipment

74 HP Turbo Tier 4 Diesel Engine
Air Intake Heater (Automatically Activated)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS™)
Controls: Selectable Joystick Controls (SJC)
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Horn
Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical

Lights, Front & Rear
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar, & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 5 Rollers
Tracks: Rubber, 17.7" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	<u>T740</u>
Rated Operating Capacity - 35% of Tipping Load.....	3,200 lbs.
with Roller Suspension Carriage.....	3,100 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	4,571 lbs.
Tipping Load.....	9,143 lbs.
Engine Model.....	3.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	74
Hydraulic Pump Capacity – Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	30.5 GPM
Travel Speed.....	6.0 MPH
Travel Speed – 2 Speed.....	5.5/8.3 MPH
Operating Weight.....	10,127 lbs.
with Roller Suspension Carriage.....	10,281 lbs.
Shipping Weight.....	9,211 lbs.
Cab Height.....	81.3"
Width (w/out Attachment).....	78.0"
Length (w/out Attachment).....	114.3"
Ground Contact Length.....	63.7"
Reach at Maximum Height.....	35.2"
Height to Hinge Pin.....	131.4"

T740 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
----------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0273-P11-C01	Base Package.....	\$90,807
	Includes: Open Cab, Manual Bob-Tach, and Oval Display	
M0273-P11-C03	Versatility Package.....	\$92,594
	Includes: Open Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, and Single Direction Bucket Positioning	
M0273-P11-C15	Cab Plus Package.....	\$96,054
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, and 7-Pin Attachment Control	
M0273-P11-C07	Comfort Package.....	\$100,138
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Keyless Ignition, Deluxe Display, 7-Pin Attachment Control, Single Direction Bucket Positioning, Sound Reduction, Two-Speed Travel, and 2yr Machine IQ Basic Subscription with 90-Day Machine IQ Health & Security Free Trial	
M0273-P11-C14	Deluxe Package.....	\$102,680
	Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Keyless Ignition, Deluxe Display, 7-Pin Attachment Control, Single Direction Bucket Positioning, Sound Reduction, Two-Speed Travel, 2yr Machine IQ Basic Subscription with 90-Day Machine IQ Health & Security Free Trial, Radio with Bluetooth, Ride Control, and Reversing Fan	

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
----------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Tracks/Undercarriage

M0273-R09-C05	17.7" Multi Bar Track.....	\$914
	Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	

Auxiliary Flow

M0273-R03-C03	High Flow Hydraulics.....	\$2,896
	ONLY AVAILABLE WITH CAB PLUS, COMFORT, AND DELUXE PACKAGES	
	Provides 36.6 GPM and 3550 PSI for attachment operation.	

T770 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader



Standard Equipment

92 HP Turbo Tier 4 Diesel Engine
Air Intake Heater (Automatically Activated)
Auxiliary Hydraulics: Variable Flow
Backup Alarm
Bob-Tach® Attachment Mounting System
Bobcat Interlock Control System (BICS™)
Controls: Hand and Foot (Manual)
Cylinder Cushioning – Lift, Tilt
Engine/Hydraulic Performance De-rate Protection
Horn
Instrumentation: Engine Temperature & Fuel Gauges,
Hour meter, RPM and Warning Lights
Lift Arm Support
Lift Path: Vertical

Lights, Front & Rear
Operator Cab
- Includes: Adjustable Vinyl Suspension Seat, Top & Rear
Windows, Parking Brake, Seat Bar, & Seat Belt
- Roll Over Protective Structure (ROPS) meets
SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets
SAE-J1043 & ISO 3449, Level I; (Level
II is available through Bobcat Parts)
Parking Brake – Spring Applied, Pressure Released (SAPR)
Solid Mounted Carriage with 5 Rollers
Tracks: Rubber, 17.7" Wide
Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	<u>T770</u>
Rated Operating Capacity - 35% of Tipping Load.....	3,475 lbs.
with Roller Suspension Carriage.....	3,325 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	4,960 lbs.
Tipping Load.....	9,929 lbs.
Engine Model.....	3.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	92
Hydraulic Pump Capacity – Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	36.6 GPM
Travel Speed.....	6.6 MPH
Travel Speed – 2 Speed.....	6.1/10.7 MPH
Operating Weight.....	10,515 lbs.
with Roller Suspension Carriage.....	10,678 lbs.
Shipping Weight.....	9,584 lbs.
Cab Height.....	81.3"
Width (w/out Attachment).....	78.0"
Length (w/out Attachment).....	114.3"
Ground Contact Length.....	63.7"
Reach at Maximum Height.....	35.2"
Height to Hinge Pin.....	131.4"

T770 (Tier 4 V2 Engine) M3-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS (NO PREMIUM)

M0285-P11-C01	Base Package.....		\$92,961
	Includes: Open Cab, Manual Bob-Tach, and Oval Display		
M0285-P11-C03	Versatility Package.....		\$94,748
	Includes: Open Cab, Power Bob-Tach, Oval Display, 7-Pin Attachment Control, and Single Direction Bucket Positioning		
M0285-P11-C15	Cab Plus Package.....		\$98,208
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Oval Display, and 7-Pin Attachment Control		
M0285-P11-C07	Comfort Package.....		\$102,291
	Includes: Enclosed HVAC Cab, Power Bob-Tach, Keyless Ignition, Deluxe Display, 7-Pin Attachment Control, Single Direction Bucket Positioning, Sound Reduction, Two-Speed Travel, and 2yr Machine IQ Basic Subscription with 90-Day Machine IQ Health & Security Free Trial		
M0285-P11-C14	Deluxe Package.....		\$104,834
	Includes: Enclosed HVAC Cab, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Keyless Ignition, Deluxe Display, 7-Pin Attachment Control, Single Direction Bucket Positioning, Sound Reduction, Two-Speed Travel, 2yr Machine IQ Basic Subscription with 90-Day Machine IQ Health & Security Free Trial, Radio with Bluetooth, Ride Control, and Reversing Fan		

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE (NO PREMIUM ADDED)

Tracks/Undercarriage

M0285-R09-C05	17.7" Multi Bar Track.....		\$914
	Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"		
M0285-R21-C13	Roller Suspension Carriage.....		\$1,918
	ONLY AVAILABLE WITH DELUXE PACKAGE		
	Includes Solid Mounted Undercarriage and 4 Rollers with Leaf Spring style suspension.		
	Compatible with 12.6" tracks (Loader width 73.4") or 17.7" tracks (Loader width is 78.0")		

Controls

M0285-R01-C04	Selectable Joystick Control (SJC).....		\$1,016
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		

Auxiliary Flow

M0285-R03-C03	High Flow Hydraulics.....		\$2,895
	ONLY AVAILABLE WITH CAB PLUS, COMFORT, AND DELUXE PACKAGES		
	Provides 36.6 GPM and 3550 PSI for attachment operation.		

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
----------------	-------------	---	--------------

Part numbers for kits in this section are current as of August 2020 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories - Enclosures, Doors, Windows

7279636	Cab Enclosure Door Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install Time: 3.5 hrs.	
7186723	FOPS Window Kit.....	\$ _____
	Est. Install Time: 10 min.	
7326358	Forestry Door Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 2 hrs.	
7196560	Forestry Wiper Kit.....	\$ _____
	Loader must be equipped with Forestry Door. Est. Install Time: 1 hr.	
7404470	Sliding Side Lexan Windows Kit.....	\$ _____
	Includes 2 Sliding Side Lexan Windows. Est. Install Time: 1 hr.	
7400224	Sliding Side Windows Kit	\$ _____
	Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install Time: 1 hr.	
7128395	Special Applications Polycarbonate Door Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install Time: 3 hrs.	
7214673	Special Applications Polycarbonate Rear Window Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install Time: 0.5 hr.	
7128484	Heater Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install Time: 5 hrs. to install heater and plumbing kit.	
7252058	Heater Plumbing Kit.....	\$ _____
	Est. Install Time: 5 hrs.	
7200657	Lower Air Duct Kit.....	\$ _____
	Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install Time: 1-3 hrs. (depends on loader model and s/n)	

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Cab Accessories - Other</u>		
	Cab Accessory Harness & Lower Interior Panels Kit.....	\$ _____
	See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install Time: 5 hrs.	
7167395	Cup Holder Kit.....	\$ _____
	Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install Time: 1 hr.	
7174903	Cab Seals Kit (T650/T770).....	\$ _____
	Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install Time: 2.5 hrs.	
7170782	Deluxe Cab Gas Spring Kit.....	\$ _____
	3rd gas spring for enclosed cab. Est. Install Time: 1 hr.	
7156253	Deluxe Headliner Kit.....	\$ _____
	Includes headliner with light and rear corner cab trim. Est. Install Time: 1 hr.	
7174171	Deluxe Heater / Air Conditioning Headliner Kit.....	\$ _____
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install Time: 1 hr.	
7238900	HEPA Filter Kit.....	\$ _____
	Est. Install Time: 0.5 hr.	
7240148	Intermittent Wiper Kit.....	\$ _____
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install Time: 1 hr.	
6725946	Rear Window External Removal Kit.....	\$ _____
	Recommended for use with Loader Radio Remote Control kit. Est. Install Time: 1 hr.	
7225133	Rear Wiper Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install Time: 4 hrs.	
7172897	Reseal Plugs Kit.....	\$ _____
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.	
7172903	White Decal Kit (Cab Top).....	\$ _____
	Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install Time: 0.5 hr.	

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Counterweight Kits

7129250	Counterweight Kit, 200 lbs.....		\$ _____
	Includes (4) 50 pound weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		
7129251	Counterweight Kit, 300 lbs.....		\$ _____
	Includes (6) 50 lbs. weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1		
7129252	Counterweight Kit, 400 lbs.....		\$ _____
	Includes (8) 50 lbs. weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1		

Electrical Accessories

7128426	7-Pin Attachment Control Kit		\$ _____
	0		
6733136	14-Pin Attachment Control Kit		\$ _____
	0		
7169103	Cab Accessory Adapter Harness.....		\$ _____
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install Time: 0.5 hr.		
7128338	Four-Way Flasher / Turn Signal Kit.....		\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.		
7129299	Rotating Beacon Kit.....		\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.		
7129301	Strobe Light Kit, Amber.....		\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install Time: 1 hr.		
7256348	Side Light Kit.....		\$ _____
	Includes two LED side lights. Est. Install Time: 0.5 hr.		

Engine Accessories

7328972	Engine Block Heater		\$ _____
	Est. Install Time: 0.25 hr.		

Hydraulic Accessories

7310240	Hydraulic Bucket Positioning Kit.....		\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install Time: 3 hrs.		
7311880	Rear Auxiliary Hydraulic Kit.....		\$ _____
	Provides a flow of 8.5 GPM. Est. Install Time: 10 hrs.		

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Forestry Kit

7404472	Forestry Applications Kit.....	\$ _____
	Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install Time: 6.5 hrs.	
	Note: Forestry Wiper Kit is available for the Forestry Applications Kit, order from parts.	

Instrumentation

7213928	Deluxe Instrument Panel with Keyless Start.....	\$ _____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install Time: 1 hr.	
7213929	Keyless Start Panel Kit.....	\$ _____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install Time: 1 hr.	

Lift Kits

7368070	Four-Point Lift Kit – Bob-Dock Mounting System.....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install Time: 2 hrs.	
7156605	Four-Point Lift Kit (T650/T770).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit or Bob-Dock Mounting System. Est. Install Time: 2 hrs.	
7226713	Single Point Lift Kit (T650/T770).....	\$ _____
	Est. Install Time: 3 hrs.	

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Loader Guard Kits</u>		
7309976	Engine Compartment Seal Kit..... Required when using M-series 700 Platform machines with forestry cutters. Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install Time: 2 hrs.	\$ _____
7129293	FOPS Kit..... Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1 hr.	\$ _____
7174128	Rear Work Lights Guard Kit (T550/T595/T650)..... Est. Install Time: 0.5 hr.	\$ _____
7257724	Rear Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7174129	Front Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7244920	Muffler Guard Kit..... Est. Install Time: 0.25 hr.	\$ _____
7249240	Power Bob-tach Guard Kit..... Est. Install Time: 0.25 hr.	\$ _____
7250844	Coupler Guard Kit..... Est. Install Time: 5 min.	\$ _____
7203665	Rear Bumper Kit..... Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install Time: 1 hr.	\$ _____
7187059	Tilt Cylinder Shield Kit (T650/T770)..... Est. Install Time: 0.5 hr.	\$ _____
<u>Power Bob-Tach Kits</u>		
7310665	Power Bob-Tach Kit..... Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install Time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	\$ _____
7310805	Power Bob-Tach Plumbing Kit..... Est. Install Time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Bob-Dock Attachment Mounting System Kits</u>			
7348816	700's Bob-Dock Completion Kit.....	Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine. Est. Install Time: 3 hrs. Note: Is required for full functionality of Bob-Dock attachment mounting system	\$ _____
7360442	Bob-Dock Adapter Fitting Kit.....	Kit includes O-ring boss adapters for adapter plate for direct connection to an attachment Est. Install Time: 0.25 hr.	\$ _____
7363740	Bob-Dock Shield Kit.....	Kit includes steel shield for rear of valve block on Bob-Tach, rubber guard that cable ties onto Bob-Dock hoses that are routed closest to the ground. Est. Install Time: 0.5 hr.	\$ _____
7352994	Bob-Dock Attachment Guard Kit.....	This kit adds protection from debris damaging the Bob-Dock couplers when using the Bob-Dock system with grapple buckets. Est. Install Time: 0.5 hr.	\$ _____
7352995	Bob-Dock Attachment Guard Kit.....	This kit adds protection from debris damaging the Bob-Dock couplers when using the Bob-Dock system with combination buckets. Est. Install Time: 0.5 hr.	\$ _____
<u>Radio</u>			
46899213	Bluetooth Radio Kit.....	Includes AM/FM/Bluetooth Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Allows for bluetooth audio. Est. Install Time: 3 hrs.	\$ _____
<u>Rear Camera Kit</u>			
7329670	Rear View Camera Kit.....	Includes camera, display and required parts for complete installation. Est. Install Time: 4 hrs.	\$ _____
<u>Remote Control Kits</u>			
7417974	Bobcat MaxControl Kit.....	Remote Operation from your iOS device. Includes wiring harness and MaxControl Remote Operation App on your iOS device. You will also need to order 6725946 Rear Window External Removal Kit	\$ _____
7441456	Loader Radio Remote Control Kit.....	Allows an operator to start/stop the engine, operate the drive system, and control the lift, tilt, and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	\$ _____
6986516	Loader Radio Remote Operator Training Kit.....		\$ _____
<u>Reversing Fan Kits</u>			
7307658	Reversing Fan Kit.....	Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	\$ _____

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Ride Control Kits</u>			
7306402	Automatic Ride Control Kit – Tier 4..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside of cab. Est. Install Time: 4 hrs.		\$ _____
<u>Seats & Seat Belts</u>			
7129303	Seat Belt Kit, 3" (Suspension Seat)..... For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install Time: 0.5 hr.		\$ _____
7128405	Seat Belt Kit, 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install Time: 0.5 hr.		\$ _____
7169480	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install Time: 0.5 hr.		\$ _____
7128524	Suspension Seat..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install Time: 1 hr.		\$ _____
7183366	Suspension Seat, Air Ride..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install Time: 1 hr.		\$ _____
7312807	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat. The seat is not compatible with M-Series loaders and select M2-Series loaders. See Dealer Parts Department for the correct M2-Series loader serial number breaks. Est. Install Time: 0.5 hr.		\$ _____
<u>Sound Reduction Kits</u>			
7342408	Deluxe Sound Kit for Standard Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install Time: 1 hr.		\$ _____
7342409	Deluxe Sound Kit for SJC Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install Time: 1 hr.		\$ _____
<u>Track Accessories</u>			
7282701	Undercarriage Debris Shield..... This kit adds a steel plate that attaches to the undercarriage and the main frame. Est. Install Time: 0.25 hr.		\$ _____
7322052	12.5" C-Pattern Track..... Set of C-Pattern Track		\$ _____
7322054	17.7" C-Pattern Track..... Set of C-Pattern Track		\$ _____

T740, T770 (Tier 4 V2 Engine) M3-Series Dealer Installed Options

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Telematics</u>		
7354101	Machine IQ Kit..... All components to be able to install Telematics on to machine with correct wiring harness. Will need to supply SIM card to active system. Est. Install Time: 1 hr.	\$ _____
9987580	Customer Machine IQ Health and Security Subscription - 1 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$200
9987581	Customer Machine IQ Health and Security Subscription - 2 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$400
9987582	Customer Machine IQ Health and Security Subscription - 3 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$600
9987583	Customer Machine IQ Health and Security Subscription - 4 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$800
9987584	Customer Machine IQ Health and Security Subscription - 5 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$1,000
<u>Other Accessories</u>		
7257437	Air Deflector Kit..... Est. Install Time: 0.5 hr.	\$ _____
7129307	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____
7128403	Security Locks Kit..... Est. Install Time: 0.5 hr.	\$ _____