

BOBCAT COMPANY PRICE PAGES

NA Loaders - Mini Track Loader



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check DealerNET Pricing Homepage for current Canadian exchange rate.
- All Parts Pricing valid only for North America.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Parts Department.
- For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.
- Prices and specifications are subject to change without notice.


THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
5/1/2018	Effective Tuesday, May 1, 2018 Bobcat Company has adjusted the SLP of select options and power units
1/1/2019	Updated SLPs for January 1st 2019
7/10/2019	Converted word file to excel
3/20/2020	MT100 added to Price Pages
12/31//2020	Effective Friday, January 1, 2021 Bobcat Company has adjusted the SLP of select power units
6/7/2021	Effective Monday, June 7, 2021 Bobcat Company has adjusted the SLP of power units
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has adjusted the SLP of power units
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has temporarily suspended orders of MT55 and MT100
4/29/2022	MT55 has been discontinued from North America production.
7/1/2022	Effective Friday July 1, 2022 Bobcat Company has adjusted the SLP of power units.
1/2/2023	Bobcat Company has adjusted the SLP of power units
1/1/2024	Bobcat Company has adjusted the SLP of power units
12/9/2024	Added Bobtach and CII interfaces
3/17/2025	MT120 added to Price Pages
4/1/2025	MT100 Base Price Update
7/14/2025	Added MT100 Floor Mat
12/16/2025	Updated SLP's for January 1st 2026

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

MT100

Bobcat Mini Track Loader



Standard Equipment

24.8 HP Tier 4 Diesel Engine	Warranty: 12 Months, unlimited hours
Auxiliary Hydraulics	Lift Arm Support
Built-in Tie Down and Crane/Lift locations	Liquid-Cooled Diesel Engine
Cupholder (2)	Neutral Start Interlocks
Continuous Flow Shutoff Pedal	Parking Brake
Counterweights - Includes (4) 30 pound weights	Spark Arrestor Muffler
ISO Pattern Joystick Travel Controls	Tilt Lockout
Hydrostatic Drive Train	Tracked Traction System: Rubber, 7 in. wide
Lift Arm Lockout with Manual Bypass	
Hourmeter, Engine Temperature and Fuel Gauges, Voltmeter & Warning Lights	
Attachment interface; - Bob-Tach® Attachment Mounting System or CII Common Industry Interface	

Quick Specs

	<u>MT100</u>
Rated Operating Capacity - Counterweights in Undercarriage Position.....	1,000 lbs.
Rated Operating Capacity - Counterweights in rear position on Uprights.....	1,060 lbs.
Engine Model.....	D902-E4B
Engine Fuel/Cooling.....	Diesel/Liquid
Horsepower.....	24.8 HP
Auxiliary Hydraulics Flow.....	11.0 GPM
Auxiliary PSI.....	2900 PSI
Travel Speed Fwd.....	4.1 MPH
Travel Speed Rev.....	2.9 MPH
Operating Weight.....	3390 lbs.
Shipping Weight.....	3045 lbs.
Width with 7.1" Track Option (w/o Attachment).....	35.6 in.
Width with 9.8" Track Option (w/o Attachment).....	41.2 in.
Ground Pressure w/ Standard Tracks (7.1").....	5.3 psi
Ground Pressure w/ Wide Tracks (9.8").....	4.0 psi
Length (w/o Attachment).....	84.5 in.
Ground Contact Length.....	41.4 in.
Reach @ Maximum Height.....	18.7 in.
Height to Hinge Pin.....	81.0 in.

*Carry Position ROC is measured as 35% of tip when the lift arm is raised 6" and bucket is fully rolled back

MT100
Bobcat Mini Track Loader

Part Number	Description	Mini Track Loader	SLP in US \$
-------------	-------------	-------------------	--------------

M0115	MT100 Mini Track Loader		\$41,784
-------	-------------------------------	--	----------

Part Number	Description	Machine Configuration	SLP in US \$
-------------	-------------	-----------------------	--------------

Track Options

M0115-R09-C01	7.1" Standard Track Option.....		\$N/C
---------------	---------------------------------	--	-------

Machine width is 35.6"; C-Pattern

M0115-R09-C02	9.8" Wide Track Option.....		\$1,014
---------------	-----------------------------	--	---------

Machine width is 41.4"; C-Pattern

Attachment Interface Options

M0115-R02-C01	Bob-Tach® Attachment Interface.....		\$N/C
---------------	-------------------------------------	--	-------

Uses an over-center latch mechanism and wear-compensating pins to allow use of Bobcat approved machine attachments

M0115-R02-C02	Common Industry Interface (CII).....		\$N/C
---------------	--------------------------------------	--	-------

Uses an over-center latch mechanism and wear-compensating pins to allow use of common industry attachments

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
-------------	-------------	---	--------------

7286202	Bob-Tach® Attachment Interface Kit		\$1,109
---------	------------------------------------	--	---------

Est. Install Time: 0.5 hr.

7286203	Common Industry Interface Kit (CII).....		\$1,109
---------	--	--	---------

Est. Install Time: 0.5 hr.

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP in US \$
-------------	-------------	---	--------------

Part numbers for kits in this section are current as of Apr. 2025 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

7427838	Attachment Control Kit.....		\$ _____
---------	-----------------------------	--	----------

14-pin connector to control attachments with two functions. Required for angle broom, snowblower and stump grinder. Est. Install Time: 1.0 hrs.

7279903	Case Drain Kit.....		\$ _____
---------	---------------------	--	----------

Required for snowblower and Brushcat rotary cutter attachment. Est. Install Time: 1.5 hrs.

6693928	Catalytic Exhaust Purifier.....		\$ _____
---------	---------------------------------	--	----------

Est. Install Time: 1.0 hrs.

7124264	Engine Block Heater.....		\$ _____
---------	--------------------------	--	----------

Est. Install Time: 1.0 hrs.

46929658	Front LED Light Kit.....		\$ _____
----------	--------------------------	--	----------

Includes two LED lights (1000 lumens) with mounting brackets and one rocker switch. Est. Install Time: 0.5 hrs.

7348547	Engine Shutdown Kit.....		\$ _____
---------	--------------------------	--	----------

Required for Brushcat rotary cutter attachment. Shuts down the engine when the engine oil pressure is too low, or when engine coolant temperature is too high, or the hydraulic oil temperature is too high.(SN: B3TR11001 on MT85) Est. Install Time: 2 hrs

7468531	Rubber Floor Mat.....		\$ _____
---------	-----------------------	--	----------

PN: 7468531 includes rubber floor mat with drainage holes for platform. Must also order quantity 6 retainers PN: 7312024. Install time: 0.25 hrs.

MT120

Bobcat Mini Track Loader



Standard Equipment

24.5 HP Tier 4, Liquid Cooled, Diesel Engine	Warranty: 12 Months, unlimited hours
12V Power Port	ISO Pattern Joystick Travel Controls
Attachment interface:	Lift Arm Lockout with Manual Bypass
Bob-Tach® Attachment Mounting System or CII	Lift Arm Support
Common Industry Interface	Lift Path: Vertical
Auxiliary Hydraulics	Parking Brake: Spring Applied, Pressure Released (SAPR)
Built-in Tie Down and Crane/Lift locations	Solid Mounted Carriage with 5 Rollers
Case Drain	Spark Arrestor Muffler
Continuous Flow Shutoff Pedal	Tracked Traction System: Multi-Bar Lug Rubber track, 9.1 in. wide; Optional 11.0 in wide track
Cupholders	
Cylinder Cushioning - Lift, Tilt	
Instrumentation: 4.3-inch Display	
- Keyless Ignition, Engine Temperature & Fuel Gauges, Hour meter, RPM, and Warning Indicators	
Includes maintenance interval notification,	
QR code faults readout and security lockouts	

Quick Specs

	MT120
Rated Operating Capacity - 35% of Tipping Load.....	1200 lbs.
Tipping Capacity.....	3469 lbs.
Engine Model.....	3L123-BC4A
Engine Fuel/Cooling.....	Diesel/Liquid
Horsepower.....	24.5 hp
Auxiliary Hydraulics Flow.....	11.8 GPM
Auxiliary PSI.....	3045 PSI
Travel Speed Fwd.....	4.7 MPH
Travel Speed Rev.....	4.7 MPH
Operating Weight.....	3720 lbs.
Shipping Weight.....	3385 lbs.
Width with 9.1" Track Option (w/o Attachment).....	35.6 in.
Width with 11.0" Track Option (w/o Attachment).....	40.6 in.
Ground Pressure w/ Standard Tracks (9.1").....	4.3 psi
Ground Pressure w/ Wide Tracks (11").....	3.9 psi
Length (w/o Attachment).....	86.8 in.
Ground Contact Length.....	44.1 in.
Reach @ Maximum Height.....	22.2 in
Height to Hinge Pin.....	88.2 in.

MT120 Bobcat Mini Track Loader

Part Number	Description	SLP in US \$
Mini Track Loader		
M0117	MT120 Mini Track Loader.....	\$47,747

Part Number	Description	SLP in US \$
Machine Configuration		

<u>Track Options</u>		
M0117-R09-C01	9.1" Standard Track Option..... Machine width is 35.6"; Multi-Bar Lug pattern	\$N/C
M0117-R09-C02	11" Wide Track Option..... Machine width is 40.6"; Multi-Bar Lug pattern	\$1,014

<u>Interface Options</u>		
M0117-R02-C01	Bob-Tach® Interface.....	\$N/C
M0117-R02-C02	Common Industry Interface (CII).....	\$N/C

Part Number	Description	SLP in US \$
Dealer Installed Accessories - Order From Sales		

7498369	Bob-Tach® Attachment Interface Kit..... Est. Install Time: 1 hr.	\$1,873
7498368	Common Industry Interface Kit (CII)..... Est. Install Time: 1 hr.	\$1,873

Part Number	Description	SLP in US \$
Dealer Installed Accessories - Order From Parts		

Part numbers for kits in this section are current as of Apr. 2025 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to Quote & Order or Dealer Parts Department.

7509395	Attachment Control Device (ACD) Kit, 14-Pin..... 14-pin connector to control attachments with two functions. Required for angle broom, snowblower and stump grinder attachments. Est. Install Time: 1.0 hrs.	\$ _____
7496305	Catalytic Exhaust Purifier..... Est. Install Time: 1 hr.	\$ _____
7509365	MT120 Engine Angle Sensor..... This kit adds an engine angle sensor to the MT120. The optional engine angle sensor monitors the position of the engine. When the engine angle sensor exceeds recommend limits, a service code will be shown and logged, and the engine may shut down. Install time: 0.5 hrs.	\$ _____
7388933	Engine Block Heater Kit..... Includes block heater and instructions. Install time: 1.0 hrs.	\$ _____
7468531	Rubber Floor Mat..... PN: 7468531 includes rubber floor mat with drainage holes for platform. Must also order quantity 6 retainers PN: 7312024. Install time: 0.25 hrs.	\$ _____
7204571	Mounting Kit..... Mounting kit for utility frame. Install time: 3.0 hrs.	\$ _____
7435888	Front LED Light Kit..... Includes two LED lights, mounting brackets and switch. Install time: 0.5 hr.	\$ _____
7436066	Rear LED Light Kit..... Includes two LED lights and mounting brackets. Install time: 0.5 hr.	\$ _____

MT120 Bobcat Mini Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP in US \$
7496319	Wide Track Conversion Kit.....		\$ _____
	All components needed to convert a 9.1" standard track MT120 to an 11" wide track machine. 11" tracks need to be ordered separately. Est. Install Time 6 hr.		
7496323	Standard Track Conversion Kit.....		\$ _____
	All components needed to convert an 11" wide track MT120 to a 9.1" standard track machine. 9.1" tracks need to be ordered separately. Est. Install Time 6 hr.		