

BOBCAT COMPANY PRICE PAGES

NA Loaders - Compact Track



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check DealerNET Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
12/9/2019	Pricing updated for Performance Packages 68 & 69
12/12/2019	PN 7360960 (Reversing Fan Kit) typo updated to 7360690
2/17/2020	Clear sides cab released
6/1/2020	Releasing T62, part number corrections, inclusion of Features on Demand
10/26/2020	Correcting FOD Pricing
1/1/2021	New Year Pricing
1/25/2021	Bobcat Packages Added
3/12/2021	Standalone Software Updates Added
5/21/2021	Telematics Removed
6/1/2021	Mid-Year Pricing
7/1/2021	Aspiration Kits Added
10/11/2021	6x FOD Added
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has adjusted the SLP
5/13/2022	Addition of C67 and C87 Packages, Suspension of Bobcat Premier, C68, and C88 Packages
7/29/2022	Release T86
10/3/2022	Revert to C68 and C88
1/1/2023	Bobcat Company has adjusted the SLP of power units and removed Comfort Package C77
6/29/2023	Restructure of Packages, Package Selection, and SLP Changes
7/1/2023	Telematics Restored
11/8/2023	14-Pin Attachment Control removed from T86 Dealer Installed Options
1/4/2024	14-Pin and 7-Pin Attachment Control added to T86 Dealer Installed Options
4/30/2024	Cab Plus Package Added to all Models
7/1/2024	Effective Monday, July 1, 2024 Bobcat Company has adjusted the SLP
7/16/2024	Standard Equipment and Package Descriptions Updated
10/14/2024	4.3-inch Display Introduction
11/1/2024	Discontinued T62
1/1/2025	Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP
1/23/2025	EXMF MBL Track Option SLP Adjusted
1/1/2026	Effective Thursday, January 1, 2026 Bobcat Company has adjusted the SLP

*Specifications(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

T64 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader



Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine	Lift Path: Vertical
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear LED
Backup Alarm	Operator Cab
Bob-Tach® Attachment Mounting System	- Includes: Vinyl Adjustable Suspension Seat, Top & Rear
Bobcat Interlock Control System (BICS™)	Windows, Parking Brake, Seat Bar & Seat Belt
Controls: Hand and Foot (Manual)	- Roll Over Protective Structure (ROPS) meets
Cylinder Cushioning - Lift, Tilt	SAE-J1040 & ISO 3471
Engine/Hydraulic Performance De-rate Protection	- Falling Object Protective Structure (FOPS)
Glow Plugs (Automatically Activated)	meets SAE-J1043 & ISO 3449, Level I;
Horn	(Level II is available through Bobcat Parts)
Instrumentation: 4.3-inch Display	Parking Brake: Spring Applied, Pressure Released (SAPR)
- Keyless Ignition, Engine Temperature & Fuel Gauges,	Solid Mounted Carriage with 4 Rollers
Hour meter, RPM, and Warning Indicators	Tracks: Rubber, 12.6" Wide
Includes maintenance interval notification,	2yr Machine IQ Basics Subscription with
QR code faults readout and security lockouts	90-Day Machine IQ Health & Security Free Trial
Lift Arm Support	Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	<u>T64</u>
Rated Operating Capacity - 35% of Tipping Load.....	2,300 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,286 lbs.
Tipping Load.....	6,571 lbs.
Engine Model.....	2.4L V2
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Hydraulic Pump Capacity-Standard Flow.....	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	26.9 GPM
Travel Speed.....	7.2 MPH
Travel Speed - Two Speed (Optional).....	10.2 MPH
Operating Weight.....	8,727 lbs.
Shipping Weight.....	8,035 lbs.
Cab Height.....	80.5"
Width (w/out Attachment).....	67.0"
Width with Wide Track Option (w/out Attachment).....	70.2"
Length (w/out Attachment).....	107.0"
Ground Contact Length.....	54.3"

T64 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Bobcat Packages

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS

M0363-P11-C02	Base Package.....	\$71,802
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, and Standard LED Lights	
M0363-P11-C04	Versatility Package.....	\$73,024
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, Standard LED Lights, and 7-Pin Attachment Control	
M0363-P11-C16	Cab Plus Package.....	\$77,425
	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, Standard LED Lights, and 7-Pin Attachment Control	
M0363-P11-C07	Comfort Package.....	\$82,963
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, and Sound Reduction	
M0363-P11-C09	Comfort FOD Package.....	\$82,094
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, 7-Pin Attachment Control, and Sound Reduction; Features That Can Be Enabled: Two-Speed Travel, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan *Requires Selectable Joystick Controls	

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tracks/Undercarriage

M0363-R09-C02	15.7" C-Pattern Tracks.....	\$1,733
	Compatible with Solid Mounted Carriages. (Loader width 70.2")	
M0363-R09-C05	12.6" Multi Bar Track.....	\$664
	ONLY AVAILABLE WITH CAB PLUS, COMFORT, AND COMFORT FOD PACKAGES	
	Compatible with the Solid Mounted or Torsion Suspension Carriages. (Loader width 67.0")	

Controls

M0363-R01-C04	Selectable Joystick Control (SJC).....	\$880
	REQUIRED WITH COMFORT FOD PACKAGE	
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed	

Auxiliary Flow

M0363-R03-C03	High-Flow Hydraulics.....	\$2,490
	ONLY AVAILABLE WITH CAB PLUS, COMFORT, AND COMFORT FOD PACKAGES	
	Provides 26.9 GPM and 3500 PSI for Attachment Operation.	

T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader



Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine	Horn
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear LED
Backup Alarm	Operator Cab
Bob-Tach® Attachment Mounting System	- Includes: Vinyl Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bobcat Interlock Control System (BICS™)	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Controls: Hand and Foot (Manual)	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Cylinder Cushioning - Lift, Tilt	Parking Brake: Spring Applied, Pressure Released (SAPR)
Engine/Hydraulic Performance De-rate Protection	Solid Mounted Carriage with 4 Rollers
Glow Plugs (Automatically Activated)	Tracks: Rubber, 12.6" Wide
Instrumentation: 4.3-inch Display	2yr Machine IQ Basics Subscription with 90-Day Machine IQ Health & Security Free Trial
- Keyless Ignition, Engine Temperature & Fuel Gauges, Hour meter, RPM, and Warning Indicators	Warranty: 2 years, or 2000 hours whichever occurs first
Includes maintenance interval notification, QR code faults readout and security lockouts	
Lift Arm Support	
Lift Path: Vertical	

Quick Specs

	T66
Rated Operating Capacity - 35% of Tipping Load.....	2,450 lbs.
- with Torsion Suspension.....	2,350 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,500 lbs.
Tipping Load.....	7,000 lbs.
Engine Model.....	2.4L V2
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Hydraulic Pump Capacity-Standard Flow.....	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	26.9 GPM
Travel Speed.....	7.2 MPH
Travel Speed - Two Speed (Optional).....	10.2 MPH
Operating Weight.....	8,840 lbs.
- with Torsion Suspension.....	9,576 lbs.
Shipping Weight.....	8150 lbs.
Cab Height.....	80.5"
Width (w/out Attachment).....	67.0"
- with Torsion Suspension.....	72.4"
Width with Wide Track Option (w/out Attachment).....	70.2"
Reach at Maximum Height.....	36.7"
Height to Hinge Pin.....	120.0"

T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
ORDERING PATH: 1:) REQUIRED: SELECT ONE BOBCAT PACKAGE 2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS			
M0349-P11-C02	Base Package.....		\$75,726
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, and Standard LED Lights		
M0349-P11-C04	Versatility Package.....		\$76,949
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, Standard LED Lights, and 7-Pin Attachment Control		
M0349-P11-C16	Cab Plus Package.....		\$81,350
	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, Standard LED Lights, and 7-Pin Attachment Control		
M0349-P11-C07	Comfort Package.....		\$86,883
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, and Sound Reduction		
M0349-P11-C09	Comfort FOD Package.....		\$86,014
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, 7-Pin Attachment Control, and Sound Reduction; Features That Can Be Enabled: Two-Speed Travel, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan *Requires Selectable Joystick Controls		
M0349-P11-C12	Deluxe Package.....		\$91,873
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, and 3yr Machine IQ Health & Security Subscription		
M0349-P11-C13	Gold Package.....		\$93,848
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, 3-year Machine IQ Health & Security Subscription, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls		

T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tracks/Undercarriage

M0349-R09-C02	15.7" C-Pattern Tracks..... Compatible with Solid Mounted or Torsion Suspension Carriages. (Loader width 70.2")	\$1,733
M0349-R09-C05	12.6" Multi Bar Track..... *ONLY AVAILABLE WITH CAB PLUS, COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Compatible with Solid Mounted or Torsion Suspension Carriages. (Loader width 67.0")	\$664
M0349-R21-C13	5-Link Torsion Suspension Undercarriage..... *ONLY AVAILABLE WITH COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Compatible with 12.6" Tracks (Loader Width 72.4") or 15.7" Tracks (Loader Width 73.4")	\$2,601

Controls

M0349-R01-C04	Selectable Joystick Control (SJC)..... *REQUIRED WITH COMFORT FOD AND GOLD PACKAGES* Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	\$880
---------------	--	-------

Auxiliary Flow

M0349-R03-C03	High-Flow Hydraulics..... *ONLY AVAILABLE WITH CAB PLUS, COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Provides 26.9 GPM and 3500 PSI for Attachment Operation.	\$2,490
---------------	--	---------

Display

M0349-R08-C03	Touch Display..... *ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES* 7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, Hands Free Calling, Rear View Camera. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	\$1,919
---------------	---	---------

T64, T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Software Enabled Features/Subscriptions

Features On Demand

MUST HAVE FEATURES ON DEMAND PACKAGE

Order and enable via app, available on iOS and Android

	Two Speed Travel FOD Enable	Automatic Ride Control FOD Enable	Dual Direction Bucket Positioning FOD Enable	Reversing Fan FOD Enable
T64	9986518	9986520	9986519	9986521
T66	9986508	9986510	9986509	9986511
Price	\$1616.016	\$579.544	\$724.168	\$482.08

Standalone Software Updates

FEATURES ON DEMAND PACKAGE NOT REQUIRED

NOTE: Order and enable via app, available on iOS and Android

Automatic Throttle Enable

Allows Engine RPM to be Directly Controlled by the Amount of Joystick Movement. Only Compatible with SJC Machines. Machine Software Must be Version V88.16 or later. First 20 Hours Free Trial Included

	Automatic Throttle Enable
T64	9987604
T66	9987603
Price	\$425

Telematics

9987580	Dealer purchase Health & Security on behalf of customer – 1 year.....	\$200
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987581	Dealer purchase Health & Security on behalf of customer – 2 year.....	\$400
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987582	Dealer purchase Health & Security on behalf of customer – 3 year.....	\$600
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987583	Dealer purchase Health & Security on behalf of customer – 4 year.....	\$800
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987584	Dealer purchase Health & Security on behalf of customer – 5 year.....	\$1,000
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	

T64, T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Replacements Kits

7376905	Service Cab Kit.....		\$ _____
	Replacement Cab Kit for Standard and Enclosed Cabs.		
7387369	Service Cab Kit - Clear Side.....		\$ _____
	Replacement Cab Kit Clear Side Enclosed Cabs.		

Cab Accessories – Enclosures, Doors, Windows

7319020	Forestry Door Kit.....		\$ _____
	Options Panel Required. Est. Install Time: 2 hrs.		
7376903	Special Applications Polycarbonate Rear Window Kit.....		\$ _____
	Kit to Convert Clear Side Cab Fixed Windows from Glass to Polycarbonate.		
	Est. Install Time: 1 hr.		
7376906	Front Door Kit.....		\$ _____
	Includes: Window Wiper and Washer. Requires Option Panel. Est. Install Time: 3.5 hrs.		
7376907	FOPS Window Kit.....		\$ _____
	Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.		
7376908	Polycarbonate Sliding Side Window Kit.....		\$ _____
	Kit to Convert Clear Side Cab Sliding Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376909	Polycarbonate Fixed Side Window Kit.....		\$ _____
	Kit to Convert Clear Side Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376911	Special Applications Polycarbonate Door Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.		
7376916	Sliding Side Windows Kit.....		\$ _____
	Includes Two Sliding Side Windows. Est. Install Time: 1 hr.		
7401367	Forestry Wiper Kit.....		\$ _____
	Loader Must be Equipped with Forestry Door. Est. Install Time: 3.5 hrs.		
7401369	Lexan Window Replacement Kit.....		\$ _____
	Includes Replacement Front Window. Est. Install Time 1 hr.		
7473719	FOPS Kit.....		\$ _____
	Additional Shield Assembly for Cab Top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1.5 hrs.		

Cab Accessories – Heat and Air Conditioning

7389016	Heating and Air Conditioning Kit (HVAC).....		\$ _____
	Converts base machine to HVAC unit. Est. Install Time: 12 hrs.		
7389297	Heater Kit.....		\$ _____
	Converts base machine to heat only. Est. Install Time: 5 hrs.		
7389298	Air Conditioning Kit.....		\$ _____
	Converts a heat only cab to HVAC. Est. Install Time: 2 hrs.		

T64, T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Cab Accessories – Other</u>			
7350308	Floor Plate Kit..... “T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.		\$ _____
7365198	Rear Wiper Kit..... Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.		\$ _____
7376910	Reseal Plugs Kit..... Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		\$ _____
7376915	Rear Window External Removal Kit..... Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.		\$ _____
7407739	Polycarbonate Rear Window External Removal Kit..... Kit to be Able to Remove the Polycarbonate Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 0.5 hr.		\$ _____
7409986	Deluxe Cab Gas Spring Kit..... Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.		\$ _____
7416191	Cab Cover Kit, No Door..... Includes covers/plugs for bolt holes and latch location on cabs without doors. Est. Install Time: 0.5 hrs.		\$ _____
7429798	Aspiration Kit..... Helps remove debris from the air filter canister and prolong air filter life. Includes fan, housing, ducting, and hardware. Est. install Time: 1 hr.		\$ _____
7432569	Pedal Riser Kit..... Raises the foot pedals of manual controlled machines. Est. Install Time: 0.5 hrs.		\$ _____
7481754	Frame Seal Kit..... Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.		\$ _____
<u>Counterweight Kits</u>			
7407734	Counterweight Kit, 200 lbs..... Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		\$ _____
<u>Electrical Accessories</u>			
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.		\$ _____
7375338	Rotating Beacon Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.		\$ _____
7375339	Strobe Light Kit, Amber..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.		\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1.5 Hrs.		\$ _____
46903497	Road Light Harness..... Required for Beacon, Strobe or Four Way Flasher with 4.3-inch Display. Est. Install Time: 1.0Hrs.		\$ _____
7387670	Side Light Kit..... Adds Side LED lights to Cabs equipped with Standard or Touch Display. Install Time: 1 Hr.		\$ _____
46900993	Side Light Kit..... Adds Side LED lights to Cabs equipped with 4.3-inch Display. Install Time: 1.5 Hr.		\$ _____
7387669	Premium LED Lights Kit		\$ _____
7392835	Attachment Control Kit, 7-Pin..... Est. Install Time: 1.5 hrs.		\$ _____

T64, T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Electrical Accessories (Continued)</u>			
7393140	Attachment Control Kit, 14-Pin.....		\$ _____
	Est. Install Time: 1 hr.		
7414087	Battery Disconnect Kit.....		\$ _____
	Disconnects Power to the Machine. Est. Install Time: 1.5 hrs.		
7395667	Options Controller Kit.....		\$ _____
	Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control. Est. Install Time: 1 hr.		
<u>Engine Accessories</u>			
7372533	Engine Block Heater Kit.....		\$ _____
	Est. Install Time: 1 hr		
<u>Hydraulic Accessories</u>			
7407738	D-Ring Attachment Hose Guide.....		\$ _____
	Est. Install Time: 0.5 hr.		
7422032	Rear Auxiliary Hydraulic Kit (T64 & T66).....		\$ _____
	Provides a Flow of 8.5 GPM. Est. Install Time: 10 hrs.		
<u>Instrumentation</u>			
7384647	Keyed Ignition Kit.....		\$ _____
	Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est. Install Time: 1 Hr.		
<u>Lift Kits</u>			
7385755	Four-Point Lift Kit (T64 & T66).....		\$ _____
	Est. Install Time: 2 hrs.		
<u>Loader Guard Kits</u>			
7485082	Forestry Kit Standard NA MF EXMF.....		\$ _____
	Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler Guard).		
7485083	Forestry Kit Clear Side NA MF EXMF.....		\$ _____
	Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Clear Side Cab is Required. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler Guard).		
7480104	Tailgate Guard Kit.....		\$ _____
	Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hrs.		
7355791	Rear Bumper Kit.....		\$ _____
	Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install Time: 1 hr.		
7356719	Front Work Lights Guard Kit.....		\$ _____
	Est. Install Time: 1 Hr.		
7360711	Rear Work Lights Guard Kit.....		\$ _____
	Est. Install Time: 0.5 hr.		
7376907	FOPS Window Kit.....		\$ _____
	Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.		

T64, T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Power Bob-Tach Kits

7388378	Power Bob-Tach Kit (T64 & T66).....		\$ _____
	Options Panel (7338240) & Controller (7395667) are Required Unless Previously Installed. Est. Install Time: 2 hrs.		

Radio

46907757	Radio Kit Full Install.....		\$ _____
	For models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware		
46907755	Radio Completion Kit.....		\$ _____
	For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount/Cradle. Est. Install Time: 0.5hr		

Rear Camera Kit

7384581	Rear Camera.....		\$ _____
	Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hr.		
46925195	Rear Camera Kit.....		\$ _____
	Includes camera, display and required parts for complete installation. To be used with models equipped with 4.3-inch Display. Est. Install Time: 4 hrs.		

Remote Control Kits

7417974	Bobcat MaxControl Kit.....		\$ _____
	Remote Operation From Your Compatible Device. Includes Wiring Harness and MaxControl Component Box, Download the MaxControl Remote Operation App on Your Compatible Device. You Will Also Need to Order 7376915 Rear Window External Removal Kit.		
7441456	Loader Radio Remote Control Kit.....		\$ _____
	Allows an Operator to Start/Stop the Engine, Operate the Drive System, and Control the Lift, Tilt, and Auxiliary Hydraulic Functions Remotely Using a Radio Transmitter. The Operator Must Maintain Visual Contact with the Loader and the Loader's Path of Travel. Available for Loaders Equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.		

Reversing Fan Kits

7360690	Reversing Fan Kit.....		\$ _____
	Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary, and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.		

Ride Control Kits

7388376	Automatic Ride Control Kit.....		\$ _____
	Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1.5 hrs.		

T64, T66 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Seats & Seat Belts</u>			
7376256	Seat Belt Kit, 2" (Standard Seat).....	For use with Suspension Seat and Single Speed Only. Includes 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376257	Seat Belt Kit, 2", 3-Point.....	For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376258	Seat Belt Kit-3", 2-Point.....	For use with Suspension Seat and Single Speed Only. Includes 3" Retractable Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point.....	For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat	Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride.....	Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
<u>Sound Reduction Kits</u>			
7369523	Sound Reduction Kit - Manual Controls.....	Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on Manual Control Units Only. Est. Install Time: 2 hrs.	\$ _____
7369524	Sound Reduction Kit - SJC Controls.....	Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit	Reduces Hydraulic Resonance and Noise. Est. Install Time: 1 hr.	\$ _____
<u>Track Spacker Kits</u>			
7439592	Track Spacer Kit.....	Increases Track Clearance. Est. Install Time: 3 hrs.	\$ _____
<u>Training Kits</u>			
7249275	Bobcat Loader Operator Training Kit.....		\$ _____
6900641	Bobcat Loader Service Training Kit.....		\$ _____
6904762	Bobcat Operator Safety DVD.....	Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7394361	Manual Reference Translation Kits T64.....	Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
7394362	Manual Reference Translation Kits T66.....	Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
<u>Other Accessories</u>			
7360019	Fire Extinguisher Kit.....	Est. Install Time: 0.5 hr.	\$ _____

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader



Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine	Lift Path: Vertical
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear LED
Backup Alarm	Operator Cab
Bob-Tach® Attachment Mounting System	- Includes: Vinyl Adjustable Suspension Seat, Top & Rear
Bobcat Interlock Control System (BICS™)	Windows, Parking Brake, Seat Bar & Seat Belt
Controls: Selectable Joystick Controls (SJC)	- Roll Over Protective Structure (ROPS) meets
Cylinder Cushioning - Lift, Tilt	SAE-J1040 & ISO 3471
Engine/Hydraulic Performance De-rate Protection	- Falling Object Protective Structure (FOPS)
Glow Plugs (Automatically Activated)	meets SAE-J1043 & ISO 3449, Level I;
Horn	(Level II is available through Bobcat Parts)
Instrumentation: 4.3-inch Display	Parking Brake: Spring Applied, Pressure Released (SAPR)
- Keyless Ignition, Engine Temperature & Fuel Gauges,	Solid Mounted Carriage with 4 Rollers
Hour meter, RPM, and Warning Indicators	Tracks: Rubber, 12.6" Wide
Includes maintenance interval notification,	2yr Machine IQ Basics Subscription with
QR code faults readout and security lockouts	90-Day Machine IQ Health & Security Free Trial
Lift Arm Support	Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	<u>T76</u>
Rated Operating Capacity - 35% of Tipping Load.....	2,900 lbs.
- with Torsion Suspension.....	2,800 lbs
Rated Operating Capacity - 50% of Tipping Load.....	4,143 lbs.
Tipping Load.....	8,285 lbs.
Engine Model.....	2.4L V2
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Hydraulic Pump Capacity-Standard Flow.....	23.3 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	30.3 GPM
Travel Speed.....	6.8 MPH
Travel Speed - Two Speed (Optional).....	9.2 MPH
Operating Weight.....	10,250 lbs.
- with Torsion Suspension.....	10,620 lbs.
Shipping Weight.....	9280 lbs.
Cab Height.....	81.8"
Width (w/out Attachment).....	72.9"
- with Torsion Suspension.....	72.9"
Width with Wide Track Option (w/out Attachment).....	78.0"
Reach at Maximum Height.....	39.9"
Height to Hinge Pin.....	128.3"

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
ORDERING PATH:			
1:) REQUIRED: SELECT ONE BOBCAT PACKAGE			
2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS			
M0371-P11-C04	Versatility Package.....		\$93,873
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, Standard LED Lights, and 7-Pin Attachment Control		
M0371-P11-C16	Cab Plus Package.....		\$98,286
	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 4.3" Display, Keyless Start, Standard LED Lights, and 7-Pin Attachment Control		
M0371-P11-C07	Comfort Package.....		\$103,819
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, and Sound Reduction		
M0371-P11-C09	Comfort FOD Package.....		\$102,950
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, 7-Pin Attachment Control, and Sound Reduction; Features That Can Be Enabled: Two-Speed Travel, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan		
M0371-P11-C12	Deluxe Package.....		\$108,809
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, and 3yr Machine IQ Health & Security		
M0371-P11-C13	Gold Package.....		\$110,784
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, 3yr Machine IQ Health & Security Subscription, Ride Control, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls		

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tracks/Undercarriage

M0371-R09-C02	17.7" C-Pattern Tracks..... Compatible with Solid Mounted or Torsion Suspension Carriages. (Loader width 78")		\$1,802
M0371-R09-C05	17.7" Multi Bar Track..... *ONLY AVAILABLE WITH CAB PLUS, COMFORT, COMFORT FOD, DELUXE AND GOLD PACKAGES* Compatible with Solid Mounted or Torsion Suspension Carriages. (Loader width 78")		\$2,725
M0371-R21-C13	5-Link Torsion Suspension Undercarriage..... *ONLY AVAILABLE WITH COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Compatible with 12.6" Tracks (Loader Width 72.9") or 17.7" Tracks (Loader Width 78.0")		\$2,694

Auxiliary Flow

M0371-R03-C03	High-Flow Hydraulics..... *ONLY AVAILABLE WITH CAB PLUS, COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES* Provides 30.3 GPM and 3500 PSI for Attachment Operation.		\$2,983
---------------	--	--	---------

Display

M0371-R08-C03	Touch Display..... *ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES* 7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, Hands Free Calling, Rear View Camera. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.		\$1,919
---------------	---	--	---------

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Software Enabled Features/Subscriptions

Features On Demand

MUST HAVE FEATURES ON DEMAND PACKAGE

*NOTE: 1-5 Options, No Time Increase With Additional Options in Same Transaction
Order and enable via app, available on iOS and Android*

	Two Speed Travel FOD Enable	Automatic Ride Control FOD Enable	Dual Direction Bucket Positioning FOD Enable	Reversing Fan FOD Enable
T76	9986488	9986490	9986489	9986491
Price	\$1287.992	\$435.968	\$481.032	\$362.608

Standalone Software Updates

FEATURES ON DEMAND PACKAGE NOT REQUIRED

NOTE: Order and enable via app, available on iOS and Android

Automatic Throttle Enable

Allows Engine RPM to be Directly Controlled by the Amount of Joystick Movement. Only Compatible with SJC Machines. Machine Software Must be Version V88.16 or later. First 20 Hours Free Trial Included

	Automatic Throttle Enable
T76	9987598
Price	\$425

Telematics

9987580	Dealer purchase Health & Security on behalf of customer – 1 year.....	\$200
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987581	Dealer purchase Health & Security on behalf of customer – 2 year.....	\$400
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987582	Dealer purchase Health & Security on behalf of customer – 3 year.....	\$600
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987583	Dealer purchase Health & Security on behalf of customer – 4 year.....	\$800
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987584	Dealer purchase Health & Security on behalf of customer – 5 year.....	\$1,000
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Cab Replacement Kits</u>			
7376905	Service Cab Kit.....		\$ _____
	Replacement Cab Kit for Standard and Enclosed Cabs.		
7387369	Service Cab Kit - Clear Side.....		\$ _____
	Replacement Cab Kit Clear Side Enclosed Cabs.		
<u>Cab Accessories – Enclosures, Doors, Windows</u>			
7319020	Forestry Door Kit.....		\$ _____
	Options Panel Required. Est. Install Time: 2 hrs.		
7376903	Special Applications Polycarbonate Rear Window Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.		
7376906	Front Door Kit.....		\$ _____
	Includes: Window Wiper and Washer. Requires Option Panel. Est. Install Time: 3.5 hrs.		
7376907	FOPS Window Kit.....		\$ _____
	Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.		
7376908	Polycarbonate Sliding Side Window Kit.....		\$ _____
	Kit to Convert Clear Side Cab Sliding Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376909	Polycarbonate Fixed Side Window Kit.....		\$ _____
	Kit to Convert Clear Side Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376911	Special Applications Polycarbonate Door Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.		
7376916	Sliding Side Windows Kit.....		\$ _____
	Includes Two Sliding Side Windows. Est. Install Time: 1 hr.		
7401367	Forestry Wiper Kit.....		\$ _____
	Loader Must be Equipped with Forestry Door. Est. Install Time: 3.5 hrs.		
7401369	Lexan Window Replacement Kit.....		\$ _____
	Includes Replacement Front Window. Est. Install Time 1 hr.		
7473719	FOPS Kit.....		\$ _____
	Additional Shield Assembly for Cab Top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1.5 hrs.		

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories – Heat and Air Conditioning

7386247	Heater Kit.....		\$
	Converts base machine to heat only. Est. Install Time: 5 hrs.		
7386248	Heating and Air Conditioning Kit (HVAC).....		\$
	Converts base machine to HVAC unit. Est. Install Time: 12 hrs.		
7386250	Air Conditioning Kit.....		\$
	Converts a heat only cab to HVAC. Est. Install Time: 2 hrs.		

Cab Accessories – Other

7350308	Floor Plate Kit.....		\$
	“T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.		
7365198	Rear Wiper Kit.....		\$
	Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.		
7376910	Reseal Plugs Kit.....		\$
	Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		
7376914	Deluxe Cab Gas Spring Kit.....		\$
	Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.		
7376915	Rear Window External Removal Kit.....		\$
	Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.		
7407739	Polycarbonate Rear Window External Removal Kit.....		\$
	Kit to be Able to Remove the Polycarbonate Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 0.5 hr.		
7416191	Cab Cover Kit, No Door.....		\$
	Includes covers/plugs for bolt holes and latch location on cabs without doors. Est. Install Time: 0.5 hrs.		
7427205	Aspiration Kit.....		\$
	Helps remove debris from the air filter canister and prolong air filter life. Includes fan, housing, ducting, and hardware. Est. install Time: 1 hr.		
7484999	Frame Seal Kit.....		\$
	Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.		

Counterweight Kits

7407734	Counterweight Kit, 200 lbs.....		\$
	Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		
7407736	Counterweight Kit, 300 lbs.....		\$
	Includes (6) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7375338	Rotating Beacon Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375339	Strobe Light Kit, Amber..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1.5 Hrs.	\$ _____
7387669	Premium LED Lights Kit Replaces Standard LED Lights with Extended Corner View Lighting. Est. Install time 0.25 Hrs.	\$ _____
7387670	Side Light Kit..... Adds Side LED lights to Cabs equipped with Standard or Touch Display. Install Time: 1 Hr.	\$ _____
46900993	Side Light Kit..... Adds Side LED lights to Cabs equipped with 4.3-inch Display. Install Time: 1.5 Hr.	\$ _____
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7392835	Attachment Control Kit, 7-Pin..... Est. Install Time: 1.5 hrs.	\$ _____
7393140	Attachment Control Kit, 14-Pin..... Est. Install Time: 1 hr.	\$ _____
7395667	Options Controller Kit..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control. Est. Install Time: 1 hr.	\$ _____
7415338	Battery Disconnect Kit..... Disconnects Power to the Machine. Est. Install Time: 1.5 hrs.	\$ _____
<u>Engine Accessories</u>		
7372533	Engine Block Heater Kit..... Est. Install Time: 1 hr	\$ _____
<u>Hydraulic Accessories</u>		
7307980	Rear Auxiliary Hydraulic Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 10 hrs.	\$ _____
7407738	D-Ring Attachment Hose Guide..... Est. Install Time: 0.5 hr.	\$ _____
<u>Instrumentation</u>		
7384647	Keyed Ignition Kit..... Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 1 Hr.	\$ _____
<u>Lift Kits</u>		
7317266	Four Point Lift Kit..... Est. Install Time: 2 hrs.	\$ _____
7320038	Single Point Lift Kit..... Est. Install Time: 4.5 Hrs.	\$ _____

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Loader Guard Kits</u>			
7485082	Forestry Kit Standard NA MF EXMF.....	Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler Guard).	\$ _____
7485083	Forestry Kit Clear Side NA MF EXMF.....	Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Clear Side Cab is Required. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler Guard).	\$ _____
7480104	Tailgate Guard Kit.....	Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hrs.	\$ _____
7355791	Rear Bumper Kit.....	Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install Time: 1 hr.	\$ _____
7356719	Front Work Lights Guard Kit.....	Est. Install Time: 1 Hr.	\$ _____
7360711	Rear Work Lights Guard Kit.....	Est. Install Time: 0.5 hr.	\$ _____
7376907	FOPS Window Kit.....	Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.	\$ _____
<u>Power Bob-Tach Kits</u>			
7360584	Power Bob-Tach Kit (T76).....	Options Panel (7338240) & Controller (7395667) are Required Unless Previously Installed. Est. Install Time: 2 hrs.	\$ _____
<u>Radio</u>			
46907757	Radio Kit Full Install.....	For models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware	\$ _____
46907755	Radio Completion Kit.....	For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount/Cradle. Est. Install Time: 0.5hr	\$ _____
<u>Rear Camera Kit</u>			
7384581	Rear Camera.....	Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hr.	\$ _____
46925195	Rear Camera Kit.....	Includes camera, display and required parts for complete installation. To be used with models equipped with 4.3-inch Display. Est. Install Time: 4 hrs.	\$ _____
<u>Remote Control Kits</u>			
7417974	Bobcat MaxControl Kit.....	Remote Operation From Your Compatible Device. Includes Wiring Harness and MaxControl Component Box, Download the MaxControl Remote Operation App on Your Compatible Device. You Will Also Need to Order 7376915 Rear Window External Removal Kit.	\$ _____
7441456	Loader Radio Remote Control Kit.....	Allows an Operator to Start/Stop the Engine, Operate the Drive System, and Control the Lift, Tilt, and Auxiliary Hydraulic Functions Remotely Using a Radio Transmitter. The Operator Must Maintain Visual Contact with the Loader and the Loader's Path of Travel. Available for Loaders Equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	\$ _____

T76 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Reversing Fan Kits</u>			
7360690	Reversing Fan Kit.....	Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary, and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.	\$ _____
<u>Ride Control Kits</u>			
7360582	Automatic Ride Control Kit.....	Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1.5 hrs.	\$ _____
<u>Seats & Seat Belts</u>			
7376256	Seat Belt Kit, 2" (Standard Seat).....	For use with Suspension Seat and Single Speed Only. Includes 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376257	Seat Belt Kit, 2", 3-Point.....	For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376258	Seat Belt Kit-3", 2-Point.....	For use with Suspension Seat and Single Speed Only. Includes 3" Retractable Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point.....	For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat	Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride.....	Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
<u>Sound Reduction Kits</u>			
7369524	Sound Reduction Kit - SJC Controls.....	Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit	Reduces Hydraulic Resonance and Noise. Est. Install Time: 1 hr.	\$ _____
<u>Training Kits</u>			
6900641	Bobcat Loader Service Training Kit.....		\$ _____
7249275	Bobcat Loader Operator Training Kit.....		\$ _____
6904762	Bobcat Operator Safety DVD.....	Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7379177	Manual Reference Translation Kits T76.....	Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
<u>Other Accessories</u>			
7360019	Fire Extinguisher Kit.....	Est. Install Time: 0.5 hr.	\$ _____

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader



Standard Equipment

105.0 HP Tier 4 V2 Bobcat Engine	Lights, Front & Rear LED
Auxiliary Hydraulics: Variable Flow	Operator Cab
Two Speed Travel	- Enclosed Cab with Heat and AC
Rear Camera	- Includes: Vinyl Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar, Seat Belt, & Radio Ready
Backup Alarm	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bob-Tach® Attachment Mounting System	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Bobcat Interlock Control System (BICS™)	Parking Brake: Spring Applied, Pressure Released (SAPR)
Controls: Selectable Joystick Controls (SJC)	Solid Mounted Carriage with 5 Rollers
Cylinder Cushioning - Lift, Tilt	Tracks: Rubber, 17.7" Wide
Engine/Hydraulic Performance De-rate Protection	2yr Machine IQ Basics Subscription with
Glow Plugs (Automatically Activated)	90-Day Machine IQ Health & Security Free Trial
Horn	Warranty: 2 years, or 2000 hours whichever occurs first
Instrumentation: Keyless Ignition with	
- 5" Display Panel, Engine Temperature and Fuel Gauges	
Hourmeter, RPM, Warning Indicators and other vitals	
Lift Arm Support	
Lift Path: Vertical	

Quick Specs

	<u>T86</u>
Rated Operating Capacity - 35% of Tipping Load.....	3,800 lbs.
- with Torsion Suspension.....	3,700 lbs
Rated Operating Capacity - 50% of Tipping Load.....	5,429 lbs.
Tipping Load.....	10,857 lbs.
Engine Model.....	3.4L V2
Engine Cooling.....	Liquid
Horsepower.....	105
Hydraulic Pump Capacity-Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity-High Flow.....	36.6 GPM
Hydraulic Pump Capacity-Super Flow (Optional).....	42.0 GPM
Travel Speed.....	5.5 MPH
Travel Speed - Two Speed.....	10.7 MPH
Operating Weight.....	12,393 lbs.
- with Torsion Suspension.....	12,953 lbs.
Shipping Weight.....	11,477 lbs.
Cab Height.....	83.1"
Ground Contact Length.....	66.3"
Reach at Maximum Height.....	38.4"

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS

M0385-P11-C15	Cab Plus Package.....	\$126,551
	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, Solid Undercarriage, 5" Display, Standard LED Lights, and 7-Pin Attachment Control	
M0385-P11-C07	Comfort Package.....	\$128,144
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 5" Display with Rear View Camera, Keyless Start, Premium LED Lights, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, and Sound Reduction	
M0385-P11-C12	Deluxe Package.....	\$133,133
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, and 3yr Machine IQ Health & Security	
M0385-P11-C13	Gold Package.....	\$135,109
	Includes: Clear Side Auto HVAC Cab, Selectable Joystick Controls (SJC), Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Solid Undercarriage, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, 3yr Machine IQ Health & Security Subscription, Automatic Ride Control, and Reversing Fan	

Part Number	Description	Required Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

Auxiliary Flow

M0385-R03-C09	High-Flow Hydraulics.....	\$4,045
	Includes Two Auxiliary Hydraulics Functions, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.	
M0385-R03-C10	Super-Flow Hydraulics.....	\$5,168
	ONLY AVAILABLE WITH COMFORT, DELUXE, AND GOLD PACKAGES	
	Includes Three Auxiliary Hydraulic Functions, 42 gpm/4061 psi Super Flow, 36.6 gpm/3500 psi High Flow, and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.	

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tracks/Undercarriage

M0385-R09-C05	17.7" Multi Bar Track.....	\$953
	Compatible with Solid Mounted or Torsion Suspension Carriages. (Loader width 78")	
M0385-R21-C13	5-Link Torsion Suspension Undercarriage.....	\$6,739
	ONLY AVAILABLE WITH COMFORT, DELUXE, AND GOLD PACKAGES	
	Compatible with 17.7" Tracks (Loader Width 78"), includes Triple Flange Rear Idler.	

Display

M0385-R08-C03	Touch Display.....	\$1,919
	ONLY AVAILABLE WITH COMFORT PACKAGE	
	7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, Hands Free Calling, Rear View Camera. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage.	
	*Requires Deluxe Headliner on a Non-Enclosed Cab.	

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Software Enabled Features/Subscriptions

Standalone Software Updates

NOTE: Order and enable via app, available on iOS and Android

Super-Flow Hydraulics Enable

Provides Super-Flow Auxiliary Hydraulic Function at 42 gpm/4061 psi. Est. Install Time: 0.25 Hrs.
Activation Requires the Machine to Have SJC, High Flow, and the 5-Coupler Block (7354568)
Installed and Configured.

Super-Flow Hydraulics Enable	
T86	9988229
Price	\$1654.792

Telematics

9987580	Dealer purchase Health & Security on behalf of customer – 1 year.....	\$200
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987581	Dealer purchase Health & Security on behalf of customer – 2 year.....	\$400
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987582	Dealer purchase Health & Security on behalf of customer – 3 year.....	\$600
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987583	Dealer purchase Health & Security on behalf of customer – 4 year.....	\$800
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	
9987584	Dealer purchase Health & Security on behalf of customer – 5 year.....	\$1,000
	Basics package features + geofence, curfew, email and in-portal notifications, utilization reporting.	

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Cab Replacement Kits</u>		
7376905	Service Cab Kit..... Replacement Cab Kit for Standard and Enclosed Cabs.	\$ _____
7387369	Service Cab Kit - Clear Side..... Replacement Cab Kit Clear Side Enclosed Cabs.	\$ _____
<u>Cab Accessories – Enclosures, Doors, Windows</u>		
7319020	Forestry Door Kit..... Options Panel Required. Est. Install Time: 2 hrs.	\$ _____
7376903	Special Applications Polycarbonate Rear Window Kit..... Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.	\$ _____
7376906	Front Door Kit..... Includes: Window Wiper and Washer. Requires Option Panel. Est. Install Time: 3.5 hrs.	\$ _____
7376908	Polycarbonate Sliding Side Window Kit..... Kit to Convert Clear Side Cab Sliding Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.	\$ _____
7376909	Polycarbonate Fixed Side Window Kit..... Kit to Convert Clear Side Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.	\$ _____
7376911	Special Applications Polycarbonate Door Kit..... Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.	\$ _____
7376916	Sliding Side Windows Kit..... Includes Two Sliding Side Windows. Est. Install Time: 1 hr.	\$ _____
7401367	Forestry Wiper Kit..... Loader Must be Equipped with Forestry Door. Est. Install Time: 3.5 hrs.	\$ _____
7473719	FOPS Kit..... Additional Shield Assembly for Cab Top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1.5 hrs.	\$ _____
7416191	Cab Cover Kit, No Door..... Includes covers/plugs for bolt holes and latch location on cabs without doors. Est. Install Time: 0.5 hrs.	\$ _____
7482434	Frame Seal Kit..... Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.	\$ _____
<u>Cab Accessories – Other</u>		
7350308	Floor Plate Kit..... "T" Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.	\$ _____
7365198	Rear Wiper Kit..... Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.	\$ _____
7376910	Reseal Plugs Kit..... Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.	\$ _____
7376914	Deluxe Cab Gas Spring Kit..... Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.	\$ _____

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Cab Accessories – Other (Continued)</u>		
7376915	Rear Window External Removal Kit..... Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.	\$ _____
7407739	Polycarbonate Rear Window External Removal Kit..... Kit to be Able to Remove the Polycarbonate Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 0.5 hr.	\$ _____
7482434	Frame Seal Kit..... Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.	\$ _____
<u>Counterweight Kits</u>		
7407734	Counterweight Kit, 200 lbs..... Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator's Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
7407736	Counterweight Kit, 300 lbs..... Includes (6) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator's Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
7419037	Counterweight Kit, 400 lbs..... Includes (8) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator's Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
<u>Electrical Accessories</u>		
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7375338	Rotating Beacon Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375339	Strobe Light Kit, Amber..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1.5 Hrs.	\$ _____
7387669	Premium LED Lights Kit Replaces Standard LED Lights with Extended Corner View Lighting. Est. Install time 0.25 Hrs.	\$ _____
7387670	Side Light Kit..... Adds Side LED lights to Cabs equipped with Standard or Touch Display. Install Time: 1 Hr.	\$ _____
7395667	Options Controller Kit..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control. Est. Install Time: 1 hr.	\$ _____
7393140	Attachment Control Kit, 14-Pin..... *Not compatible with Super Flow optioned machines. Est. Install Time: 1 hr.	\$ _____
7430589	Battery Disconnect Kit..... Est. Install Time: 1.5 Hrs.	\$ _____
7446894	Attachment Control Kit, 7-Pin..... Kit allows for the operation of attachments with electronics. Est. Install Time: 1.5 Hrs.	\$ _____
7446902	Machine IQ Wireless Communications Kit..... Provides Dealers and Customers Remote Visibility to Bobcat Equipment Location, Service Intervals, Critical Codes, Operating Hours, and More. Est. Install Time: 0.5 Hrs.	\$ _____

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Engine Accessories</u>		
7404562	Engine Block Heater Kit..... Est. Install Time: 1 hr	\$ _____
46912484	Pre-Cleaner Kit..... Provides increased protection from debris blocking the air intake in high debris applications. Est. Install Time: 0.25 hr.	\$ _____
46922918	Cover Intake Snow Kit..... Provides increased protection from snow from entering the air intake in snow applications. Est. Install Time: 0.25 hr.	\$ _____
<u>Hydraulic Accessories</u>		
7428928	Dual-Direction Bucket Position Kit..... Automatically Adjusts Tilt of Bucket in Upward and Downward Lift Cycles to Maintain Original Tilt Angle. Est. Install Time: 1 Hr.	\$ _____
7407738	D-Ring Attachment Hose Guide..... Est. Install Time: 0.5 hr.	\$ _____
7432066	Rear Auxiliary Standard Flow Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 3 hrs.	\$ _____
7448696	Rear Auxiliary High/Super Flow Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 3 hrs.	\$ _____
<u>Instrumentation</u>		
7384647	Keyed Ignition Kit..... Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 1 Hr.	\$ _____
<u>Lift Kits</u>		
7320038	Single Point Lift Kit..... Est. Install Time: 4.5 Hrs.	\$ _____
<u>Loader Guard Kits</u>		
7485084	Forestry Kit Standard NA LF..... Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7422814 for 5-Coupler Guard 7360697 for Standard Coupler Guard).	\$ _____
7485085	Forestry Kit Clear Side NA LF..... Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Clear Side Cab is Required. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7422814 for 5-Coupler Guard 7360697 for Standard Coupler Guard).	\$ _____
7480104	Tailgate Guard Kit..... Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hrs.	\$ _____

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Loader Guard Kits (Continued)</u>		
7426396	Rear Bumper Kit..... Includes Tolt-On Rubber Bumper and Mounting Hardware. Helps Protect the Rear of the Loader from Damage Due to Scraping or Contact with Objects in Tight Places. Est. Install Time: 1 hr.	\$ _____
7356719	Front Work Lights Guard Kit..... Est. Install Time: 1 Hr.	\$ _____
7360711	Rear Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7422814	5-Coupler Guard Kit..... Provides Additional Impact Protection for Coupler Connection. Est. Install Time: 0.5 Hrs.	\$ _____
7482401	Exhaust Debris Guard Kit..... Prevents Debris from Directly Contacting Exhaust. Est. Install Time: 0.5 Hrs.	\$ _____
<u>Reversing Fan Kit</u>		
7417404	Reversing Fan Kit..... Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary, and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.	\$ _____
<u>Radio</u>		
46907755	Radio Completion Kit..... For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount/Cradle. Est. Instal Time: 0.5hr	\$ _____
<u>Rear Camera Kit</u>		
7384581	Rear Camera..... Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hr.	\$ _____
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit..... Remote Operation From Your Compatible Device. Includes Wiring Harness and MaxContol Component Box, Download the MaxControl Remote Operation App on Your Compatible Device. You Will Also Need to Order 7376915 Rear Window External Removal Kit.	\$ _____
7441456	Loader Radio Remote Control Kit..... Allows an Operator to Start/Stop the Engine, Operate the Drive System, and Control the Lift, Tilt, and Auxilary Hydraulic Functions Remotely Using a Radio Transmitter. The Operator Must Maintan Visual Contact with the Loader and the Loader's Path of Travel. Available for Loaders Equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	\$ _____
<u>Ride Control Kit</u>		
7415468	Automatic Ride Control Kit..... Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1 Hr.	\$ _____

T86 (Tier 4 V2 Engine) R-Series Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Seats & Seat Belts</u>		
7376257	Seat Belt Kit, 2", 3-Point..... For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
<u>Sound Reduction Kits</u>		
7369524	Sound Reduction Kit - SJC Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit Reduces Hydraulic Resonance and Noise. Est. Install Time: 1 hr.	\$ _____
<u>Training Kits</u>		
6900641	Bobcat Loader Service Training Kit.....	\$ _____
7249275	Bobcat Loader Operator Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD..... Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7419766	Manual Reference Translation Kits T86..... Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
<u>Other Accessories</u>		
7360019	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____