

BOBCAT COMPANY PRICE PAGES

NA Loaders - Skid-Steer



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check DealerNet Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.
- For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
1/25/2021	Bobcat Packages Added
3/12/2021	Standalone Software Updates Added
5/21/2021	Telematics Removed
6/1/2021	Mid-Year Pricing
7/1/2021	Aspiration Kits Added
10/11/2021	6x FOD Added
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has adjusted the SLP
12/15/2021	Kits added to Dealer Installed Options
5/13/2022	Addition of C67 and C87 Packages, Suspension of Bobcat Premier, C68, and C88 Packages
7/29/2022	Release S86
10/3/2022	Revert to C68 and C88
1/1/2023	Bobcat Company has adjusted the SLP of power units and removed Comfort Package C77
6/29/2023	Restructure of Packages, Package Selection, and SLP Changes
7/1/2023	Telematics Restored
11/8/2023	14-Pin Attachment Control removed from S86 Dealer Installed Options
1/4/2024	14-Pin and 7-Pin Attachment Control added to S86 Dealer Installed Options
4/30/2024	Cab Plus Package Added to all Models
7/1/2024	Effective Monday, July 1, 2024 Bobcat Company has adjusted the SLP
7/8/2024	Standard Equipment and Package Descriptions Updated
10/14/2024	4.3-inch Display Introduction
11/1/2024	Discontinued S62
1/1/2025	Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP
1/1/2026	Effective Thursday, January 1, 2026 Bobcat Company has adjusted the SLP

*Certain Specification(s) are based on engineering calculations and are not actual measurements.

*Specification(s) are provided for comparison purposes only and are subject to change without notice.

*Specifications(s) for your individual Bobcat equipment will vary based on normal variations in desing, manufacturing, operating conditions, and other factors.

S64 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader



Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine	Lift Arm Support
Auxiliary Hydraulics: Variable Flow	Lift Path: Vertical
Backup Alarm	Lights, Front & Rear LED
Bob-Tach® Attachment Mounting System	Operator Cab
Bobcat Interlock Control System (BICS™)	- Includes Adjustable Vinyl Suspension Seat, Top/Rear Windows, Parking Brake, Seat Bar, & Seat Belt
Controls: Hand and Foot (Manual)	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Cylinder Cushioning - Lift, Tilt	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Engine/Hydraulic Performance De-rate Protection	Parking Brake: Wedge Brake System
Glow Plugs (Automatically Activated)	Tires: 10-16.5, 8PR, Bobcat Standard Duty
Horn	90-Day Machine IQ Health and Security Free Trial
Instrumentation: 4.3-inch Display with	Warranty: 2 years, or 2000 hours whichever occurs first
Keyless Ignition, Engine Temperature & Fuel Gauges, Hour meter, RPM, and Warning Indicators	
QR code faults readout and security lockouts	

Quick Specs

	<u>S64</u>
Rated Operating Capacity.....	2,300 lbs.
Engine Model.....	2.4L V2
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	68
Hydraulic Pump Capacity – Standard Flow.....	17.6 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	26.9 GPM
Travel Speed.....	7.4 MPH
Travel Speed – Two Speed.....	11.0 MPH
Operating Weight.....	6,974 lbs.
Shipping Weight.....	6,263 lbs.
Cab Height.....	80.5"
Width (w/out Attachment).....	64.7"
1/1/2025..... Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP.....	
1/1/2026.....	#N/A
Wheelbase.....	44.6"
Reach at Maximum Height.....	34.2"
Height to Hinge Pin.....	120.0"

S64 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Bobcat Packages	SLP In US \$
-------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS

M0359-P11-C02 Base Package			\$62,689
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, 4.3" Display,		
M0359-P11-C04 Versatility Package.....			\$63,912
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 4.3" Display,		
M0359-P11-C16 Cab Plus Package.....			\$68,292
	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 4.3"		
M0359-P11-C07 Comfort Package.....			\$72,291
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Sound Reduction, and		
M0359-P11-C09 Comfort FOD Package.....			\$71,069
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, 7-Pin Attachment Control, and Sound Reduction; Features That Can Be Enabled: Two-Speed Travel, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan *Requires Selectable Joystick Controls		

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tires

M0359-R09-C02 10-16.5, 10 PR, Bobcat Heavy Duty Tires.....			\$298
	Machine width 64.7"		
M0359-R09-C06 31x12-16.5, 10 PR, Bobcat Heavy Duty Wide Flotation Tires.....			\$702
	Machine width 66.4"		

Controls

M0359-R01-C04 Selectable Joystick Control (SJC).....			\$880
	REQUIRED WITH COMFORT FOD PACKAGE		
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed		

Auxiliary Flow

M0359-R03-C03 High-Flow Hydraulics.....			\$2,490
	ONLY AVAILABLE WITH CAB PLUS, COMFORT, AND COMFORT FOD PACKAGES		
	Provides 26.9 GPM and 3500 PSI for Attachment Operation.		

S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader



Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine	Lift Arm Support
Auxiliary Hydraulics: Variable Flow	Lift Path: Vertical
Backup Alarm	Lights, Front & Rear LED
Bob-Tach® Attachment Mounting System	Operator Cab
Bobcat Interlock Control System (BICS™)	- Includes Adjustable Vinyl Suspension Seat, Top/Rear Windows, Parking Brake, Seat Bar, & Seat Belt
Controls: Hand and Foot (Manual)	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Cylinder Cushioning - Lift, Tilt	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Engine/Hydraulic Performance De-rate Protection	Parking Brake: Wedge Brake System
Glow Plugs (Automatically Activated)	Tires: 31x12x16.5, 10PR, Bobcat Super Float
Horn	90-Day Machine IQ Health and Security Free Trial
Instrumentation: 4.3-inch Display with	Warranty: 2 years, or 2000 hours whichever occurs first
Keyless Ignition, Engine Temperature & Fuel Gauges, Hour meter, RPM, and Warning Indicators	
QR code faults readout and security lockouts	

Quick Specs

	S66
Rated Operating Capacity.....	2,400 lbs.
Engine Model.....	2.4L V2
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	74
Hydraulic Pump Capacity – Standard Flow.....	17.6 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	26.9 GPM
Travel Speed.....	7.4 MPH
Travel Speed – Two Speed	11.0 MPH
Operating Weight.....	7,154 lbs.
Shipping Weight.....	6,443 lbs.
Cab Height.....	80.5"
Width (w/out Attachment).....	64.7"
1/1/2025..... Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP.....	
1/1/2026.....	#N/A
Wheelbase.....	44.6"
Reach at Maximum Height.....	34.2"
Height to Hinge Pin.....	120.0"

S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Bobcat Packages	SLP In US \$
ORDERING PATH:			
1:) REQUIRED: SELECT ONE BOBCAT PACKAGE			
2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS			
M0347-P11-C02	Base Package	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Manual Bob-Tach, 4.3" Display, Keyless Start, Standard LED Lights, and Two-Speed Travel	\$64,941
M0347-P11-C04	Versatility Package.....	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 4.3" Display, Keyless Start, Standard LED Lights, Two-Speed Travel, and 7-Pin Attachment Control	\$66,163
M0347-P11-C16	Cab Plus Package.....	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 4.3" Display, Keyless Start, Standard LED Lights, Two-Speed Travel and 7-Pin Attachment Control	\$70,544
M0347-P11-C07	Comfort Package.....	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Sound Reduction, and	\$74,542
M0347-P11-C09	Comfort FOD Package.....	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, 7-Pin Attachment Control, and Sound Reduction; Features That Can Be Enabled: Two-Speed Travel, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan *Requires Selectable Joystick Controls	\$73,320
M0347-P11-C12	Deluxe Package.....	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, Ride Control, and 3yr Machine IQ Health & Security	\$79,563
M0347-P11-C13	Gold Package	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium Lights, Side Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, Ride Control, 3yr Machine IQ Health & Security Subscription, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls	\$80,671

S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
----------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tires

M0347-R09-C02 10-16.5, 10 PR, Bobcat Heavy Duty Tires.....	\$0
Machine width 64.7"	

Controls

M0347-R01-C04 Selectable Joystick Control (SJC).....	\$880
REQUIRED WITH COMFORT FOD AND GOLD PACKAGES	
Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed	

Auxiliary Flow

M0347-R03-C03 High-Flow Hydraulics.....	\$2,490
ONLY AVAILABLE WITH CAB PLUS, COMFORT, COMFORT FOD, DELUXE, AND GOLD PACKAGES	
Provides 26.9 GPM and 3500 PSI for Attachment Operation.	

Display

M0347-R08-C03 Touch Display.....	\$1,919
ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES	
7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling, Rear View Camera. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Software Enabled Features/Subscriptions

Features On Demand

MUST HAVE FEATURES ON DEMAND PACKAGE

Order and enable via app, available on iOS and Android

	Two Speed Travel FOD Enable	Automatic Ride Control FOD Enable	Dual Direction Bucket Positioning FOD Enable	Reversing Fan FOD Enable
S64	9986513	9986515	9986514	9986516
S66	9986503	9986505	9986504	9986506
Price	\$1271.224	\$579.544	\$724.168	\$482.08

Standalone Software Updates

FEATURES ON DEMAND PACKAGE NOT REQUIRED

NOTE: Order and enable via app, available on iOS and Android

Automatic Throttle Enable

	Automatic Throttle Enable
S64	9987602
S66	9987601
Price	\$425

Telematics

9987580	Dealer purchase Health & Security on behalf of customer – 1 year.....	\$200
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987581	Dealer purchase Health & Security on behalf of customer – 2 year.....	\$400
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987582	Dealer purchase Health & Security on behalf of customer – 3 year.....	\$600
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987583	Dealer purchase Health & Security on behalf of customer – 4 year.....	\$800
1/1/2025	Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP.....	
	Effective Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987584	Dealer purchase Health & Security on behalf of customer – 5 year.....	\$1,000
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP In US \$
-------------	-------------	---	--------------

Spare Wheel and Tire Assemblies

7109588	10-16.5, 10 PR, Bobcat Heavy Duty Tire - Left.....		\$381
	Spare Wheel and Tire Assembly. Loader width 64.6"		
7109589	10-16.5, 10 PR, Bobcat Heavy Duty Tire - Right.....		\$381
	Spare Wheel and Tire Assembly. Loader width 64.6"		
7402013	10-16.5, 10 PR Bobcat Heavy Duty Tire Offset-Left.....		\$395
	Spare Wheel and Tire Assembly. Loader width 60.9"		
7402014	10-16.5, 10 PR Bobcat Heavy Duty Tire Offset-Right.....		\$395
	Spare Wheel and Tire Assembly. Loader width 60.9"		
7408132	31x12-16.5, 10 PR Bobcat Heavy Duty Wide Flotation Tire Assy - Left.....		\$568
	Spare Wheel and Tire Assembly. Loader width 66.4"		
7408133	31x12-16.5, 10 PR Bobcat Heavy Duty Wide Flotation Tire Assy - Right.....		\$568
	Spare Wheel and Tire Assembly. Loader width 66.4"		

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Replacement Kits

7376905	Service Cab Kit.....		\$ _____
	Replacement Cab Kit for Standard and Enclosed Cabs.		
7387369	Service Cab Kit - Clear Side.....		\$ _____
	Replacement Cab Kit Clear Side Enclosed Cabs.		

Cab Accessories – Enclosures, Doors, Windows

7319020	Forestry Door Kit.....		\$ _____
	Options Panel Required. Est. Install Time: 2 hrs.		
7376903	Special Applications Polycarbonate Rear Window Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.		
7376906	Front Door Kit.....		\$ _____
	Includes: Window Wiper and Washer. Requires Option Panel. Est. Install Time: 3.5 hrs.		
7376907	FOPS Window Kit.....		\$ _____
	Added Poly Window and Plugs to the FOPS Level II Structure. Est. Install Time: 10 min.		
7376908	Polycarbonate Sliding Side Window Kit.....		\$ _____
	Kit to Convert Clear Side and Standard Cab Sliding Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376909	Polycarbonate Fixed Side Window Kit.....		\$ _____
	Kit to Convert Standard Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376911	Special Applications Polycarbonate Door Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.		
7376916	Sliding Side Windows Kit.....		\$ _____
	Includes Two Sliding Side Windows. Est. Install Time: 1 hr.		
7401367	Forestry Wiper Kit.....		\$ _____
	Loader Must be Equipped with Forestry Door. Est. Install Time: 3.5 hrs.		
7401369	Lexan Window Replacement Kit.....		\$ _____
	Includes Replacement Front Window. Est. Install Time 1 hr.		
7432945	FOPS Kit.....		\$ _____
	Additional Shield Assembly for Cab Top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1.5 hrs.		

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories – Heat and Air Conditioning

7389297	Heater Kit.....		\$ _____
	Converts Base Machine to Heat Only. Est. Install Time: 5 hrs.		
7389016	Heating and Air Conditioning Kit (HVAC).....		\$ _____
	Converts Base Machine to HVAC Unit. Est. Install Time: 12 hrs.		
7389298	Air Conditioning Kit.....		\$ _____
	Converts a Heat Only Cab to HVAC. Est. Install Time 2 hrs.		

Cab Accessories – Other

7350308	Floor Plate Kit.....		\$ _____
	“T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.		
7376915	Rear Window External Removal Kit.....		\$ _____
	Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.		
7365198	Rear Wiper Kit.....		\$ _____
	Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.		
7376910	Reseal Plugs Kit.....		\$ _____
	Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		
7407739	Polycarbonate Rear Window External Removal Kit.....		\$ _____
	Kit to be Able to Remove the Polycarbonate Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 0.5 hr.		
7409986	Deluxe Cab Gas Spring Kit.....		\$ _____
	Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.		
7416191	Cab Cover Kit, No Door.....		\$ _____
	Includes Covers/Plugs for Bolt Holes and Latch Location on Cabs Without Doors. Est. Install Time: 0.5 hrs.		
7429798	Aspiration Kit.....		\$ _____
	Helps remove debris from the air filter canister and prolong air filter life. Includes fan, housing, ducting, and hardware. Est. install Time: 1 hr.		
7432569	Pedal Riser Kit.....		\$ _____
	Raises the foot pedals of manual controlled machines. Est. Install Time: 0.5 hrs.		
7482134	Frame Seal Kit.....		\$ _____
	Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.		

Counterweight Kits

7390886	Counterweight Kit - Front Axle.....		\$ _____
	Increases Down Force on Attachments. It Does not Increase the Rated Operating Capacity (ROC) of the Loader. Est. Install Time: 1.5 hrs.		
7407734	Counterweight Kit, 200 lbs.....		\$ _____
	Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr. Recommend Installing Axle Weights on Front Axle when Installing Rear Counterweights for Improved Performance.		

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7375338	Rotating Beacon Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375339	Strobe Light Kit, Amber..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
46903497	Road Light Harness..... Required for Beacon, Strobe or Four Way Flasher with 4.3-inch Display. Est. Install Time:	\$ _____
7387670	Side Light Kit..... Adds Side LED lights to Cabs equipped with Standard or Touch Display. Install Time: 1 Hr.	\$ _____
46900993	Side Light Kit..... Adds Side LED lights to Cabs equipped with 4.3-inch Display. Install Time: 1.5 Hr.	\$ _____
7387669	Premium LED Lights Kit..... Replaces Standard LED Lights with Extended Corner View Lighting. Est. Install Time: 0.25	\$ _____
7392835	Attachment Control Kit, 7-Pin..... Est. Install Time: 1.5 hrs.	\$ _____
7393140	Attachment Control Kit, 14-Pin..... Est. Install Time: 1 hr.	\$ _____
7395667	Options Controller..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control. Est. Install Time: 1 hr.	\$ _____
7414086	Battery Disconnect Kit..... Disconnects Power to the Machine. Est. Install Time: 1.5 hrs.	\$ _____
<u>Engine Accessories</u>		
7372533	Engine Block Heater Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
<u>Hydraulic Accessories</u>		
7407738	D-Ring Attachment Hose Guide..... Est. Install Time: 0.5 hr.	\$ _____
7422032	Rear Auxiliary Hydraulic Kit (S64 & S66)..... Provides a Flow of 8.5 GPM. Est. Install Time: 10 hrs.	\$ _____
<u>Instrumentation</u>		
7384647	Keyed Ignition Kit..... Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 1 Hr.	\$ _____
<u>Lift Kits</u>		
7385755	Four-Point Lift Kit (S64 & S66)..... Est. Install Time: 2 hrs.	\$ _____
7427787	Single Point Lift Kit..... Est. Install Time: 3 hrs.	\$ _____

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Loader Guard Kits</u>		
7485082	Forestry Kit Standard NA MF EXMF..... Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler Guard).	\$ _____
7485083	Forestry Kit Clear Side NA MF EXMF..... Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Clear Side Cab is Required. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler	\$ _____
7348481	Tailgate Guard Kit..... Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hrs.	\$ _____
7355791	Rear Bumper Kit..... Includes Bolt-On Rubber Bumper and Mounting Hardware. Helps Protect Rear of Loader from Damage Due to Scraping or Contact with Objects in Tight Places. Est. Install Time: 1 hr.	\$ _____
7356719	Front Work Lights Guard Kit..... Est. Install Time: 1 Hr.	\$ _____
7360711	Rear Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7376907	FOPS Window Kit..... Added Poly Window and Plugs to the FOPS Level II Structure. Est. Install Time: 10 min.	\$ _____
<u>Power Bob-Tach Kits</u>		
7388378	Power Bob-Tach Kit (S64 & S66)..... Options Panel (7338240) & Controller (7395667) are Required Unless Previously Installed. Est. Install Time: 2 hrs.	\$ _____
<u>Radio</u>		
46907757	Radio Kit Full Install..... For Models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Est. Install	\$ _____
46907755	Radio Completion Kit..... For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount / Cradle. Est. Install Time: 0.5 hr	\$ _____
<u>Rear Camera Kit</u>		
7384581	Rear Camera..... Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hr.	\$ _____
46925195	Rear Camera..... Includes camera, display and required parts for complete installation. To be used with models equipped with 4.3-inch Display. Est. Install Time: 4 hrs.	\$ _____

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit..... Remote Operation from Your Compatible Device. Includes Wiring Harness and MaxControl Component Box, Download the MaxControl Remote Operation App on Your Compatible Device. You Will Also Need to Order the Rear Window External Removal Kit (7376915).	\$ _____
7441456	Loader Radio Remote Control Kit..... Allows an Operator to Start/Stop the Engine, Operate the Drive System, and Control the Lift, Tilt, and Auxiliary Hydraulic Functions Remotely using a Radio Transmitter. The Operator Must Maintain Visual Contact with the Loader and the Loader's Path of Travel. Available for Loaders Equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time:	\$ _____
<u>Reversing Fan Kits</u>		
7360690	Reversing Fan Kit..... Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.	\$ _____
<u>Ride Control Kits</u>		
7388376	Automatic Ride Control Kit..... Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1.5 hrs.	\$ _____
<u>Seats & Seat Belts</u>		
7376256	Seat Belt Kit, 2" (Standard Seat)..... For use with Suspension Seat and Single Speed Only. Includes 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376257	Seat Belt Kit, 2", 3-Point..... For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376258	Seat Belt Kit-3", 2-Point..... For use with Suspension Seat and Single Speed Only. Includes 3" Retractable Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
<u>Sound Reduction Kits</u>		
7369523	Sound Reduction Kit - Manual Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on Manual Control Units Only. Est. Install Time: 2	\$ _____
7369524	Sound Reduction Kit - SJC Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install Time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit Reduces Hydraulic Resonance and Noise. Est. Install Time: 1 hr.	\$ _____

S64, S66 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Training Kits</u>		
7249275	Bobcat Loader Operator Training Kit.....	\$ _____
6900641	Bobcat Loader Service Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD.....	\$ _____
	Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	
7394358	Manual Reference Translation Kits S64.....	\$ _____
	Adds Bobcat Engine Manual Reference Assemblies into Translation Kits.	
7394359	Manual Reference Translation Kits S66.....	\$ _____
	Adds Bobcat Engine Manual Reference Assemblies into Translation Kits.	
<u>Other Accessories</u>		
7360019	Fire Extinguisher Kit.....	\$ _____
	Est. Install Time: 0.5 hr.	

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader



Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine	Lift Arm Support
Auxiliary Hydraulics: Variable Flow	Lift Path: Vertical
Backup Alarm	Lights, Front & Rear LED
Bob-Tach® Attachment Mounting System	Operator Cab
Bobcat Interlock Control System (BICS™)	- Includes Adjustable Vinyl Suspension Seat, Top/Rear Windows, Parking Brake, Seat Bar, & Seat Belt
Controls: Hand and Foot (Manual)	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Cylinder Cushioning - Lift, Tilt	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Engine/Hydraulic Performance De-rate Protection	Parking Brake: Wedge Brake System
Glow Plugs (Automatically Activated)	Tires: 12-16.5, 12PR, Bobcat Heavy Duty
Horn	2yr Machine IQ Basics Subscription with 90-Day Machine IQ Health and Security Free Trial
Instrumentation: 4.3-inch Display with	Warranty: 2 years, or 2000 hours whichever occurs first
Keyless Ignition, Engine Temperature & Fuel Gauges, Hour meter, RPM, and Warning Indicators	
QR code faults readout and security lockouts	

Quick Specs

	S76
Rated Operating Capacity.....	2900 lbs.
Engine Model.....	2.4L
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	74
Hydraulic Pump Capacity – Standard Flow.....	23.3 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	30.3 GPM
Travel Speed.....	6.8 MPH
Travel Speed – Two Speed.....	11.8 MPH
Operating Weight.....	8,014 lbs.
Shipping Weight.....	7,305 lbs.
Cab Height.....	81.9"
Width (w/out Attachment).....	72.0"
1/1/2025..... Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP.....	
1/1/2026.....	#N/A
Wheelbase.....	48.3"
Reach at Maximum Height.....	33.5"
Height to Hinge Pin.....	128.3"

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Bobcat Packages	SLP In US \$
ORDERING PATH:			
1:) REQUIRED: SELECT ONE BOBCAT PACKAGE			
2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS			
M0369-P11-C04	Versatility Package.....		\$73,781
	Includes: Open Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 4.3" Display, Keyless Start, Standard LED Lights, Two-Speed Travel, and 7-Pin Attachment Control		
M0369-P11-C16	Cab Plus Package.....		\$78,193
	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 4.3" Display, Keyless Start, Standard LED Lights, Two-Speed Travel and 7-Pin Attachment Control		
M0369-P11-C07	Comfort Package.....		\$82,192
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display With Rear View Camera, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Sound Reduction, and		
M0369-P11-C09	Comfort FOD Package.....		\$80,970
	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, Premium LED Lights, 5" Display with Rear View Camera, Keyless Start, 7-Pin Attachment Control, and Sound Reduction; Features That Can Be Enabled: Two-Speed Travel, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan *Requires		
M0369-P11-C12	Deluxe Package.....		\$87,181
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, Automatic Ride Control, and 3yr Machine IQ Health &		
M0369-P11-C13	Gold Package		\$88,288
	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, Automatic Ride Control, 3yr Machine IQ Health & Security Subscription, Reversing Fan, and Auto Throttle *Requires Selectable Joystick Controls		

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
----------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tires

M0369-R09-C04 12-16.5, 12PLY, Bobcat Severe Duty Tires.....	\$553
Recommended for Work on Asphalt, Concrete, or Other Hard Surfaces Where Tire Wear is Accelerated.	

Controls

M0369-R01-C04 Selectable Joystick Control (SJC).....	\$936
REQUIRED WITH COMFORT FOD AND GOLD PACKAGES	
Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed	

Auxiliary Flow

M0369-R03-C03 High-Flow Hydraulics.....	\$2,983
ONLY AVAILABLE WITH CAB PLUS, COMFORT, COMFORT FOD, DELUXE AND GOLD PACKAGES	
Provides 30.3 GPM and 3500 PSI for Attachment Operation.	

Display

M0369-R08-C03 Touch Display.....	\$1,919
ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES	
7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling, Rear View Camera. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Software Enabled Features/Subscriptions

Features On Demand

MUST HAVE FEATURES ON DEMAND PACKAGE

Order and enable via app, available on iOS and Android

	Two Speed Travel FOD Enable	Automatic Ride Control FOD Enable	Dual Direction Bucket Positioning FOD Enable	Reversing Fan FOD Enable
S76	9986483	9986485	9986484	9986486
Price	\$1013.416	\$435.968	\$481.032	\$362.608

Standalone Software Updates

FEATURES ON DEMAND PACKAGE NOT REQUIRED

NOTE: Order and enable via app, available on iOS and Android

Automatic Throttle Enable

Allows Engine RPM to be Directly Controlled by the Amount of Joystick Movement. Only Compatible with SJC Machines. Machine Software Must be Version V88.16 or later. First 20

	Automatic Throttle Enable
S76	9987597
Price	\$425

Telematics

9987580	Dealer purchase Health & Security on behalf of customer – 1 year.....	\$200
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987581	Dealer purchase Health & Security on behalf of customer – 2 year.....	\$400
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987582	Dealer purchase Health & Security on behalf of customer – 3 year.....	\$600
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987583	Dealer purchase Health & Security on behalf of customer – 4 year.....	\$800
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987584	Dealer purchase Health & Security on behalf of customer – 5 year.....	\$1,000
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	

1/1/2025 Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP

v 1, 2026 Bobcat Company has adjusted the SLP

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP In US \$
-------------	-------------	---	--------------

Spare Wheel and Tire Assemblies

7109629	12-16.5, 12 Pr, Bobcat Heavy Duty Tire Assembly-Left.....		\$413
	Spare Wheel and Tire Assembly. Loader width 72.1"		
7109630	12-16.5, 12 Pr, Bobcat Heavy Duty Tire Assembly-Right.....		\$413
	Spare Wheel and Tire Assembly. Loader width 72.1"		
7109633	12-16.5, Bobcat Heavy Duty Tire Offset-Left.....		\$427
	Spare Wheel and Tire Assembly. Loader width 69"		
7109634	12-16.5, Bobcat Heavy Duty Tire Offset-Right.....		\$427
	Spare Wheel and Tire Assembly. Loader width 69"		

Par ## Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
---------------	-------------	---	--------------

Cab Replacement Kits

7376905	Service Cab Kit.....		\$ _____
	Replacement Cab Kit for Standard and Enclosed Cabs.		
7387369	Service Cab Kit - Clear Side.....		\$ _____
	Replacement Cab Kit Clear Side Enclosed Cabs.		

Cab Accessories – Enclosures, Doors, Windows

7319020	Forestry Door Kit.....		\$ _____
	Options Panel Required. Est. Install Time: 2 hrs.		
7376903	Special Applications Polycarbonate Rear Window Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.		
7376906	Front Door Kit.....		\$ _____
	Includes: Window Wiper and Washer. Requires Option Panel. Est. Install Time: 3.5 hrs.		
7376907	FOPS Window Kit.....		\$ _____
	Added Poly Window and Plugs to the FOPS Level II Structure. Est. Install Time: 10 min.		
7376908	Polycarbonate Sliding Side Window Kit.....		\$ _____
	Kit to Convert Clear Side and Standard Cab Sliding Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376909	Polycarbonate Fixed Side Window Kit.....		\$ _____
	Kit to Convert Standard Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376911	Special Applications Polycarbonate Door Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.		
7376916	Sliding Side Windows Kit.....		\$ _____
	Includes Two Sliding Side Windows. Est. Install Time: 1 hr.		
7401367	Forestry Wiper Kit.....		\$ _____
	Loader Must be Equipped with Forestry Door. Est. Install Time: 3.5 hrs.		
7401369	Lexan Window Replacement Kit.....		\$ _____
	Includes Replacement Front Window. Est. Install Time 1 hr.		
7432945	FOPS Kit.....		\$ _____
	Additional Shield Assembly for Cab Top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1.5 hrs.		

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories – Heat and Air Conditioning

7386247	Heater Kit.....		\$ _____
	Converts Base Machine to Heat Only. Est. Install Time: 5 hrs.		
7386248	Heating and Air Conditioning Kit (HVAC).....		\$ _____
	Converts Base Machine to HVAC Unit. Est. Install Time: 12 hrs.		
7386250	Air Conditioning Kit.....		\$ _____
	Converts a Heat Only Cab to HVAC. Est. Install Time 2 hrs.		

Cab Accessories – Other

7350308	Floor Plate Kit.....		\$ _____
	“T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.		
7365198	Rear Wiper Kit.....		\$ _____
	Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.		

Cab Accessories – Other (Continued)

7376910	Reseal Plugs Kit.....		\$ _____
	Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		
7376914	Deluxe Cab Gas Spring Kit.....		\$ _____
	Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.		
7376915	Rear Window External Removal Kit.....		\$ _____
	Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.		
7407739	Polycarbonate Rear Window External Removal Kit.....		\$ _____
	Kit to be Able to Remove the Polycarbonate Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 0.5 hr.		
7416191	Cab Cover Kit, No Door.....		\$ _____
	Includes Covers/Plugs for Bolt Holes and Latch Location on Cabs Without Doors. Est. Install Time: 0.5 hrs.		
7427205	Aspiration Kit.....		\$ _____
	Helps remove debris from the air filter canister and prolong air filter life. Includes fan, housing, ducting, and hardware. Est. install Time: 1 hr.		
7432569	Pedal Riser Kit.....		\$ _____
	Raises the foot pedals of manual controlled machines. Est. Install Time: 0.5 hrs.		
7485062	Frame Seal Kit.....		\$ _____
	Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.		

Counterweight Kits

7326081	Counterweight Kit - Front Axle.....		\$ _____
	Increases Down Force on Attachments. It Does not Increase the Rated Operating Capacity (ROC) of the Loader. Est. Install Time: 1.5 hrs.		
7407734	Counterweight Kit, 200 lbs.....		\$ _____
	Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		
7407736	Counterweight Kit, 300 lbs.....		\$ _____
	Includes (6) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr. Recommend Installing Axle Weights on Front Axle When Installing Rear Counterweights for Improved Performance.		

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7375338	Rotating Beacon Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375339	Strobe Light Kit, Amber..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
46903497	Road Light Harness..... Required for Beacon, Strobe or Four Way Flasher with 4.3-inch Display. Est. Install Time:	\$ _____
7387669	Premium LED Lights Kit..... Replaces Standard LED Lights with Extended Corner View Lighting. Est. Install Time: 0.25	\$ _____
7387670	Side Light Kit..... Adds Side LED lights to Cabs equipped with Standard or Touch Display. Install Time: 1 Hr.	\$ _____
46900993	Side Light Kit..... Adds Side LED lights to Cabs equipped with 4.3-inch Display. Install Time: 1.5 Hr.	\$ _____
7392835	Attachment Control Kit, 7-Pin..... Est. Install Time: 1.5 hrs.	\$ _____
7393140	Attachment Control Kit, 14-Pin..... Est. Install Time: 1 hr.	\$ _____
7395667	Options Controller..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control. Est. Install Time: 1 hr.	\$ _____
7408297	Battery Disconnect Kit..... Disconnects Power to the Machine. Est. Install Time: 1.5 hrs.	\$ _____
<u>Engine Accessories</u>		
7372533	Engine Block Heater Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
<u>Hydraulic Accessories</u>		
7307980	Rear Auxiliary Hydraulic Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 10 hrs.	\$ _____
7407738	D-Ring Attachment Hose Guide..... Est. Install Time: 0.5 hr.	\$ _____
<u>Instrumentation</u>		
7384647	Keyed Ignition Kit..... Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 1 Hr.	\$ _____
<u>Lift Kits</u>		
7317266	Four Point Lift Kit..... Est. Install Time: 2 Hrs.	\$ _____
7320038	Single Point Lift Kit..... Est. Install Time: 4.5 Hrs.	\$ _____

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Loader Guard Kits</u>			
7485082	Forestry Kit Standard NA MF EXMF.....	Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler Guard).	\$ _____
7485083	Forestry Kit Clear Side NA MF EXMF.....	Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Clear Side Cab is Required. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7360697 for Standard Coupler	\$ _____
7348481	Tailgate Guard Kit.....	Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hrs.	\$ _____
7355791	Rear Bumper Kit.....	Includes Bolt-On Rubber Bumper and Mounting Hardware. Helps Protect Rear of Loader from Damage Due to Scraping or Contact with Objects in Tight Places. Est. Install Time: 1 hr.	\$ _____
7356719	Front Work Lights Guard Kit.....	Est. Install Time: 1 Hr.	\$ _____
7360711	Rear Work Lights Guard Kit.....	Est. Install Time: 0.5 hr.	\$ _____
7376907	FOPS Window Kit.....	Added Poly Window and Plugs to the FOPS Level II Structure. Est. Install Time: 10 min.	\$ _____
<u>Power Bob-Tach Kits</u>			
7360584	Power Bob-Tach Kit (S76).....	Options Panel (7338240) & Controller (7395667) are Required Unless Previously Installed. Est. Install Time: 2 hrs.	\$ _____
<u>Radio</u>			
46907757	Radio Kit Full Install.....	For Models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Est. Install Time: 3 Hrs.	\$ _____
46907755	Radio Completion Kit.....	For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount / Cradle. Est. Install Time: 0.5 hr	\$ _____
<u>Rear Camera Kit</u>			
7384581	Rear Camera.....	Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hr.	\$ _____
46925195	Rear Camera.....	Includes camera, display and required parts for complete installation. To be used with models equipped with 4.3-inch Display. Est. Install Time: 4 hrs.	\$ _____

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit..... Remote Operation from Your Compatible Device. Includes Wiring Harness and MaxControl Component Box, Download the MaxControl Remote Operation App on Your Compatible Device. You Will Also Need to Order the Rear Window External Removal Kit (7376915).	\$ _____
7441456	Loader Radio Remote Control Kit..... Allows an Operator to Start/Stop the Engine, Operate the Drive System, and Control the Lift, Tilt, and Auxiliary Hydraulic Functions Remotely using a Radio Transmitter. The Operator Must Maintain Visual Contact with the Loader and the Loader's Path of Travel. Available for Loaders Equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time: 0.5 hr.	\$ _____
<u>Reversing Fan Kits</u>		
7360690	Reversing Fan Kit..... Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.	\$ _____
<u>Ride Control Kits</u>		
7360582	Automatic Ride Control Kit..... Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1.5 hrs.	\$ _____
<u>Seats & Seat Belts</u>		
7376256	Seat Belt Kit, 2" (Standard Seat)..... For use with Suspension Seat and Single Speed Only. Includes 2" Lap Belt. Est. Install Time:	\$ _____
7376257	Seat Belt Kit, 2", 3-Point..... For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376258	Seat Belt Kit-3", 2-Point..... For use with Suspension Seat and Single Speed Only. Includes 3" Retractable Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____

S76 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
<u>Sound Reduction Kits</u>			
7369523	Sound Reduction Kit - Manual Controls.....	Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on Manual Control Units Only. Est. Install Time: 2	\$ _____
7369524	Sound Reduction Kit - SJC Controls.....	Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install Time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit	Reduces Hydraulic Resonance and Noise. Est. Install Time: 1 hr.	\$ _____
<u>Training Kits</u>			
6900641	Bobcat Loader Service Training Kit.....		\$ _____
7249275	Bobcat Loader Operator Training Kit.....		\$ _____
6904762	Bobcat Operator Safety DVD.....	Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7378209	Manual Reference Translation Kits S76.....	Adds Bobcat Engine Manual Reference Assemblies into Translation Kits.	\$ _____
<u>Other Accessories</u>			
7360019	Fire Extinguisher Kit.....	Est. Install Time: 0.5 hr.	\$ _____

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader



Standard Equipment

105.0 HP Tier 4 V2 Bobcat Engine	Lift Path: Vertical
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear LED
Two-Speed Travel	Operator Cab
Rear Camera	- Enclosed Cab with Heat and AC
Backup Alarm	- Includes Adjustable Vinyl Suspension Seat, Top/Rear
Bob-Tach® Attachment Mounting System	Windows, Parking Brake, Seat Bar, & Seat Belt
Bobcat Interlock Control System (BICS™)	- Roll Over Protective Structure (ROPS) meets
Controls: Selectable Joystick Controls (SJC)	SAE-J1040 & ISO 3471
Cylinder Cushioning - Lift, Tilt	- Falling Object Protective Structure (FOPS)
Engine/Hydraulic Performance De-rate Protection	meets SAE-J1043 & ISO 3449, Level I;
Glow Plugs (Automatically Activated)	(Level II is available through Bobcat Parts)
Horn	Parking Brake: Wedge Brake System
Instrumentation: Keyless Ignition with	Tires: 12-16.5, 12PR, Bobcat Heavy Duty
Hourmeter, RPM, Warning Indicators and other vitals	90-Day Machine IQ Health and Security Free Trial
Lift Arm Support	Warranty: 2 years, or 2000 hours whichever occurs first

Quick Specs

	S86
Rated Operating Capacity.....	3,400 lbs.
Engine Model.....	3.4L V2
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	105
Hydraulic Pump Capacity – Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	36.6 GPM
Hydraulic Pump Capacity – Super Flow (Optional).....	42 GPM
Travel Speed.....	6.9 MPH
Travel Speed – Two Speed	12.3 MPH
Operating Weight.....	9,960 lbs.
Shipping Weight.....	8,845 lbs.
Cab Height.....	83.1"
Width (w/out Attachment).....	72.0"
1/1/2025..... Effective Wednesday, January 1, 2025 Bobcat Company has adjusted the SLP.....	
1/1/2026.....	#N/A
Wheelbase.....	51.3"
Reach at Maximum Height.....	38.0"
Height to Hinge Pin.....	132.0"

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Bobcat Packages	SLP In US \$
----------------	-------------	-----------------	--------------

ORDERING PATH:

1:) REQUIRED: SELECT ONE BOBCAT PACKAGE

2:) OPTIONAL: SELECT INDIVIDUAL OPTIONS

M0383-P11-C15 Cab Plus Package.....	Includes: Enclosed HVAC Cab, Adjustable Vinyl Suspension Seat, Power Bob-Tach, 5" Display with Rear View Camera, Keyless Start, Standard LED Lights and 7-Pin Attachment	\$90,117
M0383-P11-C07 Comfort Package.....	Includes: Enclosed HVAC Cab, Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 5" Display with Rear View Camera, Premium LED Lights, Keyless Start, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Sound Reduction, and Automatic Ride	\$93,709
M0383-P11-C12 Deluxe Package.....	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium and Side LED Lights, Keyless Start, Two-Speed Travel, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, Automatic Ride Control, and 3yr Machine IQ Health &	\$98,709
M0383-P11-C13 Gold Package	Includes: Clear Side Auto HVAC Cab, Integrated Bluetooth Radio, Adjustable Heated Cloth Air Ride Seat, Power Bob-Tach, 7" Touch Display, Premium and Side LED Lights, Keyless Start, 7-Pin Attachment Control, Dual Direction Bucket Positioning, Rear View Camera, Sound Reduction, Automatic Ride Control, 3yr Machine IQ Health & Security Subscription, and	\$99,817

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Optional Selection - Factory Installed	SLP In US \$
-------------	-------------	--	--------------

CAN BE SELECTED WITH A BOBCAT PACKAGE

Tires

M0383-R09-C04	12-16.5, 12PLY, Bobcat Severe Duty Tires.....		\$554
	Recommended for Work on Asphalt, Concrete, or Other Hard Surfaces Where Tire Wear is Accelerated.		

Controls

M0383-R01-C04	Selectable Joystick Control (SJC).....		\$936
	REQUIRED SELECTION		
	Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation, Foot Pedal for Engine Speed		

Auxiliary Flow

M0383-R03-C03	High-Flow Hydraulics.....		\$4,997
	Includes Two Auxiliary Hydraulics Functions, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup		
M0383-R03-C10	Super-Flow Hydraulics.....		\$6,121
	ONLY AVAILABLE WITH COMFORT, DELUXE, AND GOLD PACKAGES		
	Includes Three Auxiliary Hydraulics Functions, 42 gpm/4061 psi Super Flow, 36.6 gpm/3500 psi High Flow and 23 gpm/3500 psi Standard Flow. Includes Premium Power and Performance Hardware for Intelligent Power Management, Yielding Improved Productivity Cycle Time and Engine-to-Workgroup Efficiency.		

Display

M0383-R08-C03	Touch Display.....		\$1,919
	ONLY AVAILABLE WITH COMFORT AND COMFORT FOD PACKAGES		
	7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging, and Hands Free Calling, Rear View Camera. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage with rear view camera. *Requires Deluxe Headliner on a Non-		

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Software Enabled Features/Subscriptions

Standalone Software Updates

NOTE: Order and enable via app, available on iOS and Android

Super-Flow Hydraulics Enable

Provides Super-Flow Auxiliary Hydraulic Function at 42 gpm/4061 psi. Est. Install Time: 0.25 Hrs. Activation Requires the Machine to Have SJC, High Flow, and the 5-Coupler Block (7354568) Installed and Configured.

Super-Flow Hydraulics Enable	
S86	9988229
Price	\$1654.792

Telematics

9987580	Dealer purchase Health & Security on behalf of customer – 1 year.....	\$200
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987581	Dealer purchase Health & Security on behalf of customer – 2 year.....	\$400
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987582	Dealer purchase Health & Security on behalf of customer – 3 year.....	\$600
9987583	Dealer purchase Health & Security on behalf of customer – 4 year.....	\$800
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	
9987584	Dealer purchase Health & Security on behalf of customer – 5 year.....	\$1,000
	Basics package features + geofence, curfew, email and in-portal notifications, utilization	

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP In US \$
-------------	-------------	---	--------------

Spare Wheel and Tire Assemblies

7109629	12-16.5, 12 Pr, Bobcat Heavy Duty Tire Assembly-Left.....		\$413
	Spare Wheel and Tire Assembly. Loader width 72.1"		
7109630	12-16.5, 12 Pr, Bobcat Heavy Duty Tire Assembly-Right.....		\$413
	Spare Wheel and Tire Assembly. Loader width 72.1"		
7109633	12-16.5, Bobcat Heavy Duty Tire Offset-Left.....		\$427
	Spare Wheel and Tire Assembly. Loader width 69"		
7109634	12-16.5, Bobcat Heavy Duty Tire Offset-Right.....		\$427
	Spare Wheel and Tire Assembly. Loader width 69"		

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Replacement Kits

7376905	Service Cab Kit.....		\$ _____
	Replacement Cab Kit for Standard and Enclosed Cabs.		
7387369	Service Cab Kit - Clear Side.....		\$ _____
	Replacement Cab Kit Clear Side Enclosed Cabs.		

Cab Accessories – Enclosures, Doors, Windows

7319020	Forestry Door Kit.....		\$ _____
	Options Panel Required. Est. Install Time: 2 hrs.		
7376903	Special Applications Polycarbonate Rear Window Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.		
7376906	Front Door Kit.....		\$ _____
	Includes: Window Wiper and Washer. Requires Option Panel. Est. Install Time: 3.5 hrs.		
7376908	Polycarbonate Sliding Side Window Kit.....		\$ _____
	Kit to Convert Clear Side and Standard Cab Sliding Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376909	Polycarbonate Fixed Side Window Kit.....		\$ _____
	Kit to Convert Standard Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376911	Special Applications Polycarbonate Door Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.		
7376916	Sliding Side Windows Kit.....		\$ _____
	Includes Two Sliding Side Windows. Est. Install Time: 1 hr.		
7401367	Forestry Wiper Kit.....		\$ _____
	Loader Must be Equipped with Forestry Door. Est. Install Time: 3.5 hrs.		
7473719	FOPS Kit.....		\$ _____
	Additional Shield Assembly for Cab Top. Meets ISO 3449, Level II Requirements. Est. Install Time: 1.5 Hrs.		
7416191	Cab Cover Kit, No Door.....		\$ _____
	Includes Covers/Plugs for Bolt Holes and Latch Location on Cabs Without Doors. Est. Install Time: 0.5 hrs.		
7482434	Frame Seal Kit.....		\$ _____
	Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications.		

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories – Heat and Air Conditioning

7419534	Heater Kit.....		\$ _____
	Converts Base Machine to Heat Only. Est. Install Time: 5 hrs.		
7386248	Heating and Air Conditioning Kit (HVAC).....		\$ _____
	Converts Base Machine to HVAC Unit. Est. Install Time: 12 hrs.		

Cab Accessories – Other

7350308	Floor Plate Kit.....		\$ _____
	“T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.		
7365198	Rear Wiper Kit.....		\$ _____
	Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.		
7376910	Reseal Plugs Kit.....		\$ _____
	Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install Time: 1 hr.		
7376914	Deluxe Cab Gas Spring Kit.....		\$ _____
	Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.		
7376915	Rear Window External Removal Kit.....		\$ _____
	Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.		
7407739	Polycarbonate Rear Window External Removal Kit.....		\$ _____
	Kit to be Able to Remove the Polycarbonate Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 0.5 hr.		
7482434	Frame Seal Kit.....		\$ _____
	Provides Increased Protection from Debris Entering Critical Areas in High Debris Applications. This Kit is Recommended with the Forestry Kit.		

Counterweight Kits

7326081	Counterweight Kit - Front Axle.....		\$ _____
	Increases Down Force on Attachments. It Does not Increase the Rated Operating Capacity (ROC) of the Loader. Est. Install Time: 1.5 hrs.		
7407734	Counterweight Kit, 200 lbs.....		\$ _____
	Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.		
7407736	Counterweight Kit, 300 lbs.....		\$ _____
	Includes (6) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr. Recommend Installing Axle Weights on Front Axle When Installing Rear Counterweights for Improved Performance.		
7419037	Counterweight Kit, 400 lbs.....		\$ _____
	Includes (8) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1Hr. Recommend Installing Axle Weights on Front Axle When Installing Rear Counterweights for Improved Performance.		

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7375338	Rotating Beacon Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375339	Strobe Light Kit, Amber..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... If equipped with 4.3-inch display must order Road Light Harness Est. Install Time: 1 hr.	\$ _____
7387669	Premium LED Lights Kit..... Replaces Standard LED Lights with Extended Corner View Lighting. Est. Install Time: 0.25	\$ _____
7387670	Side Light Kit..... Adds Side LED lights to Cabs equipped with Standard or Touch Display. Install Time: 1 Hr.	\$ _____
7393140	Attachment Control Kit, 14-Pin..... *Not compatible with Super Flow optioned machines. Est. Install Time: 1 hr.	\$ _____
7395667	Options Controller..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control. Est. Install Time: 1 hr.	\$ _____
7430589	Battery Disconnect Kit..... Est. Install Time: 1.5 Hrs.	\$ _____
7446894	Attachment Control Kit, 7-Pin..... Kit allows for the operation of attachments with electronics. Est. Install Time: 1.5 Hrs.	\$ _____
7446902	Machine IQ Wireless Communications Kit..... Provides Dealers and Customers Remote Visibility to Bobcat Equipment Location, Service Intervals, Critical Codes, Operating Hours, and more. Est. Install Time: 0.5 Hrs.	\$ _____
<u>Engine Accessories</u>		
7404562	Engine Block Heater Kit..... Est. Install Time: 1 Hr.	\$ _____
46912484	Pre-Cleaner Kit..... Provides increased protection from debris blocking the air intake in high debris applications. Est. Install Time: 0.25 hr.	\$ _____
46922918	Cover Intake Snow Kit..... Provides increased protection from snow from entering the air intake in snow applications. Est. Install Time: 0.25 hr.	\$ _____
<u>Hydraulic Accessories</u>		
7428928	Dual-Direction Bucket Position Kit..... Automatically Adjusts Tilt of Bucket in Upward and Downward Lift Cycles to Maintain Original Tilt Angle. Est. Install Time: 1 Hr.	\$ _____
7407738	D-Ring Attachment Hose Guide..... Est. Install Time: 0.5 hr.	\$ _____
7432066	Rear Auxilliary Standard Flow Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 3 Hrs.	\$ _____
7448696	Rear Auxilliary High/Super Flow Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 3 Hrs.	\$ _____

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
----------------	-------------	--------------

Instrumentation

7384647	Keyed Ignition Kit..... Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 1 Hr.	\$ _____
---------	---	----------

Lift Kits

7320038	Single Point Lift Kit..... Est. Install Time: 4.5 Hrs.	\$ _____
---------	---	----------

Loader Guard Kits

7485084	Forestry Kit Standard NA LF..... Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7422814 for 5-Coupler Guard 7360697 for Standard Coupler Guard).	\$ _____
7485085	Forestry Kit Clear Side NA LF..... Kit is Required to Operate Drum Mulcher and Provides Operator & Machine Protection. Clear Side Cab is Required. Kit Includes: Exhaust Debris Guard, Polycarbonate Side and Rear Windows, Forestry Door (3/4 in. Laminated Polycarbonate), Level II FOPS, Front and Rear Light Guards, Heavy Duty Spring, Tailgate Guard and Fire Extinguisher. (Estimated Install Time 8 Hours) Coupler Guard Must be Ordered Separately (7422814 for 5-Coupler Guard 7360697 for Standard Coupler Guard).	\$ _____
7480104	Tailgate Guard Kit..... Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 Hrs.	\$ _____
7426396	Rear Bumper Kit..... Includes Bolt-On Rubber Bumper and Mounting Hardware. Helps Protect Rear of Loader from Damage Due to Scraping or Contact with Objects in Tight Places. Est. Install Time: 1 Hr.	\$ _____
7356719	Front Work Lights Guard Kit..... Est. Install Time: 1 Hr.	\$ _____
7370711	Rear Work Lights Guard Kit..... Est. Install Time: 0.5 hr.	\$ _____
7422814	5-Coupler Guard Kit..... Provides Additional Impact Protection for Coupler Connection. Est. Install Time: 0.5 Hrs.	\$ _____
7482401	Exhaust Debris Guard Kit..... Prevents Debris from Directly Contacting Exhaust. Est. Install Time: 0.5 Hrs.	\$ _____
7360697	Front Auxiliary Hydraulic Coupler Guard..... Guard to Protect Hydraulic Couplers on the Front of the Lift Arms	\$ _____

Reversing Fan Kit

7417404	Reversing Fan Kit Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary, and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 Hrs.	\$ _____
---------	---	----------

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Radio</u>		
46907757	Radio Kit Full Install..... For Models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Est. Install	\$ _____
46907755	Radio Completion Kit..... For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount / Cradle. Est. Install Time: 0.5 hr	\$ _____
<u>Rear Camera Kit</u>		
7384581	Rear Camera..... Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hr.	\$ _____
<u>Remote Control Kits</u>		
7417974	Bobcat MaxControl Kit..... Remote Operation from Your Compatible Device. Includes Wiring Harness and MaxControl Component Box, Download the MaxControl Remote Operation App on Your Compatible Device. You Will Also Need to Order the Rear Window External Removal Kit (7376915).	\$ _____
7441456	Loader Radio Remote Control Kit..... Allows an Operator to Start/Stop the Engine, Operate the Drive System, and Control the Lift, Tilt, and Auxiliary Hydraulic Functions Remotely using a Radio Transmitter. The Operator Must Maintain Visual Contact with the Loader and the Loader's Path of Travel. Available for Loaders Equipped with Selectable Joystick Control (SJC) or All Wheel Steer Loaders. Est. Install Time:	\$ _____
<u>Ride Control Kits</u>		
7415468	Automatic Ride Control Kit..... Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1 Hr.	\$ _____
<u>Seats & Seat Belts</u>		
7376257	Seat Belt Kit, 2", 3-Point..... For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____

S86 (Tier 4 V2 Engine) R-Series Bobcat Skid Steer Loader

Part Number	Description	SLP In US \$
<u>Sound Reduction Kits</u>		
7369523	Sound Reduction Kit - Manual Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on Manual Control Units Only. Est. Install Time: 2	\$ _____
7369524	Sound Reduction Kit - SJC Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install Time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit Reduces Hydraulic Resonance and Noise. Est. Install Time: 1 hr.	\$ _____
<u>Training Kits</u>		
6900641	Bobcat Loader Service Training Kit.....	\$ _____
7249275	Bobcat Loader Operator Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD..... Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7419763	Manual Reference Translation Kits S86..... Adds Bobcat Engine Manual Reference Assemblies into Translation Kits.	\$ _____
<u>Other Accessories</u>		
7360019	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____