

BOBCAT COMPANY PRICE PAGES

NA Loaders - Small Articulated Loader (SAL)



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check DealerNET Pricing Homepage for current Canadian exchange rate.
- All Parts Pricing valid only for North America.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Parts Department.
- For current Dealer Installed Accessories pricing, reference Quote & Order or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
1/1/2021	Effective Friday, January 1, 2021 Bobcat Company has adjusted the SLP of select power units
6/7/2021	Effective Monday, June 7, 2021 Bobcat Company has adjusted the SLP of power units
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has adjusted the SLP of power units
11/1/2021	Effective Monday, November 1, 2021 Bobcat Company has temporarily suspended orders of factory options due to component shortage: L23: M1401-R09-C06: 23 x 8.50-12 Tractor Tire L28: M1403-R09-C05: 23 x 8.50-12 Tractor Tire L28: M1403-R09-C07: 26 x 12.0-12 Tractor Tire
7/1/2022	Effective Friday, July 1, 2022 Bobcat Company has adjusted the SLP of power units
1/2/2023	Bobcat Company has adjusted SLP of power units & options.
12/4/2024	Updated SLP for L23 & L28
4/10/2025	Added & updated L35 specs & options
5/30/2025	Updated L35 Specs
7/14/2025	Updated specs for L35/L28/L23 & added window options
8/11/2025	Updated L35/L28/L23 factory options and dealer kits
8/27/2025	Updated L35/L28/L23 factory options and dealer kits
12/16/2025	Updated SLP for L23 & L28 effective January 1st, 2026

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

L23 & L28

Bobcat Small Articulated Loader



Standard Equipment

24.8 HP Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow 12 GPM
 Articulation Lock Bar
 Backup Alarm
 Battery 540 CCA
 Bob-Tach® Attachment Mounting System
 Operator Interlock Control System - Integrated in Left Arm Rest

Controls:

- Forward & Reverse Foot Pedals, Joystick Controlled Workgroup Functions & Variable Control Switches for Auxiliary Hydraulics

Engine/Hydraulic Systems Shutdown

Glow Plugs (Automatically Activated)

Instrumentation:

- Engine Temperature & Fuel Gauges, Hour meter, RPM and Warning Lights

Horn

Lift Arm Support Device

LED Work Lights: 2-Front & 1-Rear

Operator Canopy

- Cup holder, Adjustable Suspension Seat,

Retractable Seat Belt

- Roll Over Protective Structure (ROPS)

meets ISO 3471

- Falling Object Protective Structure (FOPS)

meets ISO 3449, Level I

Parking Brake: Spring Applied, Pressure Released (SAPR)

Suspension seat

Warranty: 1 Year, Unlimited Hours

L23 only

Standard Lift Arm (Non-Telescopic)

Tires: 23-8.50 x12 Turf 10 Ply (43.2" wide)

L28 only

Telescopic Lift Arm (24" Extension)

Tires: 23-10.50 x12 Turf 8 Ply (46.5" wide)

Quick Specs

	<u>L23</u>	<u>L28</u>
Rated Operating Capacity Straight - 50% of Tip Load.....	1395 lbs.	1534 lbs. (888 lbs. Ext)
Rated Operating Capacity Articulated- 50% of Tip Load.....	1159 lbs.	1222 lbs. (712 lbs. Ext)
Tip Load Straight.....	2789 lbs.	3068 lbs. (1775 lbs. Ext)
Machine Limitation.....	Hydraulic	Hydraulic
Engine Model.....	D1305	D1305
Engine Fuel/Cooling.....	Diesel/Liquid	Diesel/Liquid
Horsepower.....	24.8	24.8
Hydraulic Pump Capacity-Standard Flow.....	11.4 GPM	11.4 GPM
Travel Speed.....	8.2 mph.	8.3 mph.
Operating Weight.....	3790 lbs.	4195 lbs.
- with add on CWT.....	4260 lbs.	4710 lbs.
Cab Height.....	78.1 in	78.1 in
Width (w/out Attachment).....	43.2 in	46.5 in
Width with Wide Tire Option (w/out Attachment).....	46.5 in	51.5 in
Length (w/out Attachment).....	93.2 in	93.2 in
Wheel Base.....	47.2 in	47.2 in
Reach at Maximum Height.....	16.8 in	30.9 In
Height to Hinge Pin.....	85.4 in	104.4 in

Prices and Specifications

Subject to Change Without Notice

Small Articulated Loader

All Prices in U.S. Dollars

North American Suggested List Prices

2026 Price Book

Page 2 of 11

L23 & L28
Bobcat Small Articulated Loader

Part Number	Description	Small Articulated Loader	SLP In US \$
-------------	-------------	--------------------------	--------------

M1401	L23 Small Articulated Loader.....		\$44,457
M1403	L28 Small Articulated Loader.....		\$52,086

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

Can be selected with packages or with individual options

Tires L23

M1401-R09-C01	23X8.50-12 Turf Tire.....		\$N/C
	10 PLY (43" machine width) (included in base price of machine)		
M1401-R09-C02	23X10.50-12 Turf Tire		\$231
	8 Ply (47" machine width)		
M1401-R09-C05	23X5.70-12 Standard Duty Tire.....		\$N/C
	4 Ply (39" machine width, cannot be used with add on counterweight)		
M1401-R09-C06	23X8.50-12 Tractor Tire.....		\$390
	12 Ply (43" machine width)		

Tires L28

M1401-R09-C02	23X10.50-12 Turf Tire		\$N/C
	8 Ply (47" machine width) (included in base price of machine)		
M1401-R09-C01	23X8.50-12 Turf Tire.....		\$N/C
	10 PLY (43" machine width)		
M1403-R09-C03	26X12.00-12 Turf Tire.....		\$522
	8 ply (52" machine width) (fender flare kit recommended) (Includes articulation limiter)		
M1403-R09-C05	23X8.50-12 Tractor Tire.....		\$390
	12 PLY (43" machine width)		
M1403-R09-C07	26X12.00-12 Tractor Tire.....		\$608
	8 ply (51" machine width) (fender flare kit recommended) (Includes articulation limiter)		

Part Number	Description	Comfort Packages	SLP In US \$
-------------	-------------	------------------	--------------

Can add individual options to Comfort Package

M_P01-C02	Heated Cab Comfort Package.....		\$3,285
	Heated enclosed cab with wiper / washer, heated suspension seat, headliner & block heater.		

Must choose one side window option

M_R18-C01	Standard Side Window.....		\$N/C
	Standard right side window.		
M_R18-C02	Sliding Side Window.....		\$514
	Right side sliding window.		

Must choose one rear window option

M_R17-C01	Standard Rear Window.....		\$N/C
	Standard rear window with wiper.		
M_R17-C03	Rear Defrost Window.....		\$393
	Heated rear window with rear defrost and wiper.		

Part Number	Description	Performance Packages	SLP In US \$
-------------	-------------	----------------------	--------------

Can add individual options to Comfort and Performance Package

M_P01-C03	Comfort and Performance Package.....		\$6,084
	Heated enclosed cab with wiper / washer, heated suspension seat, headliner, block heater, Power Bob-Tach®, Bluetooth radio, & traction control.		

Must choose side and rear window options. Please see next page.

L23 & L28

Bobcat Small Articulated Loader

Must choose one side window option

M_R18-C01	Standard Side Window.....	\$N/C
	Standard right side window.	
M_R18-C02	Sliding Side Window.....	\$514
	Right side sliding window.	

Must choose one rear window option

M_R17-C01	Standard Rear Window.....	\$N/C
	Standard rear window with wiper.	
M_R17-C03	Rear Defrost Window.....	\$393
	Heated rear window with rear defrost and wiper.	

Part Number	Description	Individual Factory Options	SLP In US \$
-------------	-------------	----------------------------	--------------

Can add individual options to Comfort Packages or base machine

M_-R06-C02	Power Bob-Tach® Attachment Mounting System.....	\$1,210
	Connect and disconnect non-hydraulic attachments from inside the cab.	
M_-R26-C02	Radio (Bluetooth).....	\$592
	AM / FM / Weather band; includes antenna & speakers. Supports Bluetooth audio streaming.	
M_-R60-C02	Traction Assist.....	\$998
	Press /hold switch to momentarily split traction equally to both sides of the machine.	

Part Number	Description	Dealer Installed Accessories - Ordered From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories – Enclosures, Doors, Windows

Coming Soon	Heat Enclosure Kit.....	\$ _____
	Includes a heater, headliner, door, front window & wiper. Est. Install 4 hrs.	
46976576	Sliding Side Window.....	\$ _____
	Right side sliding window. Est. Install 0.5 hrs.	
46976575	Standard Side Window.....	\$ _____
	Right side standard window. Est. Install 0.5 hrs.	
46938532	Rear Defrost Window & Wiper Kit.....	\$ _____
	Heated rear window, harness, hinges, latches and all fixtures needed to install. The rear window defroster kit can be used with L23 SN: B4LC13140 and higher and L28 SN: B4LD16800 and higher. Est. Install 2 hrs.	
46976697	Standard Rear Window & Wiper Kit.....	\$ _____
	Includes rear window with wiper blade, harness and button switch. Est. Install 1.5 hrs.	
7440492	Seatbelt Kit, 3-inch.....	\$ _____
	Includes 3 inch retractable lap belt. Est. Install time 0.5 hrs.	

Counterweight Kits

7362520	Add On Counterweight Kit.....	\$ _____
	Side Mounted - 476 lbs. (238 lbs. per side) - adds approximately 418 lbs. ROC. Est. Install 1 hrs.	

Electrical Accessories

7427921	Attachment Control Kit, 14-Pin.....	\$ _____
	14 pin connector to control attachments with two functions. Est. Install 1 hrs.	
7352330	Beacon Kit.....	\$ _____
	Mount, wire harness, and quick disconnect beacon. Est. Install 1 hrs.	
7352416	Strobe Light Kit, Amber.....	\$ _____
	Mount, wire harness, and quick disconnect strobe. Est. Install 1 hrs.	
7362522	Battery Disconnect Kit.....	\$ _____
	Disconnects power to the machine. Est. Install 1 hrs.	

L23 & L28 Bobcat Small Articulated Loader
--

Part Number	Description	SLP In US \$
-------------	-------------	--------------

Electrical Accessories Cont..

7373159	Traction Assist Kit..... Press/hold switch to split traction equally to both sides of the machine. Est. Install 2 hrs.	\$ _____
7269859	650 CCA Battery..... Increased battery size (650 CCA) faster engine cranking in extreme cold weather. Est. Install 0.5	\$ _____

Engine Accessories

6720808	Engine Block Heater Kit..... Allows for better cold weather starting (also included in heated cab comfort package). Est. Install 1 hrs.	\$ _____
7177215	Fuel Sediment Bowl Kit..... Attaches to bottom of fuel filter to inspect for water in fuel. Est. Install 0.5 hrs.	\$ _____
7373160	Muffler Purifier Kit..... Muffler with catalyst to reduce emissions. Est. Install 1 hrs.	\$ _____

Loader Guard/Lift Kits

If you need a machine lift kit. Order Rear Guard/Lift Kit and Front Lift Kit

7440827	Rear Guard/Lift Kit..... (40 lbs.) Installs on rear of machine to provide added protection. Can be used with rear hitch. Est. Install 0.5 hrs.	\$ _____
7431558	Front Lift Kit..... Installs on front of machine to allow for machine lift with Rear Guard/Lift Kit (7440827). Est. Install 1 hrs.	\$ _____
7349453	Rear Receiver Hitch Kit..... 2" receiver hitch, mounts to rear CWT, Max 350 lb. hitch weight and 3,300 lb. gross trailer weight. Est. Install 0.5 hrs.	\$ _____
7364461	Hydraulic Cap Lock Kit..... Allows use of padlock to secure and protect hydraulic fill cap.	\$ _____
<u>Power Bob-Tach Kits</u>		
7362529	Power Bob-Tach Kit..... Connect and disconnect non-hydraulic attachments from inside the cab. Est. Install 1.5 hrs.	\$ _____

Part Number	Description	SLP In US \$
-------------	-------------	--------------

Radio

7362518	Radio Kit (Bluetooth)..... AM / FM / Weather band; includes antenna and speakers. Supports Bluetooth audio streaming. Est. Install 1 hrs.	\$ _____
---------	--	----------

Road Accessory kits

7357743	Mirror Kit..... Mounts to left and right front cab pillars. Est. Install 0.5 hrs.	\$ _____
7362524	Road Light Kit - Cab..... Hi/Lo beam headlights, taillights, turn signals and flashers switches mounted into heater control panel Est. Install 2 hrs.	\$ _____
7409649	Road Light Kit - Canopy..... Hi/Lo beam headlights, taillights, turn signals and flashers includes switch mount box. Est. Install 2 hrs.	\$ _____
7353226	SMV (Slow Moving Vehicle) Kit..... Slow Moving Vehicle placard and mount. Est. Install 1 hrs.	\$ _____

L23 & L28 Bobcat Small Articulated Loader
--

Dealer Installed Accessories - Ordered From Parts		
Part Number	Description	SLP In US \$
<u>Other Accessories</u>		
7353248	Articulation Limit Kit..... To be installed when 26X12-12 tires are field installed. Est. Install 0.5 hrs.	\$ _____
7395953	Machine IQ Wireless Communications Kit..... All components needed to install Telematics to machine. Basic package features include location, hours & fuel. Est. Install 0.5 hrs.	\$ _____
9987580	Customer Machine IQ Health and Security Subscription - 1 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$ _____
9987581	Customer Machine IQ Health and Security Subscription - 2 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$ _____
9987582	Customer Machine IQ Health and Security Subscription - 3 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$ _____
9987583	Customer Machine IQ Health and Security Subscription - 4 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$ _____
9987584	Customer Machine IQ Health and Security Subscription - 5 Year..... Basic package features + geofence, curfew, email and in-portal notifications, utilization reporting.	\$ _____
7362517	Fender Flare Kit..... Extends fender width 4.4" to cover tread of 26X12-12 tires. Est. Install 1.5 hrs.	\$ _____
7355967	Fire Extinguisher Kit..... Mounts to left rear inner cab pillar. Est. Install 0.5 hrs.	\$ _____
7413909	D-Ring Attachment Hose Guide..... Attaches to loader lift arm helping guide attachment hoses into aux coupler block. Est. Install 0.5	\$ _____

L35 Bobcat Small Articulated Loader



Standard Equipment

57 Turbo HP Tier 4 Diesel Engine	Instrumentation: 4.3-inch Display
Auxiliary Hydraulics: Variable Flow 18.0 GPM	- Keyless Ignition, Engine Temperature & Fuel Gauges, Hour meter, RPM, and Warning Indicators
Articulation Lock Bar	Includes maintenance interval notification, QR code faults readout and security lockouts
Backup Alarm	Operator Canopy
Battery 650 CCA	- Cup holder, Adjustable Suspension Seat, Retractable Seat Belt
Bob-Tach® Attachment Mounting System	- Roll Over Protective Structure (ROPS) meets ISO 3471
Operator Interlock Control System - Integrated in Left Arm Rest	- Falling Object Protective Structure (FOPS) meets ISO 3449, Level I
Controls:	Parking Brake: Spring Applied, Pressure Released (SAPR)
- Forward & Reverse Foot Pedals, Joystick Controlled Workgroup Functions & Variable Control Switches for Auxiliary Hydraulics	Warranty: 1 Year, Unlimited Hours
Engine/Hydraulic Systems Shutdown	Telescopic Lift Arm (24" Extension)
Glow Plugs (Automatically Activated)	Tires: 26X12.0-12 Turf 10 Ply (52.5" wide)
Horn	
Lift Arm Support Device	
LED Work Lights: 2-Front & 1-Rear	

Quick Specs

	<u>L35</u>
Rated Operating Capacity Straight - 50% of Tip Load.....	2072 lbs. (1181 lbs. Ext)
Rated Operating Capacity Articulated- 50% of Tip Load.....	1695 lbs. (955 lbs. Ext)
Machine Limitation.....	Hydraulic
Engine Model.....	H183TI
Engine Fuel/Cooling.....	Diesel/Liquid
Horsepower.....	57
Hydraulic Pump Capacity-Standard Flow.....	18.0 GPM
Travel Speed (26x12.0 Turf Tires).....	8.4 MPH
- 2 speed option.....	16.2 MPH
Travel Speed (31x15.5 Turf Tires).....	10.2 MPH
- 2 speed option.....	20.3 MPH
Operating Weight.....	6012 lbs.
- with cab enclosure with heater (257 lbs.).....	6269 lbs.
- with add on CWT (476 lbs.).....	6488 lbs.
Cab Height.....	82.2 in.
Width w/ 26x12 turf tires (w/out Attachment).....	52.5 in
Width w/ 31x15.5 turf tires (w/out Attachment).....	57.1 in
Length (w/out Attachment).....	110.9 in
Wheel Base.....	57.2 in
Reach at Maximum Height.....	38.6 in
Height to Hinge Pin (26x12 turf tires).....	114.8 in

L35
Bobcat Small Articulated Loader

Part Number	Description	Small Articulated Loader	SLP In US \$
-------------	-------------	--------------------------	--------------

M1405	L35 Small Articulated Loader.....		\$73,015
-------	-----------------------------------	--	----------

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

Can be selected with packages or with individual options

Tires L35

M1405-R09-C07	26X12.00-12 Turf		\$N/C
	10 ply (52.4" machine width) (included in base price of machine)		

M1405-R09-C09	29X12.50-15 Turf		\$754
	10 ply (54" machine width)		

M1405-R09-C10	29X12.50-15 Tractor.....		\$754
	10 ply (56.2" machine width)		

M1405-R09-C11	31X15.50-15 Turf.....		\$1,127
	10 ply (57.1" machine width)		

Part Number	Description	Comfort Packages	SLP In US \$
-------------	-------------	------------------	--------------

Can add individual options to Comfort Package

M1405-P01-C02	Comfort Package.....		\$6,378
	Includes enclosed cab with HVAC, heated suspension seat, front and rear wiper and engine block heater.		

Must choose one side window option

M1405-R18-C01	Standard Side Window.....		\$N/C
	Standard right side window.		

M1405-R18-C02	Sliding Side Window.....		\$514
	Right side sliding window.		

Must choose one rear window option

M1405-R17-C01	Standard Rear Window.....		\$N/C
	Standard rear window with wiper.		

M1405-R17-C03	Rear Defrost Window.....		\$393
	Heated rear window with rear defrost and wiper.		

Part Number	Description	Performance Packages	SLP In US \$
-------------	-------------	----------------------	--------------

Can add individual options to Comfort and Performance Package

M1405-P01-C03	Comfort and Performance Package.....		\$9,176
	Includes enclosed cab with HVAC, Power Bob-Tach®, heated suspension seat, radio, traction assist, front and rear wiper and engine block heater.		

Must choose one side window option

M1405-R18-C01	Standard Side Window.....		\$N/C
	Standard right side window.		

M1405-R18-C02	Sliding Side Window.....		\$514
	Right side sliding window.		

Must choose one rear window option

M1405-R17-C01	Standard Rear Window.....		\$N/C
	Standard rear window with wiper.		

M1405-R17-C03	Rear Defrost Window.....		\$393
	Heated rear window with rear defrost and wiper.		

L35
Bobcat Small Articulated Loader

Part Number	Description	Individual Factory Options	SLP in US \$
Can add individual options to Comfort Packages <u>or</u> base machine			
M1405-R06-C02	Power Bob-Tach® Attachment Mounting System.....		\$1,210
	Connect and disconnect non-hydraulic attachments from inside the cab.		
M1405-R10-C02	Heated Seat.....		\$488
	Cannot order with Seat Suspension (7493883).		
M1405-R60-C02	Traction Control.....		\$998
	Press and hold switch to momentarily split traction drive equally to both sides of the machine.		
M1405-R26-C02	Radio (Bluetooth).....		\$592
	AM / FM / Weather band; includes antenna and speakers. Supports Bluetooth audio streaming.		
M1405-R59-C02	Keypad.....		\$100
	Adds the push buttons for the Ride Control and 3rd function auxiliaries. Must order with Ride Control (7459634) or Attachment Control, 7-pin (7457526).		
M1405-R68-C02	Auto Idle.....		\$158
	Engine speed decreases to idle after a period of time when controls are moved to neutral. Engine speed will increase to the throttle setting when controls are reactivated.		
M1405-R33-C02	Automatic Ride Control.....		\$766
	Provides a smoother ride by cushioning the lift arm when traveling over rough terrain.		
M1405-R28-C02	Attachment Control, 7-Pin.....		\$315
	Allows for multiple attachment operations.		
M1405-R03-C02	High Flow Hydraulics.....		\$2,275
	Allows for 25.3gpm at high flow.		
M1405-R31-C02	Heavy Duty Battery.....		\$121
	Increased battery size (1000 CCA) for faster engine cranking in extreme cold weather.		

Part Number	Description	Dealer Installed Accessories - Ordered From Parts	SLP In US \$
<u>Cab Accessories – Enclosures, Doors, Windows</u>			
7524494	Heating & Air Conditioning Kit (HVAC).....		\$ _____
	Includes HVAC, Headliner, Door, Front Window & Wiper. Est. Install 6hrs.		
46976576	Sliding Side Window.....		\$ _____
	Right side sliding window. Est. Install 0.5 hrs.		
46976575	Standard Side Window.....		\$ _____
	Right side standard window. Est. Install 0.5 hrs.		
7527858	Rear Defrost Window & Wiper Kit.....		\$ _____
	Heated rear window, harness, hinges, latches and all fixtures needed to install. Est. Install 2 hrs.		
46915795	Standard Rear Window & Wiper Kit.....		\$ _____
	Rear window, harness, hinges, latches and all fixtures needed to install. Not Backwards Compatible with units X and before. Est. Install 0.75 hrs.		
Coming Soon	Seatbelt Kit, 3-inch.....		\$ _____
	Includes 3 inch retractable lap belt. Est. Install 0.5 hrs.		
46914285	Door Open Sensor Kit.....		\$ _____
	Includes door sensor, brackets and all fixtures need to install. Must order Glass Kit (7532956) if not already installed. Est. Install 0.5 hrs.		
<u>Counterweight Kits</u>			
7362520	Counterweight Kit, 476 lbs.....		\$ _____
	Required for Seeder and Brushcat attachments. Side mounted - 476 lbs. (238 lbs. per side) - adds 426 lbs. ROC. Est. Install 0.25hrs.		

L35
Bobcat Small Articulated Loader

Dealer Installed Accessories - Ordered From Parts		
Part Number	Description	SLP In US \$
<u>Electrical Accessories</u>		
7393140	Attachment Control Kit, 14-Pin..... Est. Install 1hrs.	\$ _____
7352330	Beacon Kit..... Mount, wire harness, and quick disconnect beacon. Est. Install 0.5hrs.	\$ _____
7352416	Strobe Light Kit, Amber..... Mount, wire harness, and quick disconnect strobe. Est. Install 0.5hrs.	\$ _____
7362522	Battery Disconnect Kit..... Disconnects power to the machine. Est. Install 0.5hrs.	\$ _____
7490182	Traction Control Kit..... Traction control assist (press and hold switch to split traction drive equally to both sides of the machine). Est. Install 2hrs.	\$ _____
7490176	Heavy Duty Battery..... Increased battery size (1000 CCA) faster engine cranking in extreme cold weather. Est. Install	\$ _____
7504982	Rear Elec ACC Kit..... Kit needed for additional rear accessories. Est. Install 0.25hrs.	\$ _____
7457524	Attachment Control Kit, 7-pin Kit..... 7 pin connector to control attachments with two functions. Must order Keypad Kit (46913910) if not already installed. Est. Install 0.5hrs.	\$ _____
46913910	Keypad Kit..... This kit adds the push buttons for the Ride Control and 3rd function auxiliaries. Must order with Attachment Control Kit, 14-Pin (7393140), Attachment Control Kit, 7-Pin (7457524) or Ride Control Kit (7490172) if not already installed. Est. Install 0.25hrs.	\$ _____
<u>Engine Accessories</u>		
7529775	Engine Block Heater Kit..... Allows for better cold weather starting. Est. Install 0.25hrs.	\$ _____
7490170	Auto Idle Kit..... Engine speed decreases to idle after period of time when controls are moved to neutral. Engine speed will increase to the throttle setting when controls are reactivated. Switch Pressure (7374201) and Sensor Pressure (7320663) need to be ordered separately. Est. Install 0.25hrs.	\$ _____
<u>Loader Guard Kits</u>		
7465406	Rear Guard/Lift Kit..... Install on rear of machine to provide added protection. Can be used with rear hitch. Est. Install	\$ _____
46931942	Debris Screens Kit..... Includes 6 screens for debris protection on back of loader. Est. Install 1hrs.	\$ _____
7362517	Fender Kit..... Extends fender width 4.4" to cover tread of tires. Est. Install 0.5hrs.	\$ _____
7364461	Hydraulic Cap Lock Kit..... Allows use of padlock to secure and protect hydraulic fill cap. Est. Install 0.25hrs.	\$ _____
<u>Ride Control Kits</u>		
7490172	Automatic Ride Control Kit..... Provides a smother ride by cushioning the lift arm when traveling over rough terrain. Must order a Keypad Kit (46913910) if not already installed. Est. Install 2hrs.	\$ _____

Dealer Installed Accessories - Ordered From Sales		
Part Number	Description	SLP In US \$
<u>Power Bob-Tach Kits</u>		
7490178	Power Bob-Tach Kit..... Connect and disconnect non-hydraulic attachments from inside the cab. Est. Install 3hrs.	\$ _____

Prices and Specifications

Subject to Change Without Notice

Small Articulated Loader

All Prices in U.S. Dollars

North American Suggested List Prices

2026 Price Book

Page 10 of 11

L35
Bobcat Small Articulated Loader

Dealer Installed Accessories - Ordered From Parts		
Part Number	Description	SLP In US \$
<u>Radio</u>		
7490180	Radio Kit Full Install..... AM / FM weather band, includes antenna and speakers. Supports Bluetooth audio streaming. Can be used for Cab or Canopy. Est. Install 0.75hrs.	\$ _____
<u>Road Accessory kits</u>		
7481504	Mirror Class 2 Kit..... Mounts to left and right front cab pillars. Cannot be used with Mirror Kit (7357743). Est. Install 0.25hrs.	\$ _____
7357743	Mirror Kit..... Mounts to left and right front cab pillars. Est. Install 0.25hrs.	\$ _____
7530216	Road Lights Kit..... Hi/Lo beam headlights, taillights, turn signals and flashers switches mounted into heater control panel. Must order Road Lights Canopy Kit (46911441) if not already installed. Must also order Heating and Air Conditioning (HVAC) Kit (7524494) or Heater Kit (7524496) if not already installed. Est. Install 1hrs.	\$ _____
7476548	Registration Plate Kit..... Includes mount, light and all fixtures needed to install. Must order Road Lights Kit (7530216) & Rear Accessory Mount Kit (7529385). Est Install 0.25hrs.	\$ _____
7531934	Slow Moving Vehicle (SMV) Kit..... Slow Moving Vehicle placard and mount. Must order Rear Accessory Mount (7529385) if not already installed. Est. Install 0.25hrs.	\$ _____
7349435	Rear Hitch Kit..... 2" receiver hitch, mounts to rear CWT, max 350 lbs. hitch weight and 3,300 lbs. gross trailer weight. Est. Install 0.25hrs.	\$ _____
46911441	Road Lights Canopy Kit..... Hi/Lo beam headlights, taillights, turn signals and flashers switches mounted into heater control panel. Must order Road Lights Kit (7530216) if not already installed. Cannot use Heating and Air Conditioning (HVAC) Kit (7524494) & Heater Kit (7524496). Est. Install 0.5hrs.	\$ _____
7529385	Rear Accessory Mount Kit..... Bracket and fixtures for rear accessories. To be paired with Slow Moving Vehicle (SMV) Kit (7531934) and/or Registration Plate Kit (7476548) if not already installed. Est. Install 0.25hrs.	\$ _____
<u>Other Accessories</u>		
7355967	Fire Extinguisher Kit..... Mounts to left and right front cab pillars. Est. Install 0.5hrs.	\$ _____
7431687	Translation Kit..... Handbook and holder with all fixtures needed to install. Est. Install 0.25hrs.	\$ _____
7460698	WTA 31X15.50-15 Tractor Kit..... 31x15.5 tire and wheel assembly. Est. Install 0.5hrs.	\$ _____
46954718	Hose Guide Kit..... Attaches to loader lift arm to help guide attachment hoses into auxiliary coupler block. Est. Install 0.5 hrs.	\$ _____
46954772	Straight Coupler Kit..... Straight couplers required to replace standard 90 degree couplers for Grapple attachments. Est. Install 0.5hr.	\$ _____