

BOBCAT COMPANY PRICE PAGES NA Telehandler - Attachments



Please note the following when using Bobcat Price Pages:


- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- All Parts Pricing valid only for North America.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
4/20/2017	Added Combo Buckets Max Clamping Force Spec
4/21/2017	Added new 723 attachments & removed carriers that cannot be ordered
4/22/2017	Effective Monday, July 10st 2017, Bobcat Company has adjusted the SLP of select attachment options
4/23/2017	Effective Tuesday, January 1st, 2019 Bobcat Company has adjusted the SLP of select attachment options
4/24/2017	Removed all Snowblower Models from VersaHandler attachment lineup
4/25/2017	Converted Price Pages from Word into Excel
4/26/2017	Edited Footer to display 2020 Price Book
4/27/2017	Added 60" wide floating pallet forks
4/28/2017	Effective Wednesday July 2st, 2020 Bobcat Company has adjusted the SLP of select options and power units.
2/25/2021	Updated sweeper with new part numbers, prices, and specs
4/8/2021	Added snow pusher pro
6/23/2021	Added TL619 to attachments
10/18/2021	Updated pricing effective November 1st, 2021
1/21/2022	Added Snowblower
2/8/2022	Changed names from versahandler to telehandler
12/15/2022	Added 20PH & 25PH Auger Drive Units, Frames and Bits to be ordered from whole goods.
1/1/2023	Updated SLP pricing effective January 1st, 2023
1/6/2023	Added TL519 to attachments
8/28/2023	Added new Fork, Root and Grapple Bucket part numbers and larger grapples
2/27/2024	Added 30PH Auger
3/26/2024	Auger Bits transferred from Wholegoods to Parts
6/24/2024	Updated pricing effective July 1st, 2024
10/23/2024	Added TL623
10/28/2024	Added 74" Light Material Bucket to TL519
12/11/2024	Updated pricing effective January 1st, 2025
3/12/2025	Updated Auger Info
8/7/2025	Added PC Augers
10/30/2025	Added Bale Spears
1/1/2026	Updated Pricing Effective 1/1/2026

****Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.***

Adapter Frame Telehandler Attachments



Quick Specs

Operating Weight..... 225 lbs.


Part Number	Description	Attachment	SLP in US \$
(V723, V923) (TL723, TL923) 6812846	Bobcat telehandler Adapter Frame.....		\$1,829.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Adapter Frame.....	None.....	-

Angle Broom Telehandler Attachments



Quick Specs

Operating Weight.....	84" 944 lbs.
Sweep Width Straight.....	84"
Sweep Width Fully Angled.....	77" @ 25°
Broom Angling.....	Hydraulic Cylinder
Oscillation.....	Fixed
Drive System.....	Hydraulic Motor
	Direct Drive
Flow Range.....	15-28 GPM
Broom Bristle Diameter.....	32"
Bristle Material.....	Poly Orange HD
Number of Bristle Sections.....	44 Zig-Zag, 2 Straight

Part Number	Description	Attachment	SLP in US \$
(V519) (TL519, TL619, TL623)			
7337715	84" Angle Broom.....		\$9,332.00
	(Telehandler must be equipped with Attachment Control Kit to operate Angle Broom)		

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Angle Broom.....	None.....	-

Auger- Planetary Drive Telehandler Attachments



Planetary Drive Auger Quick Specs

	<u>Model</u> <u>20PH/PC</u>	<u>Model</u> <u>25PH/PC</u>	<u>Model</u> <u>30PH</u>	<u>Model</u> <u>35PH</u>
Ship Weight (Auger Drive).....	140 lbs.	141 lbs.	216 lbs.	325 lbs.
Ship Weight (Mtg. Frame).....	118 lbs	118 lbs	118 lbs	189 lbs.
Operating Weight (less bit).....	258 lbs	259 lbs	334 lbs	454 lbs.
Digging Depth (without extensions).....	56"	56"	56"	72"
Shaft Diameter - Round.....	2.5 (PC ONLY)	2.5 (PC ONLY)	2.5"	-
Shaft Diameter - Hex.....	2.0"	2.0"	2.0"	2.5"
RPM			0	#N/A
@ 12 gpm (45 L/min.).....	-	-	-	-
@ 17 gpm (64 L/min.).....	49 rpm	-	-	-
@ 18 gpm (68 L/min.).....	52 rpm	-	-	46 rpm
@ 21 gpm (70 L/min.).....	61 rpm	49 rpm	42 rpm	-
@ 22 gpm (83 L/min.).....	64 rpm	51 rpm	44 rpm	56 rpm
@ 23 gpm (87 L/min.).....	67 rpm	53 rpm	46 rpm	-
@ 26 gpm (98 L/min.).....	-	-	-	64 rpm
@ 30 gpm (114 L/min.).....	-	-	-	77 rpm
@ 32 gpm (121 L/min.).....	-	-	-	82 rpm
@ 34 gpm (129 L/min.).....	-	-	-	87 rpm
@ 36 gpm (136 L/min.).....	-	-	-	92 rpm
@ 37 gpm (140 L/min.).....	-	-	-	-
@ 38 gpm (144 L/min.).....	-	-	-	98 rpm
Torque				
@ 2000 psi (19,788 kPa).....	1,320 ft.lb (1,790 Nm)	1,622 ft.lb (2,199 Nm)	1,868 ft. lb (2,532 Nm)	2,387 ft.lb. (3,237 Nm)
@ 2400 psi (16,547 kPa).....	1,731 ft.lb (2,347 Nm)	2,104 ft.lb (2,853 Nm)	2,385 ft. lb (3,234 Nm)	2,864 ft.lb. (3,884 Nm)
@ 2600 psi (17,926 kPa).....	1,875 ft.lb (2,542 Nm)	2,280 ft.lb (3,091 Nm)	2,534 ft. lb (3,436 Nm)	3,103 ft.lb (4,208 Nm)
@ 2700 psi (18,616 kPa).....	1,947 ft.lb (2,640 Nm)	2,367 ft.lb (3,209 Nm)	2,638 ft. lb (3,638 Nm)	-
@ 3000 psi (20,684 kPa).....	2,112 ft.lb (2,863 Nm)	2,581 ft.lb (3,499 Nm)	2,974 ft.lb (4,032 Nm)	-
@ 3200 psi (22,753 kPa).....	2,308 ft.lb (3,129 Nm)	2,806 ft.lb (3,804 Nm)	3,202 ft. lb (4,341 Nm)	#N/A
@ 3300 psi (22,753 kPa).....	2,380 ft.lb (3,227 Nm)	2,893 ft.lb (3,922 Nm)	3,398 ft. lb (4,607 Nm)	#N/A
@ 3500 psi (24,132 kPa).....	2,524 ft.lb (3,422 Nm)	3,069 ft.lb (4,161 Nm)	3,514 ft. lb (4,764 Nm)	4,177 ft.lb. #N/A

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(V519) (TL519, TL619, TL623)

7501035 **Model 20PH Auger Drive Unit.....** \$2,417.00

(Operate in Standard Flow only) (Must also order Mounting Frame for Machine and Bit) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)

46948007 **Model 20PC Auger Drive Unit.....** \$2,470.00

(Operate in Standard Flow only) (Must also order Mounting Frame for Machine and Bit)(Combination 2" hex / 2.5" round output shaft)(Auger Bit is shipped with bit retention pin)

7501036 **Model 25PH Auger Drive Unit.....** \$2,554.00

(Operate in Standard Flow only) (Must also order Mounting Frame for Machine and Bit) (2" Hex shaft to connect to bit) (Auger Bit is shipped with bit retention pin)

46948008 **Model 25PC Auger Drive Unit.....** \$2,607.00

(Operate in Standard Flow only) (Must also order Mounting Frame for Machine and Bit)(Combination 2" hex / 2.5" round output shaft)(Auger Bit is shipped with bit retention pin)

46890491 **Model 30PH Auger Drive Unit.....** \$3,928.00

(Operate in Standard Flow only) (Must also order Mounting Frame for Machine and Bit) (Ships with 2" and 2.5" Round output flanges) Auger Bit is shipped with bit retention pin)

7220280 **Model 35PH Auger Drive Unit.....** \$5,147.00

(Must also order Mounting Frame and Bit)

Part Number	Description	Dealer Installed Auger Frames - Order From Sales	SLP in US \$
-------------	-------------	--	--------------

Must Order Mounting Frame or Adapter Frame

(V519) (TL519, TL619, TL623)

7508119 **12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, 30PH Mounting Frame.....** \$755.00

(Includes Mounting Hardware to attach auger drive)

7223507 **15H/C, 30H/C, 35PH Mounting Frame.....** \$838.00

(Includes Mounting Hardware)

Part Number	Description	Dealer Installed Auger Bits - Order From Parts
-------------	-------------	--

Auger Drive & Bit Recommendations

20PH/25PH—Recommended bit size 6" – 30"

30PH—Recommended bit size 6" – 36"

Auger bit combinations should be used as a guideline. Recommendations are based upon average digging conditions. Some combinations may contact machine frame.

Light Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Semi-Flight & Double Flight

Not compatible with Model 35PH or 50PH augers

48" Length. Shaft Diameter- 2" Hex

Retaining Pin ships with auger

		<i>Parts</i>
7500735	6" Semi-Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500736	9" Semi-Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500737	12" Semi-Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500738	15" Semi-Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500739	18" Semi-Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500740	24" Semi-Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500746	30" Double Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500747	36" Double Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____

Standard Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Single Flight unless noted.

48" Length. Shaft Diameter- 2" Hex

Not compatible with Model 10, 35PH or 50PH augers

Retaining Pin ships with auger

		<i>Parts</i>
7500763	6" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500765	9" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500767	12" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500768	15" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500769	18" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500771	24" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____

Part Number	Description	Dealer Installed Auger Bits - Order From Parts
-------------	-------------	--

Heavy Duty Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Single & Double Flight

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

		<u>Parts</u>
7500798	6" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500800	9" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500802	12" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500803	15" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500805	20" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500806	24" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500807	30" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500808	36" Single Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500812	9" Double Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500814	12" Double Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500816	18" Double Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500818	24" Double Flight (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____

Tree Auger Bits

Approved for 12PH/PC, 14PH/PC, 20PH/PC, 25PH/PC, & 30PH Augers

Black color, Double Flight

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

		<u>Parts</u>
7500822	18" Tree Auger Bit (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500823	24" Tree Auger Bit (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500841	30" Tree Auger Bit (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____
7500842	36" Tree Auger Bit (2" Hex)..... (For use with 20PH/PC, 25PH/PC, 30PH augers or 15H/30H augers)	\$_____

Rock Auger Bits

Approved for 12PH, 14PH, 20PH, 25PH and 30PH augers

Black color, Double Flight, Carbide tips

48" Length. Shaft Diameter- 2" Hex

Not compatible with 35PH or 50PH augers

Retaining Pin ships with auger

		<u>Parts</u>
7500916	6" Carbide Rock Auger Bit (2" Hex).....	\$_____
7500918	9" Carbide Rock Auger Bit (2" Hex).....	\$_____
7500922	18" Carbide Rock Auger Bit (2" Hex).....	\$_____
7500923	24" Carbide Rock Auger Bit (2" Hex).....	\$_____

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

Heavy Duty Auger Bits - 35PH Auger

Orange Color, Hex Drive, 42" Length, Single Flight

7243233	8" Bit..... (Ship Weight 115 lbs.)	Parts	\$_____
7243234	12" Bit..... (Ship Weight 130 lbs.)	Parts	\$_____
7243235	18" Bit..... (Ship Weight 165 lbs.)	Parts	\$_____
7243236	24" Bit..... (Ship Weight 225 lbs.)	Parts	\$_____
7243237	30" Bit..... (Ship Weight 295 lbs.)	Parts	\$_____
7243238	36" Bit..... (Ship Weight 350 lbs.)	Parts	\$_____
7243239	48" Bit..... (Ship Weight 495 lbs.)	Parts	\$_____

Rock Auger Bits - 35PH Auger Drive

7243240	8" Bit..... (Ship Weight 118 lbs.)	Parts	\$_____
7243241	12" Bit..... (Ship Weight 130 lbs.)	Parts	\$_____
7243242	18" Bit..... (Ship Weight 165 lbs.)	Parts	\$_____
7243243	24" Bit..... (Ship Weight 210 lbs.)	Parts	\$_____
7243244	30" Bit..... (Ship Weight 300 lbs.)	Parts	\$_____

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

6679807	48" ADJUSTABLE HEX EXTENSION..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers w/Hex Output Shaft) (Ship Weight 48	Parts	\$_____
6662876	24" ADJUSTABLE HEX EXTENSION..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers w/Hex Output Shaft) (Ship Weight 33	Parts	\$_____
7515529	2" HEX SHAFT TO 2 1/2" ROUND BIT ADAPTER..... (For Model 12PH, 14PH, 20PH, 25PH Augers with Hex Output Shaft to use with round shaft bits)	Parts	\$_____
7137091	HEX SHAFT TO ROUND BIT ADAPTER, SLEEVE..... (For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (5/8" Pin Kit P/N 6809733 is required.) (Sleeve slides over hex shaft, converting it to round) (Ship Weight 3 lbs.)	Parts	\$_____

Heavy Duty Auger Bits Accessories/Rock Auger Bits

7243729	48" ADJUSTABLE HEX EXTENSION..... (For 35PH Auger Drives) (Shipping Weight 105lbs.)	Parts	\$_____
---------	---	--------------	----------------

Auger- Direct Drive Telehandler Attachments



Direct Drive Auger Quick Specs

	<u>Model</u> 15C	<u>Model</u> 15H	<u>Model</u> 30C	<u>Model</u> 30H
Ship Weight (Auger Drive).....	245 lbs.	241 lbs.	263 lbs.	257 lbs.
Ship Weight (Mtg. Frame).....	189 lbs.	189 lbs.	189 lbs.	189 lbs.
Operating Weight (less bit).....	374 lbs.	370 lbs.	392 lbs.	386 lbs.
Digging Depth (without extensions).....	62"	62"	62"	62"
Shaft Diameter - Round.....	2.5"	-	2.5"	-
Shaft Diameter - Hex.....	2.0"	2.0"	2.0"	2.0"
RPM				
@ 12 gpm (45 L/min.).....	57 rpm	57 rpm	-	-
@ 17 gpm (64 L/min.).....	80 rpm	80 rpm	41 rpm	41 rpm
@ 18 gpm (68 L/min.).....	-	-	-	-
@ 21 gpm (70 L/min.).....	99 rpm	99 rpm	51 rpm	51 rpm
@ 22 gpm (83 L/min.).....	-	-	-	-
@ 23 gpm (87 L/min.).....	109 rpm	109 rpm	56 rpm	56 rpm
@ 26 gpm (98 L/min.).....	-	-	-	-
@ 30 gpm (114 L/min.).....	-	-	70 rpm	70 rpm
@ 32 gpm (121 L/min.).....	-	-	-	-
@ 34 gpm (129 L/min.).....	-	-	-	-
@ 36 gpm (136 L/min.).....	-	-	-	-
@ 37 gpm (140 L/min.).....	-	-	90 rpm	90 rpm
@ 38 gpm (144 L/min.).....	-	-	-	-
Torque				
@ 2000 psi (19,788 kPa).....	1,300 ft.lb. (1,763 Nm)	1,300 ft.lb. (1,763 Nm)	2,520 ft.lb. (3,417 Nm)	2,520 ft.lb. (3,417 Nm)
@ 2400 psi (16,547 kPa).....	1,560 ft.lb. (2,115 Nm)	1,560 ft.lb. (2,115 Nm)	3,024 ft.lb. (4,100 Nm)	3,024 ft.lb. (4,100 Nm)
@ 2600 psi (17,926 kPa).....	-	-	-	-
@ 2700 psi (18,616 kPa).....	1,775 ft.lb. (2,379 Nm)	1,775 ft.lb. (2,379 Nm)	3,402 ft.lb. (4,213 Nm)	3,402 ft.lb. (4,213 Nm)
@ 3000 psi (20,684 kPa).....	1,950 ft.lb. (2,644 Nm)	1,950 ft.lb. (2,644 Nm)	3,780 ft.lb. (5,125 Nm)	3,780 ft.lb. (5,125 Nm)
@ 3200 psi (22,753 kPa).....	-	-	-	-
@ 3300 psi (22,753 kPa).....	2,415 ft.lb. (2,908 Nm)	2,415 ft.lb. (2,908 Nm)	4,158 ft.lb. (5,638 Nm)	4,158 ft.lb. (5,638 Nm)
@ 3500 psi (24,132 kPa).....	2,275 ft.lb. (3,084 Nm)	2,275 ft.lb. (3,084 Nm)	4,410 ft.lb. (5,979 Nm)	4,410 ft.lb. (5,979 Nm)

Part Number	Description	Attachment	SLP in US \$
(V519) (TL519, TL619, TL623)			
6809442	Model 15C Auger Drive Unit.....	Discontinued	
	(Must also order Mounting Frame and Bit)		
7145345	Model 15H Hex Shaft Auger Drive Unit.....	Discontinued	
	(Must also order Mounting Frame and Bit)		
6809445	Model 30C Auger Drive Unit.....	Discontinued	
	(Must also order Mounting Frame and Bit)		
7138264	Model 30H Hex Shaft Auger Drive Unit.....	Discontinued	
	(Must also order Mounting Frame and Bit)		

Part Number	Description	Dealer Installed Auger Frames - Order From Sales	SLP in US \$
Must Order Mounting Frame or Adapter Frame			

(V519) (TL519, TL619, TL623)			
6812980	Auger 15C/H, 30C/H Mounting Frame.....	Discontinued	
	(Includes Mounting Hardware)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

Standard Auger Bits & Accessories

Charcoal Color, Round Drive, 49" Length, Double Flight, Variable Tooth Angle: 40° or 50°

6666891	6" Bit.....	Parts	\$ ____
	(Ship Weight 60 lbs.)		
6666892	9" Bit.....	Parts	\$ ____
	(Ship Weight 91 lbs.)		
6666893	12" Bit.....	Parts	\$ ____
	(Ship Weight 128 lbs.)		
6666894	15" Bit.....	Parts	\$ ____
	(Ship Weight 119 lbs.)		
6666895	18" Bit.....	Parts	\$ ____
	(Ship Weight 160 lbs.)		
6666896	24" Bit.....	Parts	\$ ____
	(Ship Weight 203 lbs.)		
6666897	30" Bit.....	Parts	\$ ____
	(Ship Weight 275 lbs.)		
6666898	36" Bit (Model 15 & 30).....	Parts	\$ ____
	(Ship Weight 380 lbs.)		
6666899	18" Tree Planting Bit.....	Parts	\$ ____
	(Ship Weight 140 lbs.)		
6666900	24" Tree Planting Bit.....	Parts	\$ ____
	(Ship Weight 162 lbs.)		
6666901	30" Tree Planting Bit.....	Parts	\$ ____
	(Ship Weight 236 lbs.)		
6666902	36" Tree Planting Bit.....	Parts	\$ ____
	(Ship Weight 305 lbs.)		

Heavy Duty Auger Bits

Orange Color, Hex Drive, 42" Length, Single Flight

6674957	6" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 46 lbs.)		
6674958	9" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 59 lbs.)		
6674959	12" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 76 lbs.)		
6674960	16" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 97 lbs.)		
6675034	18" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 112 lbs.)		
6674961	20" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 117 lbs.)		
6674962	24" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 151 lbs.)		
6674963	30" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 193 lbs.)		
6674964	36" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 270 lbs.)		
6674965	42" Bit	Parts	\$ ____
	(If installed on a 15C or 30C or PC Auger drive unit, a 5/8" Pin Kit P/N 6809733 is required) (Ship Weight 302 lbs.)		

Rock Auger Bits

White Color, Hex Drive, 42" Length, Single Flight

7169665	6" Bit	Parts	\$ ____
	(Ship Weight 64 lbs.)		
7169666	9" Bit	Parts	\$ ____
	(Ship Weight 78 lbs.)		
7169667	12" Bit	Parts	\$ ____
	(Ship Weight 102 lbs.)		
7169668	16" Bit	Parts	\$ ____
	(Ship Weight 123 lbs.)		
7169669	18" Bit	Parts	\$ ____
	(Ship Weight 149 lbs.)		
7169670	20" Bit	Parts	\$ ____
	(Ship Weight 152 lbs.)		
7169671	24" Bit	Parts	\$ ____
	(Ship Weight 195 lbs.)		
7169672	30" Bit	Parts	\$ ____
	(Ship Weight 225 lbs.)		

Dealer Installed Accessories - Order From Parts	
Part Number	Description

Heavy Duty Auger Bits Accessories/Rock Auger Bits	
6809733	5/8" (.625) PIN KIT..... Parts \$_____
	(Used for retention of hex bits on 15C and 30C Auger drive units) (Ship Weight 11 lbs.)
6679807	48" ADJUSTABLE HEX EXTENSION..... Parts \$_____
	(For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers w/Hex Output Shaft) (Ship Weight 48 lbs.)
6662876	24" ADJUSTABLE HEX EXTENSION..... Parts \$_____
	(For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers w/Hex Output Shaft) (Ship Weight 33 lbs.)
6662874	ROUND SHAFT TO HEX BIT ADAPTER, CAST..... Parts \$_____
	(For Model 15 & 30 Augers with Round Output Shaft) (Ship Weight 19 lbs.)
6662875	HEX SHAFT TO ROUND BIT ADAPTER, CAST..... Parts \$_____
	(For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (Ship Weight 20 lbs.)
7137091	HEX SHAFT TO ROUND BIT ADAPTER, SLEEVE..... Parts \$_____
	(For 15H/C, 30H/C, 12PH, 14PH, 20PH & 25PH Augers with Hex Output Shaft) (5/8" Pin Kit P/N 6809733 is required.) (Sleeve slides over hex shaft, converting it to round) (Ship Weight 3 lbs.)

Destination Charge	
Refer to BobQuote or BobcatNET>>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges	

Assembly Required		Installation Time
Attachment		(Hours)

Auger..... Assemble drive unit to mounting frame and install bit..... 0.50

Bale Spears Telehandler Attachments




Quick Specs

	<u>RB42</u>	<u>MS26</u>	<u>LS42</u>
Main Tine Length.....	42"	26"	42"
Height.....	18.5"	18.5"	18.5"
Width.....	43"	60.5"	60.5"
Bale Capacity.....	3000 lbs.	3000 lbs.	4000 lbs.
Operating Weight.....	146 lbs.	165 lbs.	190 lbs.

Part Number	Description	Attachment	SLP in US \$
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4058, CT4545, CT4558, CT5545, CT5550, CT5558) (UT6066, UT6566, UT6573) (T64, T66, T76, T86, T450, T550, T595, T650, T740, T770) (S64, S66, S76, S86) (L65, L95) (UW56) (TL519, TL623) (L35)			
46963946	Bale Spear- Round Bale.....		\$938.00
(CT2025, CT2035, CT2040, CT2535, CT2540, CT4045, CT4050, CT4058, CT4545, CT4558, CT5545, CT5550, CT5558) (UT6066, UT6566, UT6573) (T64, T66, T76, T86, T450, T550, T595, T650, T740, T770) (S64, S66, S76, S86) (L65, L95) (UW56) (TL519, TL623) (L35)			
46963945	Bale Spear- Medium Square Bale.....		\$1,185.00
(CT5545, CT5550, CT5558) (UT6066, UT6566) (T64, T66, T76, T86, T450, T550, T595, T650, T740, T770) (S64, S66, S76, S86) (L65, L95) (UW56) (TL519, TL623) (L35)			
46963944	Bale Spear- Large Square Bale.....		\$1,218.00

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Brushcat™ Rotary Cutter Telehandler Attachments



Quick Specs

	<u>RC72</u>
Operating Weight.....	1,500 lbs
Hydraulic Flow Range.....	15-26 gpm
Blade Tip Speed (Minimum Flow / ft./min).....	9922
Blade Tip Speed (Maximum Flow / ft./min).....	17197
Cutting Width.....	72"
Cutting Height.....	3"
Deck Length.....	64.3"
Vertical Travel.....	8"
Overall Width.....	76.3"
Overall Height.....	26.5"
Overall Length.....	70.4"
Cutting Capacity (Brush Material).....	Up to 3" in diameter

Part Number	Description	Attachment	SLP in US \$
(TL519) 7218087	RC72 Brushcat Rotary Cutter..... (Comes with 3" Offset Blades and Front Discs Assembled) (Cutting height of 3")		\$9,947.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.


7242263	4" Cutting Height Blades Kit (For 72" Rotary Cutter) (Includes (4) Blades and Mounting Hardware)	Parts	\$_____
7244897	Motor Cover Kit (Requires (8) bolts P/N 84G3716 to install the covers onto the Rotary Cutter) (Please see installation instructions on Service Library)	Parts	\$_____
7242261	Front Roller Kit (Install time: 1 hour)	Parts	\$_____

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Brushcat Rotary Cutter.....	None.....	-
Blade Kits.....	Install Blades.....	1.50
Front Roller Kit.....	Install Rollers.....	1.00
Motor Cover Kit.....	Install Covers.....	0.50

Bucket Telehandler Attachments



Attachment		SAE Heaped Capacity	Oper. WGT.	SLP IN US \$
Part Number	Description	(cu. ft.)	(lbs.)	
(TL519)				
7272680	74" Heavy Duty Bucket (•).....	18.5	546	\$1,951.00
7326130	74" Severe Duty Bucket (•).....	23.5	762	\$2,608.00
7279101	74" Light Material Bucket (••).....	27.3	632	\$2,134.00
7279103	86" Light Material Bucket (••).....	32.1	706	\$2,493.00
7279105	98" Light Material Bucket (••).....	53.8	914	\$3,249.00
(V519) (TL619, TL623)				
7326128	86" Severe Duty Bucket (•).....	26.2	849	\$2,949.00
7326127	92" Severe Duty Bucket (•).....	27.50	892	\$3,130.00
7279105	98" Light Material Bucket (••).....	53.80	914	\$3,249.00
(V723, V923) (TL723, TL923)				
7329888	93" General Purpose Bucket.....	27.0	919	\$3,924.00
7338655	96" Light Material Bucket (••).....	67.5	1,554	\$4,735.00
7338662	96" Light Material XL Bucket (•••).....	86.4	1,753	\$6,167.00

(•) Buckets have holes predrilled to accept bolt-on cutting edges or bolt-on teeth.

(••) Bucket has holes predrilled to accept bolt-on cutting edges

(•••) Bucket has bolt-on cutting edge

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

7355991	Short Bolt-on Teeth Kit..... Parts \$____ (FOR 74-92" SEVERE DUTY) **<u>(KIT IS 1 INDIVIDUAL TOOTH. 8 KITS = 8 INDIVIDUAL TEETH) Ex...8X\$27.85=\$222.80**</u> (THIS TOOTH KIT WILL WORK ON PREVIOUS HD CI & SD CI BUCKETS ONLY) (TOOTH ASSEMBLY INCLUDES BOLT-ON SHANK WITH PIN-ON TOOTH) (HARDWARE INCLUDED)
7355992	Long Bolt-on Teeth Kit..... Parts \$____ (FOR 74-92" SEVERE DUTY) **<u>(KIT IS 1 INDIVIDUAL TOOTH. 8 KITS = 8 INDIVIDUAL TEETH) Ex...8X\$27.85=\$222.80**</u> (THIS TOOTH KIT WILL WORK ON PREVIOUS HD CI & SD CI BUCKETS ONLY) (TOOTH ASSEMBLY INCLUDES BOLT-ON SHANK WITH PIN-ON TOOTH) (HARDWARE INCLUDED)
7107319	Standard Forged Tooth Point..... Parts \$____ (Replacement Pin-on Tooth Point for S130-T320 Buckets) (Qty. 1)
7107317	Hensley Forged Tooth Point..... Parts \$____ (Replacement Pin-on Tooth Point for S130-T320 Buckets) (Qty. 1)
7107320	Hensley Tiger Tooth Point..... Parts \$____ (It is recommended that the Hensley Twin Tiger Tooth Point p/n 7107321 be used at each end of the bucket when using the tiger tooth points) (Qty. 1)
7107321	Hensley Twin Tiger Tooth Point..... Parts \$____ (Qty. 1)

(62 - 80" HEAVY DUTY BUCKET) (74-92" SEVERE DUTY BUCKET)
(68 - 98" LIGHT MATERIAL BUCKET)


7196474	Bucket Spill Guard, Standard..... \$486.00 (Protects the operator, cab, tilt cylinders and Bob-Tach pivot area) (Includes a see through 44" Spill Guard and Hardware)
6729325	Bolt-On Side Guard Kit..... Parts \$____ (For 98" Light Material Buckets) (Hardware included) (Changes Light Mat Profile to Utility Profile)
6729084	Corner Cutting Edge..... Parts \$____ (3/4" thick single bevel, threaded cutting g edge. Does not require nut) (Must order a quantity of 2) (Hardware not included—must order P/N 1C816, quantity 4)

Destination Charge
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Teeth..... Bolt to Bucket..... 0.5

Combination Bucket Telehandler Attachments



Quick Specs

	<u>74"</u>	<u>80"</u>	<u>84"</u>
Operating Weight.....	898 lbs	1075 lbs	1,109 lbs.
Overall Width.....	74.5"	81.4"	85.4"
SAE Capacity Heaped.....	13.4 ft3	18.3 ft3	19.3 ft3
Number of Teeth.....	8 bolt-on	8 bolt-on	9 bolt-on
Max Clamping Force.....	8590 lbs	6834 lbs	6,835 lbs.

Part Number	Description	Attachment	SLP in US \$
(TL519)			
7167312	74" Combination Bucket.....		\$5,067.00
7167313	80" Combination Bucket.....		\$6,060.00
(V519) (TL619, TL623)			
7167314	84" Combination Bucket.....		\$6,782.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.


6737322	8 BOLT-ON TEETH KIT	Parts	\$_____
	(Must purchase multiple of 8: 8x\$27.85=\$222.80)		
	(Tooth Assembly includes Bolt-on Shank with Pin-on Tooth) (Hardware included)		
6718007	BOLT-ON CUTTING EDGE, 74"	Parts	\$_____
	(Hardware not included) (Estimated install time 1.5 hours)		
6718008	BOLT-ON CUTTING EDGE, 80"	Parts	\$_____
	(Hardware not included) (Estimated install time 1.5 hours)		
6807069	BOLT-ON CUTTING EDGE, 84"	Parts	\$_____
	(Hardware not included) (Estimated install time 1.5 hours)		

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Combination Bucket.....	None.....	-

Dozer Blade Telehandler Attachments




Quick Specs

	<u>90"</u>	<u>96"</u>
Operating Weight.....	987 lbs	1580 lbs
Width.....	90"	96"
Width (Fully Angled).....	78.0"	83.5"
Blade Height.....	24.2"	25.2"
Overall Height.....	25.2"	27.7"
Length.....	33.0"	34.8"
Oscillation.....	± 8°	± 10°
Angle.....	± 30°	± 30°
Cutting Edge (reversible).....	0.5" x 6"	0.63" x 6"
Cylinders.....	3	3
Skid Shoes.....	Adjustable	Adjustable

Part Number	Description	Attachment	SLP in US \$
(TL519)			
6905811	90" Dozer Blade, 6-Way.....		\$8,436.00
7105781	96" Dozer Blade, 6-Way.....		\$10,629.00

Attachment	Assembly Required	Installation Time (Hours)
Dozer Blade.....	Adjust shoes.....	0.50

Flail Cutter Telehandler Attachments



Quick Specs

Operating Weight.....	1,640 lbs.
Cutting Width.....	79"
Cutting Height.....	1.5" - 3"
Overall Width.....	91"
Flow.....	17 - 40 gpm
Hammers.....	21
Cutting Capacity.....	Brush material up to 3" in diameter
Blade Tip Speed.....	8,200 ft./min. @ 2,000 RPM 9,000 ft./min. @ 2,200 RPM

Part Number	Description	Attachment	SLP in US \$
(V519) (TL519) 7101894	FC200 Flail Cutter.....		\$17,579.00

Destination Charge


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Flail Cutter.....	None.....	-


Grapple, AG & Industrial Telehandler Attachments



Ag Grapple



Industrial Bucket Grapple



Industrial Fork Grapple

Quick Specs

	<u>96" Ag Bkt.</u>	<u>78" Fork</u>	<u>86" Fork</u>
Operating Weight.....	1,728 lbs.	1,218 lbs.	1,293 lbs.
Overall Grapple Width.....	96.45"	78.8"	86.1"
# of Teeth - Factory.....	N/A	8	9
# of Teeth - Possible.....	N/A	15	17

	<u>74" Bucket</u>	<u>80" Bucket</u>	<u>86" Bucket</u>
Operating Weight.....	960 lbs.	1,218 lbs.	1,302 lbs.
Overall Grapple Width.....	74"	80"	86.2"
# of Teeth - Factory.....	N/A	N/A	N/A
# of Teeth - Possible.....	N/A	N/A	N/A


Part Number	Description	Attachment	SLP in US \$
(TL519)			
7488345	74" Industrial Bucket Grapple.....		\$5,530.00
7481680	80" Industrial Bucket Grapple.....		\$6,123.00
7166624	78" Industrial Fork Grapple, With 8 Teeth.....		\$7,119.00
(TL619, TL623)			
7481680	80" Industrial Bucket Grapple.....		\$6,123.00
7481105	86" Industrial Bucket Grapple.....		\$6,500.00
7480861	86" Industrial Fork Grapple, With 8 Teeth.....		\$7,806.00
(V723, V923) (TL723, TL923)			
7339833	96" Ag Bucket Grapple.....		\$9,919.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Industrial Grapple.....	None.....	-

Grapple, Root Telehandler Attachments



Quick Specs

	<u>72"</u>	<u>80"</u>	<u>86"</u>
Operating Weight.....	1,049 lbs.	1,164 lbs.	1,181 lbs.
Height (closed).....	34.35"	34.35"	34.35"
Height (open).....	51.69"	51.69"	51.69"
Length.....	42.06"	42.06"	42.06"
Width.....	73.1"	80.4"	86.4"


Part Number	Description	Attachment	SLP in US \$
(TL519)			
7488431	72" Root Grapple.....		\$5,525.00
7483226	80" Root Grapple.....		\$6,118.00
(TL619, TL623)			
7483226	80" Root Grapple.....		\$6,118.00
7483227	86" Root Grapple.....		\$6,575.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Root Grapple.....	None.....	-

Landplane Telehandler Attachments



Quick Specs

	<u>78" Deluxe</u>
Operating Weight.....	700 lbs.
Length.....	51.5"
Width.....	79"
Height.....	20.9"
Working Depth-Scarifier.....	3.5"
Cutting Edge.....	0.5" x 6"


Part Number	Description	Attachment	SLP in US \$
(TL519) 6906115	78" Deluxe Landplane..... (Includes expanded metal grate, scarifier assembly, teeth and respective hardware)		\$3,377.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Landplane.....	None.....	-

Landscape Rake Telehandler Attachments



Quick Specs

	6B
Operating Weight.....	1237 lbs
Working Width.....	72"
Overall Width.....	78.6"
# of Tooth Bars.....	12
# of Teeth (total).....	456
Bucket Capacity.....	14.3 cu. ft.


Part Number	Description	Attachment	SLP in US \$
(TL519) 6710630	6B Landscape Rake.....		\$11,819.00

Destination Charge


Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Landscape Rake.....	None.....	-

Pallet Fork (Fixed) Telehandler Attachments



Pallet Fork Teeth and Frame



Bale Forks (2) and Frame

Quick Specs

	<u>V519/TL619</u>		<u>TL723/V723</u>	
Frame	Fixed		Fixed	Fixed/SS
Weight.....	358 lbs.		717 lbs.	893 lbs.
Forks	42"	48"	<u>Bale Forks</u>	
Ship Weight (set of 2).....	215 lbs.	238 lbs.	119 lbs.	included
Fork Width.....	4"	4"	4"	4"


Part Number	Description	Attachment	SLP in US \$
(TL519)			
7294305	4K Heavy Duty Pallet Fork Frame, Less Teeth.....		\$635.00
(V519) (TL519, TL619, TL623)			
46907101	6K Severe Duty Pallet Fork Frame, Less Teeth.....		\$1,014.00
	<u>Bale Forks</u>		
6815781	Bale Forks, Set of 2.....		\$1,039.00
	<u>Pallet Forks</u>		
6540183	42", 4K Heavy Duty Pallet Fork Teeth, Set of 2.....		\$460.00
6540182	48", 4K Heavy Duty Pallet Fork Teeth, Set of 2.....		\$470.00
46907123	42", 6K Severe Duty Pallet Fork Teeth, Set of 2.....		\$621.00
46907125	48", 6K Severe Duty Pallet Fork Teeth, Set of 2.....		\$700.00
(V723, V923) (TL723, TL923)			
7329891	Pallet Fork Frame, with 47" Teeth.....		\$2,132.00
7328474	Pallet Fork Frame, with 47" Teeth and Sideshift.....		\$4,931.00
	<u>Bale Fork</u>		
(Standard Duty, Heavy Duty, Severe Duty)			
7329894	Bale Fork, Single.....		\$466.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Pallet Fork Frame.....	Install forks on frame (V519/TL619 only).....	0.25

Pallet Fork (Floating) Telehandler Attachments



A – Lowback Forks will float and pivot up

B – Highback Forks will float only

Quick Specs

<u>Pallet Frames</u>	<u>48" Pallet Fork Frame</u>	<u>44" Frame</u>	<u>60" Frame</u>
Operating Weight.....	492 lbs.	617 lbs.	662 lbs.
Frame Width.....	49.9"	44.1"	60"
Frame Height.....	51.7"	-	-

<u>Pallet Forks</u>	<u>Lowback Forks</u>	<u>Highback Forks</u>
Operating Weight (set of 2).....	272 lbs.	316 lbs.
Fork Width.....	4"	4"
Fork Back Height.....	26"	39"
Fork Length.....	48"	48"
Float up/down.....	3"	-
Rotation.....	144°	-


Part Number	Description	Attachment	SLP in US \$
(V519) (TL519, TL619, TL623)			
7140717	48" Pallet Fork Frame, Less Teeth.....		\$2,400.00
6810302	48" Lowback Pallet Fork Teeth, set of 2.....		\$1,523.00
6810301	48" Highback Pallet Fork Teeth, set of 2.....		\$1,959.00
(TL723) (V723)			
7329892	44" Pallet Fork Frame, with 2 Low Back Forks.....		\$2,358.00
(V723, V923) (TL723, TL923)			
7369521	60" Pallet Fork Frame, with 2 Low Back Forks.....		\$2,640.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Pallet Fork Frame.....	Install forks on frame (V519/TL619 only).....	0.25

Pallet Fork, Hydraulic Telehandler Attachments



Quick Specs

Ship Weight (Frame & Forks)..... 565 lbs
Fork Width..... 4"


Part Number	Description	Attachment	SLP in US \$
(TL519) 6905425	48" Hydraulic Pallet Fork.....		\$3,912.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Hydraulic Pallet Fork.....	None.....	-

Rock Bucket Telehandler Attachments



Quick Specs

Operating Weight.....	82" 700 lbs.
Overall Width.....	82.1"
Overall Height.....	20.8"
Overall Length (Bucket Lip or Bottom of Bucket.....	43.57"
Tine Spacing.....	3"
Number of Tines.....	23


Part Number	Description	Attachment	SLP in US \$
(V519) (TL619, TL623) 7185947	82" Rock Bucket.....		\$3,121.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Rocket Bucket.....	None.....	-

Seeder Telehandler Attachments



Quick Specs

Weight (empty).....	1,300 lbs
Weight (full).....	1,425 lbs
Height.....	44.0"
Overall Width.....	88.0"
Working Width.....	72.0"
Length.....	43.0"
Hopper Capacity.....	4.0 bushels

Part Number	Description	Attachment	SLP in US \$
(TL519) 7167712	Seeder, 72", 3PT Mounting..... (Must also order Bob-Tach adapter)		\$9,832.00

Part Number	Description	Factory Installed Options	SLP in US \$
7167758	Bob-Tach Adapter..... (Allows Seeder to mount on Bob-Tach equipped machines)		\$1,045.00

Part Number	Description	Dealer Installed Accessories - Order from Sales	SLP in US \$
7167759	Bob-Tach Adapter..... (Allows Seeder to mount on Bob-Tach equipped machines)		\$919.00


Destination Charge
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Assembly Required

**Installation
Time (Hours)**

Seeder..... None..... -

Snowblower Telehandler Attachments



Quick Specs

	<u>SB32 x 80"</u>	<u>SB32 x 86"</u>
Chute Rotation.....	270°	270°
Deflector Control.....	Hydraulic	Hydraulic
Throw Distance.....	Up to 40'	Up to 40'
Flow Range.....	13-31 GPM	13-31 GPM
Fan Diameter.....	19.5"	19.5"
Auger Diameter.....	20"	20"
Length.....	81.5"	87"
Width.....	45"	45"
Intake Height.....	33"	33"
Max Pressure.....	3400 psi	3400 psi
Operating Weight.....	1016 lbs	1041 lbs


Part Number	Description	Attachment	SLP in US \$
(TL519) M7048	SB32 x 80" Snowblower.....		\$8,006.00
M7048-R01-C02	100cc Motor Package.....		\$1,099.00
(TL619, TL623) M7049	SB32 x 86" Snowblower.....		\$8,916.00
M7049-R01-C02	100cc Motor Package.....		\$1,099.00

Destination Charge/Fuel Surcharge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
Snowblower.....	None.....	-

Snow Blade Telehandler Attachments



Quick Specs

	<u>86" HD</u>	<u>96" HD</u>	<u>108" HD</u>
Operating Weight.....	809 lbs.	867 lbs.	948 lbs.
Width.....	86"	96"	108"
Height.....	28.4"	28.4"	28.4"
Working Width (Fully Angled).....	75"	83"	93"
Steel Cutting Edge.....	.5" x 6"	.5" x 6"	.5" x 6"
Cylinders.....	1	1	1
Trip Springs.....	4	4	4
Optional Rubber Cutting Edge.....	1"x 6"	1"x 6"	1"x 6"

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(TL519)			
7207861	86" Snow Blade - Heavy Duty (With Hydraulic Angle).....		\$5,583.00
7207862	96" Snow Blade - Heavy Duty (With Hydraulic Angle).....		\$5,916.00

(V519) (TL519, TL619, TL623)			
7207863	108" Snow Blade - Heavy Duty (With Hydraulic Angle).....		\$6,346.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
-------------	-------------	---

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

7165988	End Wing Kit..... (Converts 86", 96", & 108" HD Snow Blades into Snow Pushers)	Parts	\$ ____
7169615	Rubber Wear Edge Kit, 108" HD.....	Parts	\$ ____
7169618	Poly Wear Edge Kit, 108" HD.....	Parts	\$ ____
7160646	Replacement Cutting Edge, 108" HD*.....	Parts	\$ ____

*Additional hardware for replacement cutting edges is needed.

•Certain applications may cause premature wear of the Rubber Wear Edge.

Destination Charge
Refer to BobQuote or BobcatNET>>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges


Attachment	Assembly Required	Installation Time (Hours)
------------	-------------------	---------------------------

Snow Blade.....	Adjust shoes & install blade edge indicators.....	0.25
End Wing Kit.....	Install Wings.....	0.25
Replacement Cutting Edge Kits.....	Bolt on edge.....	0.50


Snow V-Blade Telehandler Attachments



Blade in "V" Configuration



Blade in "Scoop" Configuration



Blade in "Angled" Configuration

Quick Specs

	<u>84"</u>	<u>96"</u>	<u>108"</u>
Operating Weight.....	779 lbs	824 lbs	868 lbs
Operating Weight with Oscillating kit.....	1013 lbs	1058 lbs	1102 lbs
Width:			
V-Configuration.....	75"	85.5"	96"
Scoop-Configuration.....	74"	84"	95"
30° Angle-Configuration.....	75"	85"	95"
Straight-Configuration.....	86"	98"	110"
Height with Blade Extension.....	32.8"	32.8"	32.8"
Length.....	47.3"	47.3"	47.3"
Oscillation (with flotation kit).....	+/- 10	+/- 10	+/- 10

Part Number	Description	Attachment	SLP in US \$
(TL519)			
6958577	84" Snow V-Blade.....		\$7,037.00
6958578	96" Snow V-Blade.....		\$7,360.00
6958579	108" Snow V-Blade.....		\$7,682.00

Part Number	Description	Dealer Installed Accessories - Order From Sales
7102603	Blade Flotation Kit.....	\$1,041.00
	(Allows blade to oscillate +/- 10 degrees, includes pin to lock in place at 0 degrees) (Approved for use with 72", 84", 96" and 108" Snow V-Blades) (The frame flotation mounts between the existing frame and blade and will extend the overall blade length eight-inches from the Bob-Tach.) (Shipping weight 254 lbs.) (Estimated install time 1.5 hrs)	

Part Number		Dealer Installed Accessories - Order From Parts	
		Description	


For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

6958666	84" Rubber Cutting Edge Kit..... (Includes hardware)	Parts	\$_____
6958667	96" Rubber Cutting Edge Kit..... (Includes hardware)	Parts	\$_____
6958668	108" Rubber Cutting Edge Kit..... (Includes hardware)	Parts	\$_____

Destination Charge	
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges	

Attachment		Assembly Required	Installation Time (Hours)
Snow V-Blade.....		None.....	-
Flotation Kit (dealer installed).....		Install oscillating kit.....	1.50

Snow Pusher Telehandler Attachments



Quick Specs

	<u>96"</u>	<u>120"</u>
Operating Weight.....	1122 lbs	1256 lbs
Overall Width.....	102"	128"
Working Width.....	94.6"	121"
Length.....	56.2"	56.2"
Height.....	37.8"	37.8"
Cutting Edge.....	1.5" x 8" Rubber	1.5" x 8" Rubber
Skid Shoes.....	.75" x 5" AR400	.75" x 5" AR400
Color.....	Orange	Orange
<i>Float</i>		
Vertical.....	2.3"	2.3"
Tilt.....	12 degrees	12 degrees
Oscillation.....	+/- 4.5 degrees	+/- 4.5 degrees


Part Number	Description	Attachment	SLP in US \$
(TL519) 7113767	94" Snow Pusher.....		\$4,640.00
7116164	120" Snow Pusher.....		\$5,106.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Snow Pusher.....	None.....	-

Snow Pusher Pro Telehandler Attachments



Quick Specs

	<u>96"</u>	<u>108"</u>	<u>120"</u>
Operating Weight.....	1473 lbs	1529 lbs	1589 lbs
Overall Width.....	104"	116"	128"
Working Width.....	96"	108"	120"
Length (includes interface).....	75.8"	75.8"	75.8"
Height.....	40"	40"	40"
Cutting Edge (High Carbon Steel).....	5/8" x 6"	5/8" x 6"	5/8" x 6"
Skid Shoes (Poly).....	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"	.36" x 9.75" x 1.5"
Number of Trip Springs.....	4	4	4
Color.....	Orange	Orange	Orange
<i>Float</i>			
Tilt.....	35 degrees	35 degrees	35 degrees
Oscillation.....	+/- 6 degrees	+/- 6 degrees	+/- 6 degrees

Part Number	Description	Attachment	SLP in US \$
-------------	-------------	------------	--------------

(V519) (TL519, TL619, TL623)

7385513	96" Snow Pusher Pro.....		\$10,846.00
7385514	108" Snow Pusher Pro.....		\$11,023.00
7385515	120" Snow Pusher Pro.....		\$11,200.00

Part Number	Description	Dealer Installed Accessories - Order From Parts	
-------------	-------------	---	--


7396911	96" Steel Cutting Edge..... (Includes hardware)	Parts	\$____
7396912	108" Steel Cutting Edge..... (Includes hardware)	Parts	\$____
7396910	60" Steel Cutting Edge **Use 2 for 120" Cutting Edge**..... (Includes hardware)	Parts	\$____
7396914	96" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396915	108" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396916	120" Poly Cutting Edge..... (Includes hardware)	Parts	\$____
7396917	Curb Guard Kit..... (Includes hardware)	Parts	\$____
7396918	Backdrag Kit..... (Includes hardware)	Parts	\$____
7396919	Poly Skid Kit..... (Includes hardware)	Parts	\$____

Destination Charge Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges
--

Attachment	Assembly Required	Installation Time (Hours)
-------------------	--------------------------	--------------------------------------

Snow Pusher Pro.....	None.....	-
----------------------	-----------	---

Soil Conditioner Telehandler Attachments



Quick Specs

	<u>84" Hydraulic</u>
Overall Length.....	67.9"
Overall Width.....	98.2"
Working Width (Fully Angled).....	76.0"
Degree of Angle - Left or Right.....	25 deg.
Number of Teeth.....	141
Operating Weight.....	1,268 lbs.
Hydraulic Requirements.....	18-37 gpm
Tires.....	Foam-Filled
Float or Lock Position.....	Both
Depth Adjustment.....	Hydraulic


Part Number	Description	Attachment	SLP in US \$
(V519) (TL519, TL619, TL623) 7135946	84" Soil Conditioner, Hydraulic Angle.....		\$14,319.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Soil Conditioner.....	None.....	-

HS8 Spreader Telehandler Attachments



Quick Specs

Operating Weight with Loader Mount (empty).....	387 lbs
Height.....	40.9"
Width.....	54.4"
<i>Hopper Capacity</i>	
Top of Hopper.....	9.6 Cu. ft.
Bottom of Grate.....	7.6 Cu. ft.
Spreading Pattern.....	18.4 @ 1500 RPM
	22.6 @ 2000 RPM
	28.4 @ 2500 RPM
Speed Control.....	Dial control
Motor.....	Hydraulic
Spinner Wheel.....	18" diameter
Maximum Hydraulic Flow.....	22 GPM


Part Number	Description	Attachment	SLP in US \$
(TL519) 7157284	HS8 Spreader		\$5,027.00

Part Number	Description	Dealer Installed Accessories - Order From Parts
<i>For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.</i>		
7157412	Sidewalk Kit – HS8..... (Limits spread pattern to the width of a 29" or 37" dependant mounting location used)	\$_____

Destination Charge/Fuel Surcharge
Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges.

Attachment	Assembly Required	Installation Time (Hours)
HS8 Spreader.....	None.....	-

Sweeper Telehandler Attachments



Quick Specs

	84"
Operating Weight.....	1,122 lbs.
Sweep Width.....	84"
Overall Attachment Width.....	89.7"
Bucket Capacity.....	12.2 cu. ft.
Broom Diameter.....	26.3"
Bristle Sections (Included).....	42
Bristle Material.....	Polypropylene sections (steel sections available)
Cutting Edge (Repl. Steel).....	5/8" x 6"
Broom RPM @ 23 GPM.....	258
Hydraulic Flow Range.....	16-23 GPM
Travel.....	Forward/Reverse

Part Number	Description	Attachment	SLP in US \$
----------------	-------------	------------	--------------

(V519) (TL519, TL619, TL623)

7418178	84" Sweeper.....		\$8,473.00
---------	------------------	--	------------

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP in US \$
----------------	-------------	---	--------------

7419388	Gutter Brush.....		\$2,845.00
	(Includes hoses, couplers, steel bristles, mounting frame, hardware and control valve)		
	(Estimated install time 2 hours) (Ship Weight 145 lbs.)		

Part Number	Description	Dealer Installed Accessories - Order From Parts
----------------	-------------	---


For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

7147900	Wheel Kit, 84".....	Parts	\$ ____
	(Add-on for the 84" Sweeper) (Limits surface damage due to scrapes and scratches)		
	(Includes hardware, two wheels and gas shocks) (Estimated install time 2 hours)		
7418224	Bolt-On Cutting Edge, 84".....	Parts	\$ ____
	(Hardware not included) (Estimated install time 1.5 hours)		

Destination Charge
Refer to BobQuote or BobcatNET>>>Other Resources>>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Sweeper.....	None.....	-
Gutter Brush.....		2.0

Tiller Telehandler Attachments



Quick Specs

	<u>76"</u>
Operating Weight.....	749 lbs
Working Width.....	75.4"
Overall Width.....	86.8"
Tines.....	44
Working Depth.....	6" maximum
Tine Rotation.....	Bi-rotational
Drive.....	Direct Drive
Travel Direction.....	Forward/Reverse
Flow Range.....	17-40 GPM
Skid Shoe.....	Optional

Part Number	Description	Attachment	SLP in US \$
(TL519) 7102125	76" Rotary Tiller.....		\$7,875.00


Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP in US \$
7280548	Tiller Skid Shoes for all models..... (0.5 hour assembly time)	Parts	\$____

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Tiller.....	None.....	-
Tiller Skid Shoe.....	Bolt To tiller.....	0.5

Trencher Telehandler Attachments



Quick Specs

	<u>LT313 3' depth</u>	<u>LT313 4' depth</u>
Operating Weight (without teeth).....	955 lbs	980 lbs
Flow Range.....	15-23 gpm	15-23 gpm
Maximum Operating Pressure.....	3300 psi	3300 psi
Frame Width (std. equipment).....	56"	56"
Trenching Widths Available.....	6" to 12"	6" to 12"
Side Shift Travel.....	23.1"	23.1"
Auger Diameter.....	14"	14"
Auger Clearance.....	24-27"	24-27"
Dig Depth @ 60 degrees.....	3'	4'
Overall Length.....	79.5"	89.5"
Standard Boom Length.....	55.5"	65.5"


Part Number	Description	Attachment	SLP in US \$
(TL519) M7015	LT313 Trencher..... (Includes 3' depth, manual sideshift, 6" trench cleaner) (Can only order one factory installed chain option per trencher model)		\$7,029.00
	<i>All chains are 2.0" Double Standard (DS) Anti-Back Flex (ABF)</i>		
M7015-R01-C13	No Chain Option.....		n/c
M7015-R01-C02	3' x 6" Cup Teeth in Single Standard Pattern.....		\$889.00
M7015-R01-C05	3' x 8" Cup Teeth in Single Standard Pattern.....		\$938.00
M7015-R01-C01	3' x 6" Cup Teeth in Double Standard Pattern.....		\$1,475.00
M7015-R01-C04	3' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,489.00
M7015-R01-C03	3' x 6" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,412.00
M7015-R01-C06	3' x 8" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,470.00
M7015-R01-C14	3' x 8" Shark/Cup Teeth in Double Standard Pattern.....		\$1,798.00
	<i>The LT313 is assembled as a 4' dig depth when ordering the 4' chain option (Boom Guide included with 4' factory installed chain)</i>		
M7015-R01-C08	4' x 6" Cup Teeth in Single Standard Pattern.....		\$1,097.00
M7015-R01-C11	4' x 8" Cup Teeth in Single Standard Pattern.....		\$1,231.00
M7015-R01-C07	4' x 6" Cup Teeth in Double Standard Pattern.....		\$1,353.00
M7015-R01-C10	4' x 6" Shark/Cup Teeth in Double Standard Pattern.....		\$1,748.00
M7015-R01-C09	4' x 6" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,706.00
M7015-R01-C12	4' x 8" Cup & Carbide Teeth in Double Standard Pattern.....		\$2,892.00
M7015-R01-C15	4' x 8" Shark/Cup Teeth in Double Standard Pattern.....		\$1,982.00

Dealer Installed Accessories - Order From Sales		
Part Number	Description	SLP in US \$
6970056	3' x 6" Cup Teeth in Single Standard Pattern..... (Ship Weight 143 lbs.)	\$1,039.00
6970057	3' x 8" Cup Teeth in Single Standard Pattern..... (Ship Weight 151 lbs.)	\$1,039.00
6959240	3' x 6" Cup Teeth in Double Standard Pattern..... (Ship Weight 195 lbs.)	\$1,703.00
6970058	3' x 6" Cup & Carbide Teeth in Double Standard Pattern..... (Ship Weight 228 lbs.)	\$2,806.00
7100638	3' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern..... (Ship Weight 153 lbs.)	\$1,770.00
6970059	3' x 8" Cup & Carbide Teeth in Double Standard Pattern..... (Ship Weight 236 lbs.)	\$2,805.00
7209866	3' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$1,546.00
6808242	4' x 6" Cup Teeth in Single Standard Pattern..... (Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)	\$1,265.00
6808243	4' x 8" Cup Teeth in Single Standard Pattern..... (Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)	\$1,248.00
6959238	4' x 6" Cup Teeth in Double Standard Pattern..... (Must also order Boom Guide Assembly) (Ship Weight 178 lbs.)	\$1,752.00
7100628	4' x 6" Shark Tooth/Cup Teeth in Double Standard Pattern..... (Must also order Boom Guide Assembly) (Ship Weight 168 lbs.)	\$2,132.00
6808244	4' x 6" Cup & Carbide Teeth in Double Standard Pattern..... (Must also order Boom Guide Assembly) (Ship Weight 268 lbs.)	\$3,110.00
6808245	4' x 8" Cup & Carbide Teeth in Double Standard Pattern..... (Must also order Boom Guide Assembly) (Ship Weight 278 lbs.)	\$3,162.00
7209867	4' x 8" Shark Tooth/Cup Teeth, Double Standard Pattern.....	\$1,985.00
7274348	Hydraulic Side Shift Kit..... (Hydraulically side shift the trencher boom 23.1") (Ship Weight 58 lbs.) (1.5 hour install	\$1,173.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Truss Boom Telehandler Attachments



Quick Specs

Boom Weight..... 558 lbs.
 Boom Height..... 19.3"
 Boom Length..... 146"

Part Number	Description	Attachment	SLP in US \$
(V519) (TL519, TL619, TL623) 7140714	12' Truss Boom..... (Truss Boom is only compatible with Bobcat telehandlers equipped with Bob-Tach® mounting system. Tabs present to prevent fit up with standard Bob-Tach® couplers.)		\$2,627.00

Destination Charge

Refer to BobQuote or BobcatNET>>Other Resources>>Pricing Homepage for current Destination and Fuel Charges

Attachment	Assembly Required	Installation Time (Hours)
Truss Boom.....	None.....	-