

BOBCAT COMPANY PRICE PAGES NA UTILITY TRACTORS



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
4.26.2024	Release of Utility Tractor Price Pages.
6.28.2024	Correction of UT6566 length spec and UT6573 price typo. Part number changes for numerous accessories.
9.19.2024	Update 3pt and front end loader lift capacities.
12/17/2024	Added float style rear remotes. Updated beacon, front weight kit and tire part numbers.
7/14/2025	Updated PTO HP spec values. Updated 3rd function and rear hydraulic kit part numbers. Updated UT6566 hydraulic flow.
1/1/2026	Updated pricing for carriers, FEL and wheel tire assemblies.

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

UT6066/UT6566/UT6573

Utility Tractor



Standard Equipment

7-pin Socket	Clevis
Brakes, Wet Multi Disc	Loader Joystick & Valve
Cab – Heat/Air (Cab only)	Parking Brake
Cruise Control	PTO Cruise
Cupholder	PTO Shield
Electric Key Shutoff	Rear Differential Lock
Floor Mat	Rear PTO (Independent)
Electronic Four Wheel Drive	Rear Three-Point Hitch Return to Position
Fuel Heater	Right Arm Rest (Cab Only)
Glow Plug Engine Pre-Heat	Safety Interlock System
Horn	Side View Mirror
Hydraulic Three-Point Lift Position Control System	Sun-visor (Cab Only)
Hydraulic Power Steering	Telescopic stabilizer and lower link
Instrumentation: Hourmeter, Tachometer, Engine	Three-Point Hitch, Category 2
- Temperature, Fuel Gauge, and Warning Lights	Tires: Industrial 12.5/80-18 – Front; 18.4-24– Rear
Lifting Rod – Beveled Gear Type	
LED Lights: Headlights, Tail Lights, Brake Lights, Hazard	
- Flashers, and Turn Signals	

****The UT6xxx platform comes standard with 1 pair (2 ports) of spring rear remote hydraulics****

* Roll Over Protective Structure (ROPS) - Meets Requirements of OECD Code 4

UT6066/UT6566/UT6573**Utility Tractor****Quick Specs**

	<u>UT6066 PST</u>	<u>UT6566 PST</u>	<u>UT6573 PST</u>
Engine - Tier IV Compliant.....	4HT-TP4A	4HT-TP4A	4HT-TP4A
Engine Fuel/Cooling.....	Diesel/Liquid	Diesel/Liquid	Diesel/Liquid
Gross Horsepower.....	66.4 hp	66.4 hp	73.1 hp
Engine Displacement.....	148.6 cu. In.	148.6 cu. In.	148.6 cu. In.
PTO Horsepower.....	57.4 hp	57.4 hp	62.1 hp
PTO RPM.....	540	540	540
Alternator Capacity.....	75 amps	75 amps	75 amps
Travel Speed (Forward) w/ R-4 Ind Tires.....	19.8 mph	19.8 mph	19.9 mph
Travel Speed (Reverse) w/ R-4 Ind Tires.....	19.5 mph	19.5 mph	19.6 mph
Operating Weight.....	5440 lbs.	5830 lbs.	5960 lbs.
Height - Top of Structure w/ R-4 Ind Tires.....	102.1 in.	99.3 in.	101.1 in.
Transmission.....	Powershuttle	Powershuttle	Powershuttle
Width w/ R-4 Ind Tires.....	77.2 in.	77.2 in.	83.5 in.
Width w/ Ag Tires.....	72.6 in.	72.6 in.	76.5 in.
Width w/Multi-Use Tires.....	77.7 in.	77.7 in.	84.0 in.
Length w/ 3 Pt. Hitch (no weight bracket).....	148.8 in.	148.8 in.	150.0 in.
Wheelbase.....	82.7 in.	82.7 in.	83.9 in.
Min. Ground Clearance w/ R-4 Ind Tires.....	12.3 in.	12.3 in.	12.3 in.
Inside Turning Radius.....	147 in.	147 in.	154 in.
Fuel Tank Capacity.....	22.5 gal.	25.1 gal.	25.1 gal.
3Pt Hitch Lift Cap (24" behind lift point with FEL).....	3594 lbs. *	3594 lbs. *	3898 lbs. *
Hydraulic Pump Flow.....	17.9 gpm	17.9 gpm	19.2 gpm
Implement Flow.....	11.0 gpm	11.0 gpm	11.0 gpm
Steering Flow.....	6.9 gpm	6.9 gpm	8.2 gpm

* With front end loader installed (used as front ballast)

UT6066/UT6566/UT6573 Utility Tractor

Ordering Path:

- 1) Select Tractor Model
- 2) Select Tire (Pricing dependent on option)
- 3) Select Factory Installed Front End Loader (Optional)

Part Number	Description	Compact Utility Tractor	SLP in US \$
M1642	UT6066 PST Utility Tractor.....		\$48,114
M1643	UT6566 PST Utility Tractor.....		\$58,457
M1644	UT6573 PST Utility Tractor.....		\$61,170

Part Number	Description	Factory Installed Options	SLP in US \$
-------------	-------------	---------------------------	--------------

Tire Options

M_-R02-C01	Ag Tire: 9.5-24, Front; 16.9-30, Rear (UT6066 and UT6566).....	\$1,316
	Ag Tire: 11.2-24, Front; 16.9-30, Rear (UT6573).....	\$1,316
	<i>Superior traction in muddy & soft soil, ideal for maximum pulling power & maneuverability in rugged conditions.</i>	
M_-R02-C02	Ind Tire (Standard): 12.5/80-18, Front; 18.4-24, Rear.....	\$789
	<i>Balanced combination of traction & surface area. Ideal for optimizing traction & minimizing ground disturbance.</i>	
M_-R02-C07	Multi-Use (Radials): 340/80R18, Front; 480/80R26, Rear.....	\$2,632
	<i>Radial tire for optimal stability and road performance, ideal for roadside mowing and snow removal.</i>	

Front End Loader - Bob-Tach

Includes quick attach front-end loader, hose kit, bucket level indicator, grille guard, mounting kit,
82" Bob-Tach bucket. (For maximum lift capacity, equip with rear
ballast box)

M_-A01-C05	FL10 Factory Installed.....	\$8,938
------------	-----------------------------	---------

FEL Specs (With Industrial Tires)

	<u>FL10</u>
Maximum Lift Height to Bucket Pivot Pin.....	129"
Clearance with Level Bucket at Maximum Lift Height.....	120.7"
Clearance with Bucket Dumped at Maximum Lift Height.....	99.7"
Reach at Maximum Lift Height.....	17.5"
Length with Front End Loader & 3 Pt Hitch.....	198.7"* / 199.9"**
Bucket Dump Angle at Maximum Lift Height.....	51 degrees
Maximum Rollback Angle.....	47 degrees
Lift Capacity to Maximum Height at Bucket Pivot Pins.....	2614 lbs.* / 2813 lbs.**
Loader Weight.....	1690 lbs
Breakout Force at Pivot Pin.....	4558 lbs * / 4628 lbs **
Standard Bucket Width.....	82"
Reach with Bucket on the Ground.....	78"
	*UT6066 and UT6566
	**UT6573

UT6066/UT6566/UT6573**Utility Tractor**

Part Number	Description	SLP in US \$
-------------	-------------	--------------

For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.

Cab Accessories		
46911439	Rear Wiper Kit.....	\$ _____
	Cab models only. Includes motor, wiper arm, wiper, switch and hardware. Install time: 2.0 hr.	
46938312	Beacon Kit.....	\$ _____
	Cab models only. Includes lamp switch, wiring, hardware, beacon lamp and bracket. Install time: 1.0 h	
7457509A	Bluetooth Radio Kit.....	\$ _____
	Cab models only. Includes radio, harness and hardware. Install time: 1.0 hr.	
46911461	Left Hand Armrest (UT6066 only).....	\$ _____
	Includes armrest and hardware. Install time: 0.25 hr.	
46911464	Left Hand Armrest (UT6566 and UT6573).....	\$ _____
	Includes armrest and hardware. Install time: 0.25 hr.	

Hydraulic / Hitch Accessories		
46911430	Second Rear Remote Valve (Spring) (UT6066 only).....	\$ _____
	Includes second valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46911433	Second Rear Remote Valve (Detent) (UT6066 only).....	\$ _____
	Includes second valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46908822	Second Rear Remote Valve (Spring) (UT6566 and UT6573).....	\$ _____
	Includes second valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46908828	Third Rear Remote Valve (Spring) (Requires Second Remote Valve) (UT6566 / UT6573).....	\$ _____
	Includes third valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46908825	Second Rear Remote Valve (Detent) (UT6566 and UT6573).....	\$ _____
	Includes second valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46908831	Third Rear Remote Valve (Detent) (Requires Second Remote Valve) (UT6566 / UT6573).....	\$ _____
	Includes third valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46926257	Second Rear Remote Valve (Float) (UT6066 only).....	\$ _____
	Includes second valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46926260	Second Rear Remote Valve (Float)(UT6566 / UT6573).....	\$ _____
	Includes second valve body, lever, cable and associated hardware. Install time: 1.5 hr.	
46926262	Third Rear Remote Valve (Float) (Requires Second Remote Valve) (UT6566 / UT6573).....	\$ _____
	Includes third valve body, lever, cable and associated hardware. Install time: 1.5 hr.	

Ballast / Wheel Accessories		
46907793	Rear Wheel Weight Kit (Ag Tires).....	\$ _____
	Includes 6 weights and hardware. Install time: 0.5 hr.	
46907794	Rear Wheel Weight Kit (Industrial and Multi-Use Tires).....	\$ _____
	Includes 8 weights and hardware. Install time: 0.5 hr.	
46927524	Front Weight Kit.....	\$ _____
	Includes 12 cast weights, bracket and hardware. Install time: 0.5 hr.	
46911454	Front Fender Kit.....	\$ _____
	Includes 2 fenders and hardware. Install time: 0.5 hr.	

Cold Weather Accessories		
7401548	(FRV) Fuel Recirculation Valve Kit.....	\$ _____
	Includes valve, hoses and clamps. Install time: 1.0 hr.	
7388933	Block Heater.....	\$ _____
	Includes block heater and instructions. Install time: 1.0 hr.	

Tire/Wheel Assemblies**Bias Ply Ag (R1)**

7537178	9.5-24 10PR R-1, Front Left	\$ _____
7537179	9.5-24 10PR R-1, Front Right.....	\$ _____
7537180	16.9-30 6PR R-1, Rear Left.....	\$ _____
7537181	16.9-30 6PR R-1, Rear Right.....	\$ _____
7537182	*UT6573 11.2-24 10PR R-1, Front Left	\$ _____
7537183	*UT6573 11.2-24 10PR R-1, Front Right.....	\$ _____
7537184	*UT6573 16.9-30 6PR R-1, Rear Left.....	\$ _____
7537185	*UT6573 16.9-30 6PR R-1, Rear Right.....	\$ _____

Bias Ply Industrial/General Purpose (R4)

7537186	12.5/80-18 6PR R-4, Front Left.....	\$ _____
7537187	12.5/80-18 6PR R-4, Front Right.....	\$ _____
7537188	18.4-24 6PR R-4, Rear Left.....	\$ _____
7537189	18.4-24 6PR R-4, Rear Right.....	\$ _____
7537190	*UT6573 18.4-24 6PR R-4, Rear Left.....	\$ _____
7537191	*UT6573 18.4-24 6PR R-4, Rear Right.....	\$ _____

Radial Ply Multi-Use (R4)

7537192	340/80R18 6PR R-4, Front Left.....	\$ _____
7537193	340/80R18 6PR R-4, Front Right.....	\$ _____
7537194	480/80R26 6PR R-4, Rear Left.....	\$ _____
7537195	480/80R26 6PR R-4, Rear Right.....	\$ _____
7537196	*UT6573 480/80R26 6PR R-4, Rear Left.....	\$ _____
7537197	*UT6573 480/80R26 6PR R-4, Rear Right.....	\$ _____

Front-End Loader Accessories

46908810	Bolt-on 82" Cutting Edge for FL10 (UT6xxx).....	\$ _____
46908800	3rd Function Kit for FL10 (UT6xxx).....	\$ _____
Includes flat face couplers (Pioneer couplers need to be ordered separately). Install time: 2.0 hrs.		

Additional Accessories

46911436	Sunshade Kit.....	\$ _____
Includes canopy and hardware. Install time 1 hr.		
46908815	Grille Guard Kit.....	\$ _____
Includes hardware. Comes standard with FEL. Install time 0.5 hr.		
46915341	Translation Kit.....	\$ _____
Includes decals, Operator's Handbook, Safety Manual and Warranty Brochure. Install time: 0.25 hr.		